


NORTON

SAINT-GOBAIN

Transforming
surfaces
...and beyond

SURFACE SOLUTIONS

FLEXIBLE DIAMOND ABRASIVES



 SAINT-GOBAIN



NORTON SNAKE FLEXIBLE DIAMOND ABRASIVES

Introducing Norton Snake, a cutting-edge range of superabrasive flexible diamond products designed for industrial applications, from heavy stock removal, to finishing and polishing. The innovative continuous wave lines ensure a smooth and efficient grinding process. With a high diamond content, the Norton Snake pattern offers exceptional durability and performance, making this range the ideal choice for professionals seeking ease of use and outstanding results in various industrial tasks. Elevate your abrasive tool arsenal with Norton Snake and experience the pinnacle of productivity.

UNIVERSAL APPLICATIONS



Concrete



Stone



Tiles



Composites



Glass



Porcelain



Quartz



Hard Coatings

THE SNAKE **PATTERN**

Discover the Snake Pattern, a **ground-breaking innovation** in diamond abrasive products.

This unique wave design, characterized by open continuous lines resembling the sinuous motion of a snake, brings innovation and efficiency together.

With a remarkably high diamond content, this pattern guarantees superior durability and precision.

Its intricate yet user-friendly design ensures a seamless and smooth grinding process, offering unparalleled ease of use for professionals and enthusiasts alike. Experience the future of abrasives with the Snake Pattern, setting a new standard in efficiency and performance for your projects.

RANGE OVERVIEW


The Norton Snake range offers a high performance solution whatever your application. From handpads to belts, you can find a product to suit your needs.

	SPIRAL BELTS	page 4
	SPEEDLOK™ DISCS	page 5
	HANDPADS	page 6
	SELF-GRIP DISCS	page 7
	FLEXIBLE BELTS	page 8
	DIAMOND FLAP WHEELS	page 9
	FLEXIBLE HAND SANDING SHEETS	page 10

NAVIGATING THE NEW RANGE


Norton Snake diamond products are all color coded to make product selection quick and easy.

COLOUR	GRIT	APPLICATION
GREEN	60	Heavy stock removal, deburring
BLACK	120	Stock removal, blending and removing imperfections
RED	200	Blending and finishing
YELLOW	400	Fine finishing



NORTON SNAKE SPIRAL BELTS

Spiral belts are used on a die grinder and are ideal for polishing corners, edging, and cleaning hard-to-reach areas, removing uneven surfaces, ensuring a flat and smooth base, perfect for precision fittings. They are highly effective in shaping and cleaning edges of drilled holes and corner dubbing, and work well on challenging materials like glass, porcelain, rhodium, iridium, titanium, and technical ceramics, including tungsten carbide. Spiral belts are used in industries such as crystal glass, lapidary, technical quartz, and stone processing.

	DIMENSIONS (mm)	GRIT	BOX QTY	MAX RPM	WET/DRY	SAP CODE
	15 x 30	60	7	55000		66260260994
	15 x 30	120	7	55000		66260260996
	15 x 30	200	7	55000		66260260998
	15 x 30	400	7	55000		66260261000
	30 x 30	60	7	28000		66260261001*
	30 x 30	120	7	28000		66260261002
	30 x 30	200	7	28000		66260213634
	30 x 30	400	7	28000		66260213564*

*MTO

ACCESSORIES

PNEUMATIC DIE GRINDER WITH 6mm COLLET, MAX RPM 25000 (0,9 HP)

COLLET DIAMETER	HORSEPOWER	TOOL WEIGHT
6 mm	0,9	0,65 kg


AIR CONSUMPTION	RECOMMENDED OPERATING PRESSURE	ART NO.
85 l/min.	6,2 bar	69957341008



SPIRABAND MANDRELS

DIM (DxWxS)	PK QTY	ART NO.
15 x 30 x 6 mm	1	7660705182
30 x 30 x 6mm	1	7660707918





NORTON SNAKE SPEEDLOK™


Norton Snake SpeedLok™ discs are flexible diamond quick-change discs which securely attach to your pneumatic machine or, if using a conversion kit, Right Angle Grinder with a quick and sturdy screwing mechanism, allowing you to change between abrasives within seconds. Most commonly used on glass for corner dubbing, these versatile discs can also be valuable for refining thermal barrier coatings and ceramics on intricate three-dimensional forms, commonly within industries like aerospace and prosthetics.

	DIAMETER (mm)	GRIT	BOX QTY	MAX RPM	WET/DRY	SAP CODE
	50	60	5	17000		66260248290
	50	120	5	17000		66260215343
	50	200	5	17000		66260261021
	50	400	5	17000		66260261024

ACCESSORIES


MINI RIGHT ANGLE GRINDER

50mm (2") MAX RPM 22.000 (0,45 HP)

	EXHAUST DIRECTION	THROTTLE TYPE	HORSEPOWER		
	Rear	Level	0,45		
		AIR CONSUMPTION	COLLET CHUNK	TOOL WEIGHT	ART NO.
		85 l/min.	6 mm	0,74 kg	69957341008

RUBBER BACK-UP PADS FOR MINI ANGLE GRINDER






6 mm SPINDLE - TR ATTACHMENT


	MAX.				ART NO.
	SIZE	DENSITY	RPM	PK QTY	
50 mm	Medium	19000	1	7660717817	
50 mm	Hard	19000	1	63642586931	



NORTON SNAKE HANDPADS

For applications from rough grinding to polishing, these handpads are made with color-coded foam bodies and diamond-coated surfaces. They are ideal for manual jobs in challenging areas like corners, edges, and intricate spaces, serving tasks such as deburring, tool sharpening, and defect removal. Versatile and ideal for use across various materials including stone, glass, ceramics, hard steel, tough coatings, metals, and tiles.

	DIMENSIONS (mm)	GRIT	BOX QTY	WET/DRY	SAP CODE
	90 x 55	60	5		66260376326
	90 x 55	120	5		66260322698
	90 x 55	200	5		66260329702
	90 x 55	400	5		66260329704



NORTON SNAKE SELF-GRIP DISCS

Ideal for damp grinding and enhancing the shine of glass, ceramics, porcelain, granite, marble, and composite materials. Norton Snake self-grip discs are enriched with a high concentration of diamonds, ensuring superior stock removal throughout the long life of the disc. Discs can be used on both electric and pneumatic tools.

	DIAMETER (mm)	GRIT	BOX QTY	MAX RPM	WET/DRY	SAP CODE
	100	60	1	8500	💧	66260203356*
	100	120	1	8500	💧	66260226849*
	100	200	1	8500	💧	66260203352*
	100	400	1	8500	💧	66260232917*
	115	60	1	7400	💧	66260242658*
	115	120	1	7400	💧	66260242659*
	115	200	1	7400	💧	66260242660*
	115	400	1	7400	💧	66260242662*
	125	60	1	6800	💧	66260242663*
	125	120	1	6800	💧	66260242664
	125	200	1	6800	💧	66260242665
	125	400	1	6800	💧	66260242666*

*MTO

ACCESSORIES






BACK-UP PADS (SELF-GRIP)




	DIA	DENSITY	ATTACHMENT	PK QTY	ART NO.
	100 mm	Medium	M14	1	66261046372
	115 mm	Medium	M14	1	69957382846
			5/8	1	63642595937
	125 mm	Medium	M14	1	69957382841
			5/8	1	63642595938



NORTON SNAKE FLEXIBLE BELTS

Norton Snake flexible belts are ideal for edging and cleaning non-standard glass shapes. The high performance superabrasive diamonds and strong, flexible polycotton backing combine to provide long life and high stock removal rates, making these belts an ideal choice for many applications where comfort, performance and versatility are key.








FILE BELTS	DIMENSIONS (mm)	GRIT	BOX QTY	MAX RPM	WET/DRY	SAP CODE
	30 x 533	60	2	17000		66260159324
	30 x 533	120	2	17000		66260324286
	30 x 533	200	2	17000		07958795946
	30 x 533	400	2	17000		66260189183

NARROW BELTS	DIMENSIONS (mm)	GRIT	BOX QTY	MAX RPM	WET/DRY	SAP CODE
	80 x 1180	120	10	17000		66260107974
	80 x 1180	200	10	17000		07958776854



NORTON SNAKE DIAMOND FLAP WHEELS

Norton Snake diamond flap wheels seamlessly combine the unique snake diamond pattern with non-woven abrasive flaps, offering a high-performance solution for blending, deburring and finishing both flat and contoured surfaces. The interleaved nature of these abrasive flap wheels provides a balance between finishing and removal capabilities, adept at eliminating minor surface blemishes and leaving a high-quality surface finish. Typically paired with die grinders or bench grinders, these flapwheels excel on materials including stone, glass, crystal, concrete, titanium and much more.


	DIMENSIONS (mm)	GRIT	BOX QTY	MAX RPM	WET/DRY	SAP CODE
	30 x 20 x 6	120	1	19000		66260261084
	30 x 20 x 6	200	1	19000		66260261085
	30 x 20 x 6	400	1	19000		66260261086
	60 x 30 x 6	120	1	9500		66260261079
	60 x 30 x 6	200	1	9500		66260261082
	60 x 30 x 6	400	1	9500		66260261083*


*MTO

ACCESSORIES

PNEUMATIC DIE GRINDER










WITH 6mm COLLET, MAX RPM 25000 (0,9 HP)

	COLLET DIAMETER	HORSEPOWER	TOOL WEIGHT	AIR CONSUMPTION	RECOMMENDED OPERATING PRESSURE	ART NO.
	6 mm	0,9	0,65 kg	85 l/min.	6,2 bar	69957341008



NORTON SNAKE FLEXIBLE HAND SANDING SHEETS

Flexible hand sanding sheets are incredibly versatile, suited to both wet and dry sanding with a strong but flexible canvas or self-adhesive backing. Norton Snake sanding sheets excel in hard-to-reach and contoured areas, and can be tailored to smaller sizes for more intricate applications.

	DIMENSIONS (mm)	GRIT	BOX QTY	BACKING	WET/DRY	SAP CODE
	230 x 280	60	1	Canvas		66260261150
	230 x 280	120	1	Canvas		66260261151
	230 x 280	200	1	Canvas		66260261152
	230 x 280	400	1	Canvas		66260261153
	230 x 280	60	1	Self Adhesive		66260261154*
	230 x 280	120	1	Self Adhesive		66260261155
	230 x 280	200	1	Self Adhesive		66260261156
	230 x 280	400	1	Self Adhesive		66260261157

*MTO

SAINT-GOBAIN ABRASIVES NV/SA

INDUSTRIELAAN 129
1070 ANDERLECHT
BRUSSELS
BELGIUM
TEL: +32 2 267 21 00
FAX: +32 2 267 84 24

SAINT-GOBAIN ABRASIVES, S.R.O.

POČERNICKÁ 272/96, MALEŠICE
108 00 PRAHA 10
CZECH REPUBLIC
TEL: +420 255 719 326
FAX: +420 255 719 321

SAINT-GOBAIN ABRASIVES A/S

DYBENDALSVÆNGET 2
DK-2630 TAASTRUP
DENMARK
TEL: +45 4675 5244

PO BOX 643706

FORTUNE TOWER OFFICE 2106
JLT BLOCK C
(NEXT TO METRO STATION)
JUMEIRA LAKE TOWER, DUBAI
UNITED ARAB EMIRATES
TEL: +971 4 431 5154
FAX: +971 4 431 5434

SAINT-GOBAIN ABRASIFS

251 RUE DE L'AMBASSADEUR
78700 CONFLANS
FRANCE
TEL: +33 (0)1 34 90 40 00
FAX: +33 (0)1 34 90 43 97

SAINT-GOBAIN ABRASIVES GMBH

BIRKENSTRASSE 45-49
D-50389 WESSELING
GERMANY
TEL: +49 (0) 2236 703-1
+49 (0) 2236 8996-0
+49 (0) 2236 8911-0
FAX: +49 (0) 2236 703-367
+49 (0) 2236 8996-10
+49 (0) 2236 8911-30
FÜR DEN FACHHANDEL ÖSTERREICH
TEL: +43 (00) 662 430 076

SAINT-GOBAIN ABRASIVES KFT.

1225 BUDAPEST
BÁNYALÉG U. 60/B.
HUNGARY
TEL: +36 1 371 22 50
FAX: +36 1 371 22 55

SAINT-GOBAIN ABRASIVI S.P.A

VIA PER CESANO BOSCONI 4
I-20094 CORSICO MILANO
ITALY
TEL: +39 02 44 851
FAX: +39 02 44 78 266

SAINT-GOBAIN ABRASIVES S.A.

190 RUE J.F. KENNEDY
L-4930 BASCHARAGE
GRAND DUCHE DE LUXEMBOURG
TEL: +352 50 401 1
FAX: +352 50 16 33
NO. VERT (FRANCE) 0800 906 903

SAINT-GOBAIN ABRASIFS, S.A.

2 ALLÉE DES FIGUIERS
AIN SEBÂÂ - CASABLANCA
MOROCCO
TEL: +212 5 22 66 57 31
FAX: +212 5 22 35 09 65

SAINT-GOBAIN ABRASIVES BV

GROENLOSEWEG 28
7151 HW EIBERGEN
P.O. BOX 10
7150 AA EIBERGEN
THE NETHERLANDS
TEL: +31 545 466466
FAX: +31 545 474605

SAINT-GOBAIN ABRASIVES AS

KARIHAUGVEIEN 89
1086 OSLO
NORWAY
TEL: +47 63 87 06 00
FAX: +47 63 87 06 01

SAINT-GOBAIN HPM POLSKA SP. Z O.O.

UL. NORTON 1
62-600 KOŁO
POLAND
TEL: +48 63 26 17 100
FAX: +48 63 27 20 401

SAINT-GOBAIN ABRASIVOS, L. DA

ZONA INDUSTRIAL DA MAIA
I-SECTOR VIII, NO. 122
APARTADO 6050
4476 - 908 MAIA
PORTUGAL
TEL: +351 229 437 940
FAX: +351 229 437 949

**SAINT-GOBAIN GLASS,
BUSINESS UNIT ABRASIVI
PUNCT DE LUCRU:**

LOC.VETIS, JUD. SATU MARE
447355, STR. CAREIULUI 11,
PARC INDUSTRIAL RENOVATIO
ROMANIA
TEL: +40 261 839 709
FAX: +40 261 839 710

SAINT-GOBAIN AFRICA

300 JANADEL AVE
HALFWAY GARDENS
MIDRAND, 1686
SOUTH AFRICA
TEL: +27 (0) 12 657 2800
FAX: +27 (0) 11 388 1605

SAINT-GOBAIN ABRASIVOS, S.A.

CTRA. DE GUIPÚZCOA, KM. 7,5
E-31195 BERRIOPLANO (NAVARRA)
SPAIN
TEL: +34 948 306 000
FAX: +34 948 306 042

SAINT-GOBAIN ABRASIVES AB

GÅRDSFOGDEVÄGEN 18A
SE-168 66 BROMMA
SWEDEN
TEL: +46 8 580 881 00
FAX: +46 8 580 881 30

SAINT-GOBAIN INOVATIF MALZEMELER VE

AŞINDIRICI SAN. TIC. A.Ş.
GOLD PLAZA, ALTAY ÇEŞME MAHALLESİ,
ÖZ SOKAK, NO:19/16
34843 MALTEPE-ISTANBUL ,
TURKEY
TEL: 0090-216-217 12 50
FAX: 0090-216-442 40 74

SAINT-GOBAIN ABRASIVES

UNICORN HOUSE
UNIT 1, AMISON CLOSE
REDHILL BUSINESS PARK
STAFFORD
ST16 1WB
UNITED KINGDOM
TEL: +44 1785 279553
FAX: +44 1785 213487



Saint-Gobain Abrasifs
European Headquarters
251 Rue de l'Ambassadeur
78700 Conflans
France

Tel: +33 (0)1 34 90 40 00
Fax: +33 (0)1 34 90 43 97

www.nortonabrasives.com

www.saint-gobain-abrasives.com

www.youtube.com/NortonAbrasiveEMEA

Norton is a registered trademark of Saint-Gobain Abrasives.

Form # 4425

SEAMTM
Sustainable European Abrasive Manufacturers