



## CATALOG #330

# REFINISHING PRODUCTS FOR THE AUTOMOTIVE AFTERMARKET

IESTINK



QUALITY THAT PAYS™

### **GENERAL INFORMATION** About Norton



We are committed to providing access to our experts' knowledge whenever you need it. Whether it is through our ongoing training programs, or through on-line expert articles, you can stay up-to-date with Norton where and when you need it.

Bring us your abrasive challenges, we have solutions!

#### Our Commitment

Take Norton for a Test Drive!

Norton is 100% committed to bringing the best performing products to body shops at a fair price.

You can test drive Norton products in your shop when it's convenient for you. Simply let your Norton salesperson know when you'd like to test Norton in your shop. Our Test Drive program allows the technicians to do their regular work, without interruption, using Norton products at no cost in "real world" conditions. You're the final judge of performance.

At the end of the day, the Norton salesperson will review the results, provide you with potential cost savings and convert the shop to Norton products if you like what you see.

There has never been a better time to look at ways to increase productivity and to reduce costs at absolutely no risk to you. If you'd like to take a test drive please email norton.automotive@saint-gobain.com

### Our Connection

Norton Distributors can use the myAbrasives system for ordering all your products much easier, 24/7. Access order history, request quotes, make bulk orders, get detailed product information and more!

Phone: 877-447-5353 Email: myAbrasives.na@saint-gobain.com

### Our Reach

Visit our website at www.nortonabrasives.com for a more comprehensive outline of products, safety and application information. We continually update it with our most current information.

Connect with us on social spaces:



NORTON

NORTON
SAINT-GOBAIN


# GENERAL INFORMATION Table of Contents

SANDING BLAZE A995	6		SCUFFING SOLUTIONS	23		ADHESIVES, SEALERS, AND COATINGS	49
SANDING DRY ICE A975	7	6	SURFACE CONDITIONING	25		MASKING PRODUCTS	53
SANDING A275 ORIGINAL PERFORMANCE	9		GRINDING DISCS	28	North Lines	ACCESSORIES	56
SANDING GOLD RESERVE	12		FILE BELTS	33		REVVIVE BY RSG	63
SANDING BLUEFIRE	15		CUTTING WHEELS	35	Farécla	FARÉCLA	70
SANDING BLACK ICE	17		RETAIL MARKET	36	FUSOR <sup>®</sup> Repair Adhesives	FUSOR	77
DEFECT REMOVAL	18		TOOLS	38	<b>tim</b>	TIM – TOTAL INVENTORY MANAGEMENT	92
			SPEEDGRIP	42			





# SANDING Blaze A995 Ceramic





#### Hook and Loop Non-Vacuum and Multi-Air Cyclonic

Norton Blaze A995 starts with the finest design essentials of ultra-premium ceramic grain, proprietary high-strength backing and prevailing anti-clog coating. Then, we add some serious muscle with our most-advanced vacuum science to deliver the ultimate powerhouse of paper discs.

200000		$\bigcirc$	
	6"	5" MULTI-AIR Cyclonic	6" MULTI-AIR Cyclonic
GRIT	PART #	PART #	PART #
P400D	-	-	636425 <b>97517</b>
P320D	-	-	636425 <b>97516</b>
P220D	636425 <b>97514</b>	636425 <b>97504</b>	636425 <b>97509</b>
P180D	636425 <b>97513</b>	636425 <b>97503</b>	636425 <b>97508</b>
P150D	636425 <b>97512</b>	636425 <b>97502</b>	636425 <b>97507</b>
P120D	636425 <b>97511</b>	636425 <b>97501</b>	636425 <b>97506</b>
P80D	636425 <b>97510</b>	636425 <b>97500</b>	636425 <b>97505</b>
P40D*	-	-	636425 <b>97515</b> *
P60	-	_	636425 <b>97519</b>
Pkg/Case	50/4	50/4	50/4 *25/4 (25 discs per pkg, 4 pkg per case)

#### Hook and Loop Multi-Air Cyclonic Sheet Rolls

The innovative laser-converted rolls feature the same Cyclonic spiral hole-design found on the Multi-Air Cyclonic disc range which optimizes dust extraction while reducing surface imperfections. The new hole-design does not need to be lined up with the holes on the vacuum file boards or hand blocks to achieve optimal performance so changeover is fast and easy. In addition the rolls are perforated every 2-3/4" to allow it to be torn easily to fit multiple file board lengths.

Count		
	2-3/4" x 13 YD PERFORATED ROLL	2-3/4" x 9 YD PERFORATED ROLL
GRIT	PART #	PART #
P400D	776960 <b>30001</b>	-
P320D	776960 <b>30000</b>	-
P220D	699573 <b>08903</b>	-
P180D	699573 <b>08902</b>	-
P150D	699573 <b>08901</b>	-
P120D	699573 <b>08900</b>	-
P80D	699573 <b>08899</b>	-
P40D	-	699573 <b>65500</b>
Pkg/Case	1/4	1/4

# Dry Ice A975 Ceramic





SG Un ceramic grain rei

Unique fiber-S reinforced latex/si paper backing

Superior cut on scratch-resistant clears and hard-to-sand primers

- Norton SG ceramic grain has a quicker/cooler cut with greater longevity and superior cut on scratch-resistant clears and hard-to-sand primers
- Unique fiber-reinforced latex/paper backing is flexible with increased durability for easy removal with maximum tear resistance
- Norton No-Fil water-based stearate improves load resistance and extends life

#### Multi-Air Cyclonic and Non-Vacuum Discs

Norton Dry Ice A975 hook and loop discs with Norton SG ceramic grain are ideal for hard-to-sand and self-healing clears. Norton Multi-Air Cyclonic discs provide maximum dust extraction. Norton Dry Ice A975 also works well on composite material, aluminum, and other difficult-to-sand surfaces.

Dunn				3" MULTI-AIR	5" MULTI-AIR	6" MULTI-AIR
	3"	5"	6"	CYCLONIC	CYCLONIC	CYCLONIC
GRIT	PART #					
P1500B	636425 <b>06002</b>	-	636425 <b>06377</b>	-	-	_
P1000B	-	-	636425 <b>06375</b>	776960 <b>95016</b>	776960 <b>07795</b>	776960 <b>07788</b>
P800B	-	662544 <b>80232</b>	636425 <b>06204</b>	776960 <b>95015</b>	776960 <b>07793</b>	776960 <b>07787</b>
P600B	-	666233 <b>05616</b>	636425 <b>06203</b>	776960 <b>95014</b>	776960 <b>07791</b>	776960 <b>07786</b>
P500B	-	662544 <b>80233</b>	636425 <b>06202</b>	776960 <b>95013</b>	776960 <b>07768</b>	776960 <b>07785</b>
P400B	_	662611 <b>49537</b>	662611 <b>49542</b>	776960 <b>95012</b>	776960 <b>07765</b>	776960 <b>07784</b>
P320B	-	662611 <b>49538</b>	662611 <b>49543</b>	776960 <b>95011</b>	776960 <b>07763</b>	776960 <b>07781</b>
P280B	-	-	_	-	-	776960 <b>07778</b>
P240B	-	662611 <b>49540</b>	662611 <b>49545</b>	776960 <b>95010</b>	_	776960 <b>07777</b>
P220B	_	662611 <b>49541</b>	662611 <b>49546</b>	776960 <b>95009</b>	776960 <b>07757</b>	776960 <b>07776</b>
P180B	-	662611 <b>40518</b>	662611 <b>40528</b>	776960 <b>95008</b>	776960 <b>07756</b>	776960 <b>07775</b>
P150B	-	662611 <b>40519</b>	662611 <b>40529</b>	776960 <b>95007</b>	776960 <b>07755</b>	776960 <b>07774</b>
P120C	-	662611 <b>40520</b>	662611 <b>40530</b>	776960 <b>95006</b>	776960 <b>07753</b>	776960 <b>07773</b>
P100C	_	662611 <b>40521</b>	662611 <b>40531</b>	_	_	_
P80C	_	662611 <b>40522</b>	662611 <b>40532</b>	776960 <b>95005</b>	776960 <b>07745</b>	776960 <b>07770</b>
Pkg/Case	50/4	50/4	50/4	50/4	50/4	50/4







#### PSA Disc Rolls

Norton Dry Ice A975 PSA (pressure sensitive adhesive) link disc rolls with patented Norton SG ceramic grain are the perfect solution for hard-to-sand and self-healing clears. Norton Dry Ice A975 also works well on composite material, aluminum, and other difficult-to-sand surfaces.

# Dry Ice A975 Ceramic

	5"	6"
GRIT	PART #	PART #
P800B	-	636425 <b>06200</b>
P600B	-	636425 <b>06199</b>
P500B	-	636425 <b>06198</b>
P400B	-	662611 <b>55373</b>
P320B	-	662611 <b>55374</b>
P240B	_	662611 <b>55376</b>
P220B	662611 <b>42474</b>	662611 <b>48340</b>
P180B	662611 <b>40498</b>	662611 <b>40508</b>
P150B	-	662611 <b>40509</b>
P120C	_	662611 <b>40510</b>
P100C	-	662611 <b>40511</b>
P80C	662611 <b>40502</b>	662611 <b>40512</b>
Pkg/Case	100/4	100/4



#### Hook and Loop Sheet Rolls

Norton Multi-Air Cyclonic and Dry lce A975 continuous rolls minimize excess waste for board file papers while offering the benefits of a hook and loop system that can be re-used multiple times. The new hole-design does not need to be lined up with the holes on vacuum file boards or hand blocks to achieve optimal performance.

00000			
	2-3/4" x 13 YDS	2-3/4" x 13 YDS Multi-Air Cyclonic	4-1/2" x 13 YDS Multi-Air Cyclonic
GRIT	PART #	PART #	
P600B	666233 <b>29548</b>	636425 <b>06124</b>	-
P500B	666233 <b>29547</b>	636425 <b>06123</b>	-
P400B	666233 <b>29518</b>	636425 <b>06122</b>	662611 <b>56071</b>
P320B	636425 <b>06255</b>	636425 <b>06121</b>	662611 <b>56070</b>
P240B	-	636425 <b>06120</b>	-
P220B	636425 <b>06256</b>	636425 <b>06119</b>	636425 <b>04663</b>
P180B	636425 <b>06257</b>	636425 <b>06118</b>	662611 <b>56067</b>
P150B	-	636425 <b>06117</b>	662611 <b>56066</b>
P120C	636425 <b>06259</b>	636425 <b>06114</b>	662611 <b>56065</b>
P80C	636425 <b>06261</b>	636425 <b>06113</b>	662611 <b>56064</b>
Pkg/Case	1/4	1/4	1/4

#### **PSA Sheet Rolls**

Stick & Sand sheet rolls are PSA- backed, so you can peel them off easily and stick them on at any length, quickly.

	2-3/4" x 45 YDS	2-3/4" x 30 YDS	2-3/4" x 25 YDS
GRIT	PART #	PART #	PART #
P400B	662611 <b>49557</b>	-	-
P320B	662611 <b>49558</b>	-	-
P220B	662611 <b>49561</b>	-	-
P180B	662611 <b>49562</b>	_	-
P150B	662611 <b>49563</b>	-	-
P120C	_	662611 <b>49564</b>	_
P80C	-	-	662611 <b>49566</b>
Pka/Case	1/5	1/5	1/5



### Body File Sheets

A975 ceramic grain on a reinforced backing with hook and loop attachment to reduce heat so that the paper lasts extra long. Ideal for sanding body filler. Revolutionary design for maximum vacuum assist virtually eliminates clogging.

Dogun		
		2-3/4" x 16-1/2"
GRIT	SPEC	PART #
P180B	A975	699573 <b>94466</b>
P120C	A975	699573 <b>94464</b>
P80C <i>Pkg/Case</i>	A975	699573 <b>94463</b>
Pkg/Case		50/4



# A275OP Aluminum Oxide

Premium heattreate<u>d grain</u>

B-weight fiber reinforced latex/paper backing

Anti-loading

- Premiumheat-treated Aluminum Oxide grain has 30% 50% faster cut rate and extends life
- Premium B-weight latex fiber reinforced paper backing is more flexible, tear resistant and allows for easy disc removal
- · Superior bond system optimizes grain adhesion and extends cut life
- Norton No-Fil water-based stearate improves load resistance

#### Vacuum and Multi-Air Cyclonic Discs

Hook and loop fastening system provides cooler cutting action and a finer finish.

Tom		
<u></u>	6" VACUUM	6" MULTI-AIR CYCLONIC
GRIT	PART #	PART #
P1500B	662611 <b>31584</b>	-
P1000B	662611 <b>31586</b>	666233 <b>90514</b>
P800B	662611 <b>31587</b>	666233 <b>90513</b>
P600B	662611 <b>31588</b>	666233 <b>90512</b>
P500B	662611 <b>31589</b>	666233 <b>90511</b>
P400B	662611 <b>31590</b>	666233 <b>90510</b>
P320B	662611 <b>31592</b>	666233 <b>90509</b>
P240B	662611 <b>31594</b>	-
P220B	662611 <b>31595</b>	666233 <b>90507</b>
P180B	662611 <b>31596</b>	666233 <b>90506</b>
P150B	662611 <b>31597</b>	666233 <b>90505</b>
P120B	662611 <b>31598</b>	666233 <b>90504</b>
P100B	662611 <b>31599</b>	_
P80B	662611 <b>31600</b>	666233 <b>90503</b>
Pkg/Case	100/4	100/4



The innovative laser-converted rolls feature the same Cyclonic spiral hole-design found on the Multi-Air Cyclonic disc range which optimizes dust extraction while reducing surface imperfections. The new hole-design does not need to be lined up with the holes on the vacuum file boards or hand blocks to achieve optimal performance so changeover is fast and easy. In addition the rolls are perforated every 2-3/4" to allow it to be torn easily to fit multiple file board lengths.

- The second sec	
	2-3/4" x 13YDS Perforated Roll
GRIT	PART #
P400B	666233 <b>90517</b>
P320B	666233 <b>90518</b>
P220B	666233 <b>90519</b>
P180B	666233 <b>90520</b>
P150B	666233 <b>90521</b>
P120B	666233 <b>90522</b>
P80B	666233 <b>90523</b>
Pkg/Case	1/4







# A275OP Aluminum Oxide



#### Non-Vacuum Discs

Hook and loop fastening system provides cooler cutting action and a finer finish.

Dom	<b></b>			
	3"	5"	6"	8"
GRIT	PART #	PART #	PART #	PART #
P1500B	662611 <b>47434</b>	662611 <b>31533</b>	662611 <b>31550</b>	-
P1200B	-	662611 <b>31534</b>	662611 <b>31551</b>	-
P1000B	662611 <b>35900</b>	662611 <b>31535</b>	662611 <b>31552</b>	-
P800B	662611 <b>31519</b>	662611 <b>31536</b>	662611 <b>31553</b>	-
P600B	662611 <b>36996</b>	662611 <b>31537</b>	662611 <b>31554</b>	-
P500B	662611 <b>31521</b>	662611 <b>31538</b>	662611 <b>31555</b>	-
P400B	662611 <b>36995</b>	662611 <b>31539</b>	662611 <b>31556</b>	-
P320B	662611 <b>31524</b>	662611 <b>31541</b>	662611 <b>31558</b>	-
P280B	-	-	662611 <b>31559</b>	-
P240B	662611 <b>31526</b>	662611 <b>31543</b>	662611 <b>31560</b>	-
P220B	662611 <b>31527</b>	662611 <b>31544</b>	662611 <b>31561</b>	-
P180B	662611 <b>31528</b>	662611 <b>31545</b>	662611 <b>31562</b>	662611 <b>31661</b>
P150B	662611 <b>40385</b>	662611 <b>31546</b>	662611 <b>31563</b>	-
P120B	662611 <b>28688</b>	662611 <b>31547</b>	662611 <b>31564</b>	662611 <b>31662</b>
P100B	-	662611 <b>31548</b>	662611 <b>31565</b>	662611 <b>31663</b>
P80B	662611 <b>31532</b>	662611 <b>31549</b>	662611 <b>31566</b>	662611 <b>31664</b> NS
Pkg/Case	50/4	100/4	100/4	100/4

NS = Non-stock. Please contact Customer Service for lead-time.

#### **PSA Discs**

Can be used dry on all automotive finishes to save time and money and increase productivity.

	6" TAB DISC	5" DISC ROLL	6" DISC ROLL	8" DISC ROLL	5" VAC DISC ROLL	6" VAC DISC ROLL
GRIT	PART #					
P1500B	662611 <b>31465</b>	-	-	-	-	-
P1200B	662611 <b>31466</b>	-	-	-	-	-
P1000B	662611 <b>31467</b>	_	_	_	_	_
P800B	_	662611 <b>31451</b>	662611 <b>31468</b>	_	_	_
P600B	-	662611 <b>31452</b>	662611 <b>31469</b>	-	-	-
P500B	-	662611 <b>31453</b>	662611 <b>31470</b>	-	-	-
P400B	-	662611 <b>31454</b>	662611 <b>31471</b>	_	_	_
P320B	_	662611 <b>31456</b>	662611 <b>31473</b>	662611 <b>31609</b>	_	662611 <b>31507</b>
P280B	-	662611 <b>31457</b>	662611 <b>31474</b>	-	-	-
P240B	-	662611 <b>31458</b>	662611 <b>31475</b>	-	-	-
P220B	-	662611 <b>31459</b>	662611 <b>31476</b>	662611 <b>31612</b>	-	-
P180B	_	662611 <b>31460</b>	662611 <b>31477</b>	662611 <b>31613</b>	662611 <b>31494</b>	662611 <b>31511</b>
P150B	_	662611 <b>31461</b>	662611 <b>31478</b>	662611 <b>31614</b>	_	_
P120B	-	662611 <b>31462</b>	662611 <b>31479</b>	662611 <b>31615</b>	-	-
P100B	-	662611 <b>31463</b>	662611 <b>31480</b>	-	-	-
P80B	-	662611 <b>31464</b>	662611 <b>31481</b>	662611 <b>31617</b>	-	662611 <b>31515</b>
Pkg/Case	100/4	100/6	100/6	100/4	100/6	100/6











# A275OP Aluminum Oxide

SANDING

ж.

#### **PSA Sheet Rolls**

Stick & Sand sheet rolls are PSA-backed, so you can peel them off easily and stick them to hand sanding blocks, file shoes, or file boards quickly.

	2-3/4" x 45 YDS	2-3/4" x 30 YDS	2-3/4" x 25 YDS
GRIT	PART #	PART #	PART #
P600B	662611 <b>31679</b>	-	-
P400B	662611 <b>31681</b>	-	-
P320B	662611 <b>31683</b>	_	_
P240B	662611 <b>31685</b>	_	_
P220B	662611 <b>31686</b>	_	_
P180B	662611 <b>31687</b>	-	-
P150B	662611 <b>31688</b>	_	_
P120B	_	662611 <b>31689</b>	_
P100B	-	662611 <b>31690</b>	_
P80B	_	_	662611 <b>31691</b>
Pkg/Case	1/5	1/5	1/5

#### Body File Sheets

These body file sheets are a popular choice for dry sanding paint, primer, and primer surfacer; also for deburring, removing sand scratches, shaping and finishing plastic filler, and feather-edging repaired areas.

	CLIP-ON 2-3/4" x 17-1/2"	PSA 2-3/4" x 16-1/2"	HOOK & LOOP 2-3/4" x 16-1/2"
GRIT	PART #	PART #	PART #
P400B	-	-	662611 <b>33296</b>
P320B	-	-	662611 <b>52692</b>
P220B	662611 <b>31647</b>	662611 <b>31635</b>	662611 <b>31641</b>
P180B	662611 <b>31648</b>	662611 <b>31636</b>	662611 <b>31642</b>
P150B	662611 <b>31649</b>	662611 <b>31637</b>	662611 <b>31643</b>
P120B	662611 <b>31650</b>	662611 <b>31638</b>	662611 <b>31644</b>
P100B	662611 <b>31651</b>	662611 <b>31639</b>	662611 <b>31645</b>
P80B	662611 <b>31652</b>	662611 <b>31640</b>	662611 <b>31646</b>
Pkg/Case	50/10	50/10	50/10

#### 9" x 11" Sheets

For dry sanding old paint, primer, primer surfacer, and between-color coats; also for deburring, removing sand scratches, shaping and finishing plastic filler, and feather-edging repaired areas. Norton No-Fil water-based stearate coating prevents premature loading.

	9" x 11"
GRIT	PART #
P1500B	662611 <b>31618</b>
P1200B	662611 <b>31619</b>
P1000B	662611 <b>31620</b>
P800B	662611 <b>31621</b>
P600B	662611 <b>31622</b>
P500B	662611 <b>31623</b>
P400B	662611 <b>31624</b>
P320B	662611 <b>31626</b>
P280B	662611 <b>31627</b>
P240B	662611 <b>31628</b>
P220B	662611 <b>31629</b>
P180B	662611 <b>31630</b>
P150B	662611 <b>31631</b>
P120B	662611 <b>31632</b>
P100B	662611 <b>31633</b>
P80B	662611 <b>31634</b> ⁺
Pkg/Case	100/5
Pkg/Case	50/5







# Gold Reserve A296 Aluminum Oxide



#### Aluminum oxide grain Strong paper backing Anti-loading

- "P" graded premium A/O grain produces a quick, cool cut with a more consistent scratch pattern
- Strong paper backing is conformable, flexible, and resists tearing and loading
- · Norton No-Fil water-based stearate increases productivity



#### PSA Discs, Disc Rolls and Hook & Loop Discs

Norton Gold Reserve is a versatile abrasive product that cuts fast, lasts long, and resists loading.

					20000	2000an
	6" PSA Tab disc	5" PSA DISC ROLL	6" PSA DISC ROLL	6" PSA DISC ROLL	6" Hook & Loop	6" VAC Hook & Loop
GRIT	PART #					
P1000C	780727 <b>12633</b>	-	_	-	699573 <b>50990</b>	_
P800C	780727 <b>53469</b>	-	636425 <b>06164</b>	-	636425 <b>06226</b>	666233 <b>34797</b>
P600C	780727 <b>53546</b>	-	662610 <b>40261</b>	-	636425 <b>06227</b>	666233 <b>34796</b>
P500C	-	-	636425 <b>06165</b>	-	636425 <b>06228</b>	-
P400C	662611 <b>83832</b>	662611 <b>83814</b>	662611 <b>83823</b>	636425 <b>06176</b>	636425 <b>06229</b>	666233 <b>34794</b>
P320C	662611 <b>83831</b>	662611 <b>83813</b>	662611 <b>83822</b>	636425 <b>06177</b>	636425 <b>06230</b>	666233 <b>34793</b>
P240C	662611 <b>83830</b>	-	662611 <b>83821</b>	-	636425 <b>06225</b>	-
P220C	662611 <b>83829</b>	662611 <b>83811</b>	662611 <b>83820</b>	636425 <b>06178</b>	636425 <b>06231</b>	666233 <b>34791</b>
P180C	662611 <b>83828</b>	662611 <b>83810</b>	662611 <b>83819</b>	636425 <b>06179</b>	636425 <b>06232</b>	666233 <b>34790</b>
P150C	662611 <b>83827</b>	662611 <b>83809</b>	662611 <b>83818</b>	-	636425 <b>06233</b>	-
P120C	662611 <b>83826</b>	662611 <b>83808</b>	662611 <b>83817</b>	-	636425 <b>06234</b>	666233 <b>34788</b>
P100C	662611 <b>83825</b>	662611 <b>83807</b>	662611 <b>83816</b>	-	636425 <b>06235</b>	666233 <b>34787</b>
P80C	662611 <b>83824</b>	662611 <b>83806</b>	662611 <b>83815</b>	636425 <b>06182</b>	636425 <b>06236</b>	666233 <b>34786</b>
Pkg/Case	100/4	100/4	100/4	25/6	50/4	50/4

#### **PSA Sheet Rolls**

Stick & Sand sheet rolls are PSA-backed, so you can peel them off easily and stick them to hand sanding blocks, file shoes, or file boards quickly.

	2-3/4" x 25 YDS
GRIT	PART #
P400C	636425 <b>06147</b>
P320C	636425 <b>06148</b>
P220C	636425 <b>06149</b>
P180C	636425 <b>06150</b>
P150C	636425 <b>06151</b>
P120C	636425 <b>06152</b>
P80C	636425 <b>06153</b>
Pkg/Case	1/5





#### PSA and Hook and Loop Discs

Norton Gold Reserve tough E-weight backing resists tearing and extends disc life. Ideal for sanding body filler.

			Dougon	2000m	Dogan
	6" PSA	8" PSA	6" HOOK & LOOP	8" HOOK & LOOP	6" VAC HOOK & LOOP
GRIT	PART #				
P80E	636425 <b>06217</b>	636425 <b>06220</b>	666233 <b>34800</b>	666233 <b>34802</b>	-
P40E	636425 <b>06216</b>	636425 <b>06219</b>	666233 <b>34801</b>	666233 <b>34803</b>	666233 <b>34785</b>
P36E	636425 <b>06215</b>	636425 <b>06218</b>	-	-	_
Pkg/Case	25/5	25/5	25/4	25/4	25/5

### Body File Sheets

Norton Gold Reserve body file sheets are perfect for sanding body filler without loading.

	PSA 2-3/4" x 16-1/2"	HOOK & LOOP 2-3/4" x 16-1/2"
GRIT	PART #	PART #
P220C	-	636425 <b>06242</b>
P180C	-	636425 <b>06241</b>
P150C	-	636425 <b>06240</b>
P120C	-	636425 <b>06239</b>
P100C	-	636425 <b>06238</b>
P80C	_	636425 <b>06237</b>
P80E	636425 <b>06196</b>	666233 <b>34804</b>
P40E	636425 <b>06195</b>	666233 <b>34805</b>
P36E	636425 <b>06194</b>	_
Pkg/Case	25/5	25/5





SANDING

Gold Reserve



### SANDING BlueFire H875 Zirconia



emium at-treated grain	E-weight fiber reinforced latex/paper backing	Anti-loading				
High-strength blue latex/paper backing improves performance and flexibility and reduces curling and edge chipping						
Zirconia alumina gra cut rate	ain is self-sharpening, minimize	s heat and improves				
cut rate Superior bond system optimizes grain adhesion for extended product life						



#### Hook and Loop Multi-Air Discs

Norton BlueFire hook and loop discs last long and cut quickly, using premium zirconia grain which microfractures to remain sharp and fast cutting. Revolutionary design for maximum vacuum assist virtually eliminates clogging for a cleaner work environment with less dust and contamination.

200000	
	6" MULTI-AIR
GRIT	PART #
P80E	662611 <b>81412</b>
Pkg/Case	50/4



#### Hook and Loop Discs

Norton BlueFire hook and loop discs last long and cut quickly, using premium zirconia grain which microfractures to remain sharp and fast cutting.

	200000	200000	200000	200000
	<b>5</b> "	<b>6</b> "	<b>8</b> "	8" VAC
GRIT	PART #	PART #	PART #	PART #
80E	662611 <b>25444</b>	662611 <b>23588</b>	662611 <b>23591</b>	662611 <b>23596</b>
40E	662611 <b>25684</b>	662611 <b>23589</b>	662611 <b>23592</b>	-
36E	-	662611 <b>23590</b>	662611 <b>23593</b>	662611 <b>23598</b>
Pkg/Case	25/4	25/4	25/4	25/4



#### **PSA Discs**

Norton BlueFire PSA discs are ideal for sanding body filler. NorZon grain micro-fractures to improve cut rate, minimize loading, and reduce heat.

	5"	6"	8"
GRIT	PART #	PART #	PART #
80E	662611 <b>25244</b>	662611 <b>23573</b>	662611 <b>23576</b>
40E	662611 <b>25307</b>	662611 <b>23574</b>	662611 <b>23577</b>
36E	662611 <b>25436</b>	662611 <b>23575</b>	662611 <b>23578</b>
Pkg/Case	50/4	50/4	25/4



### SANDING BlueFire H875 Zirconia



#### Hook & Loop, PSA, and Clip-on Body File Sheets

Norton BlueFire Body File Sheets come in three different types: Clip-On, PSA, and Hook and Loop. Self-sharpening NorZon grain improves cut rate, minimizes loading, and reduces heat. Tough E-weight latex reinforced paper backing resists tearing. Norton BlueFire is ideal for sanding body filler.

	CLIP-ON	PSA	HOOK & LOOP	
	2-3/4" x 17-1/2"	2-3/4" x 16-1/2"	2-3/4" x 16-1/2"	2-3/4" x 16" VAC
GRIT	PART #	PART #	PART #	PART #
180E	662611 <b>26511</b>	_	-	-
100E	662611 <b>26512</b>	662611 <b>25595</b> +	_	_
80E	662611 <b>23620</b>	662611 <b>23608</b>	662611 <b>23614</b>	662611 <b>23617</b>
40E	662611 <b>23621</b>	662611 <b>23609</b>	662611 <b>23615</b>	662611 <b>23618</b>
36E	662611 <b>23622</b>	662611 <b>23610</b>	662611 <b>23616</b>	662611 <b>23619</b> *
Pkg/Case	50/5	50/5	25/5	25/5
+Pkg/Case		50/10		
* Non-Stock Item				





## WET SANDING Black Ice T401 Silicon Carbide



		remium prasive grain	Flexible, specially- treated backing	Consistent finish is easy to buff
000000	٠	Specially treated wat resistant and will not	erproof paper does not requ deteriorate	ire soaking, is curl
575 3	<ul> <li>Premium abrasive grain lasts long and cuts fast</li> </ul>			
31 1 3 1 1 2 1	Ultra flexible backing resists cracking, tearing and wrinkles			
1.5	Advanced coating process for a consistent scratch pattern that buffs			ch pattern that buffs



#### Sheets and Discs

Norton Black Ice works great wet or dry and gives the same cut no matter how you use it. If you prefer the paper to be wet, just a spritz of water is all that's needed. Or, if you like to soak your paper, go ahead because Norton Black Ice has curl resistance built right in so it stays flat and will not deteriorate, no matter how long you leave it in water.

out faster

	Doana		
	3" HOOK & LOOP DISC	5-1/2" x 9"	9" x 11"
GRIT	PART #	PART #	PART #
2500B	662611 <b>47432</b>	662611 <b>39369</b>	662611 <b>39377</b>
2000B	662611 <b>47433</b>	662611 <b>39370</b>	662611 <b>39378</b>
1500B	-	662611 <b>39371</b>	662611 <b>39379</b>
1200B	_	662611 <b>39372</b>	662611 <b>39380</b>
1000B	-	662611 <b>39373</b>	662611 <b>39381</b>
P800B	-	662611 <b>39374</b>	662611 <b>39382</b>
P600B	-	662611 <b>39375</b>	662611 <b>39383</b>
P500B	-	-	662611 <b>39384</b>
P400B	-	-	662611 <b>39385</b>
P320B	-	-	662611 <b>39386</b>
P240B	-	-	662611 <b>39388</b>
P220B	-	-	662611 <b>39389</b>
Pkg/Case	50/4	50/5	50/5





### **DEFECT REMOVAL** Q775 SuperFlexible Film

	Defect removal	Anti-loading coating	Smooth film backing
	preventing over sandi	ng" or "burn through" for optimum performance a ttern and even finish and dry	r to surfaces and contours, and long life
Hook & Loop SuperFlexibl	e Film Discs		



Hook & Loop	SuperFlexible	Film Discs
-------------	---------------	------------

Norton SuperFlexible Film Discs are best used when:

• Denibbing (1500/2000) · Paint prep Paint Finishing • Blending 20000 3" 6" 3000 66623390564 66623390559 2500 666233**90563** 66623390558 Aquamarine 2000 666233**90562** 66623390557 Jade 1500 666233**90561** 66623390556 Rose Pkg/Case 25/100 25/100



### Hook & Loop SuperFlexible Film Sheets

Norton SuperFlexible Film Cut Sheets are best used when:

- Denibbing (1200/1500)
- Blending
- · Paint prep
- Bumper scuffing

• Sanding edge panels

- Primer blocking and scuffing
- · Light scuffing on base coat
- Sanding primer surfacer
- · Sanding door jambs

6-11/16" x !	5_1/0"
0-11/10 X	J-1/0 -
PERFORATE	:n

1500         Rose         666           1200         Amber         666           800         Citrine         666           600         Turquoise         666           400         Sapphire         666			PERFORATED
1200         Amber         666           800         Citrine         666           600         Turquoise         666           400         Sapphire         666		COLOR	PART #
800         Citrine         666           600         Turquoise         666           400         Sapphire         666	)	Rose	666233 <b>90555</b>
600         Turquoise         666           400         Sapphire         666		Amber	666233 <b>90554</b>
400 Sapphire 666		Citrine	666233 <b>90552</b>
		Turquoise	666233 <b>90551</b>
Pkg/Case 25/		Sapphire	666233 <b>90550</b>
20/	Case		25/100



#### Sanding Pads for SuperFlexible Film

The pads are made using very soft foam, specifically for hook and loop sheets and discs. The sanding pad's structure minimizes aggressive scratches and reduces peeling, reducing the need to change the backing pad frequently.

	SOFT	RIGID/SOFT
GRIT	PART #	PART #
Sanding Pad	780727 <b>42353</b>	780727 <b>42355</b>
Pkg/Case	8/1	4/1



## DEFECT REMOVAL Fine Film Finishing Discs



#### Defect removal Premium aluminum oxide grain Smooth film backing

- Smooth film backing for a consistent finish that buffs out easily and quickly
- Premium aluminum oxide grain cuts fast and lasts longer
- Anti-loading agent produces a uniform finish that buffs out faster and eliminates pigtails and costly re-work



#### Pure Ice Q175 Hook & Loop Fine Grit Film Finishing Discs

Norton Pure Ice Q175 discs have color-coded backprint by grit size and a 3 mil polyester film backing for better flexibility and flatness of discs. The hook and loop attachment allows for easy mounting and removal on a DA or pad.

A Course		∰ 3"	<b>6</b> "
GRIT	COLOR	PART #	PART #
P1500	Blue	776960 <b>88704</b>	776960 <b>88716</b>
P1200	Green	776960 <b>88703</b>	776960 <b>88715</b>
P1000	Red	77696088702	776960 <b>88714</b>
P800	Black	776960 <b>88701</b>	776960 <b>88713</b>
Pkg/Case		50/4	50/4





# DEFECT REMOVAL Foam Finishing Discs

Buffs out easily

Foam backing

• Integrated foam backing is conformable to contours and eliminates

• Open mesh design for a uniform scratch pattern and allowing equal

· Produces a semi-polished finish that is quick and easy to buff out



#### Foam Finishing Discs

Norton Ice foam finishing discs, used damp, will produce a semi-polished surface which greatly reduces buffing time.

Scratch refinement

pigtails and costly re-work

pressure distribution for quicker sanding

20000		<b>()</b> 3"	<b>6</b> "	3" BACK-UP PAD	6" BACK-UP PAD
GRIT	COLOR	PART #	PART #	PART #	PART #
3000	Green	636425 <b>06020</b>	636425 <b>06013</b>	-	-
2000	Magenta	636425 <b>06021</b>	636425 <b>06014</b>	-	-
1500	Blue	636425 <b>06022</b>	636425 <b>06015</b>	_	-
Back-up Pad	-	-	_	636425 <b>06128</b>	636425 <b>06130</b>
Pkg/Case		6/4	15/4	10/1	5/1





# Liquid Ice



Water soluble	Easy clean up	No cross contamination
<ul> <li>1 polish, 3 particular the pad for op</li> </ul>	ds is a simple system ir timal performance that i ro-fine abrasives remov	nt and very easy to clean up n which the polish matches the cut of reduces inventory e swirl marks, haze, and sand
	in y	



#### Extra-Cut

Water soluble Norton Liquid Ice Extra-Cut is easy to use and easy to clean up. Norton Liquid Ice Extra-Cut is engineered to be used with a selection of 3 pads, depending on the finish required.

DESCRIPTION	PART #	PKG/CASE
Quart	636425 <b>97116</b>	1/4
Gallon	636425 <b>06078</b>	1/2

#### Clean-Up/ Detailer Spray

The spray detailer easily cleans up excess buffing residue and provides paint protection. Just spray it on and wipe it off with a Blue Magnet microfiber cloth.

DESCRIPTION	PART #	PKG/CASE
32 oz. Spray Bottle	636425 <b>42082</b>	1/4
Blue Magnet Microfiber Cloth	636425 <b>04402</b>	5/4



# DEFECT REMOVAL Polishing Pads



#### 8" Buffing/Polishing Waffle Pads

These pads can be used with Norton Liquid Ice Extra-Cut following the step numbers.

DESCRIPTION	PART #	PKG/CASE
8" Hook & Loop Back-up Pad (5/8"-11)	636425 <b>42080</b>	1/3
8" Orange Waffle – Step 1	636425 <b>06379</b>	1/6
8" Blue Waffle – Step 2	636425 <b>06380</b>	1/6
8"White Waffle – Step 3	636425 <b>06381</b>	1/6

# Launcier Lounce 1-1 CO

#### 8" Buffing/Polishing Pads

These pads can be used with Norton Liquid Ice Extra-Cut following the step numbers.

DESCRIPTION	PART #	PKG/CASE
8" Hook & Loop Back-up Pad (5/8"-11)	636425 <b>42080</b>	1/3
8" Super Cut Wool Pad – Step 1	636425 <b>42077</b>	1/6
8" Blue Cutting Foam Pad – Step 2	636425 <b>42078</b>	1/6
8" White Finishing Foam Pad – Step 3	636425 <b>42079</b>	1/6



#### 3" Buffing/Polishing Pads


For small spot repair areas.

DESCRIPTION	PART #	PKG/CASE
3" Hook & Loop Back-up Pad (5/16"-24")	636425 <b>06128</b>	10/1
3" Super Cut Wool Pad – Step 1	636425 <b>43832</b>	10/4
3" Blue Cutting Foam Pad – Step 2	636425 <b>05459</b>	10/4
3" White Finishing Foam Pad – Step 3	636425 <b>05460</b>	10/4





# SCUFFING SOLUTIONS Non-Woven Pads, Discs, and Rolls



Consistent cut and uniform scratch pattern

Strong, yet flexible

• Advanced resin formulation evenly coats the fibers allowing for a more consistent cut, added strength, and resists tearing

Perforated

- Consistent grain sizing produces a uniform scratch pattern with no wild scratches
- Even grain distribution throughout thickness for a consistent cut for full use of scuff pad and longer life

(1000/1200)

Ideal for

pearls

Works with

or without Scuff Gel

and metallics

· Perforated for quick, easy pad re-sizing without jagged edge

#### Maroon (320/400)

- Gray (800/1000)
- Quick and
   Works with
  - aggressive cut or without
- Tear-resistant Scuff Gel
  - Quick cut,
  - uniform finish
  - Incredibly flexible yet tear-resistant

- White (non-abrasive)
- Use for surface cleaning
- and detailing
  Ideal for all materials
- materials and surface



#### Scuff Pads and Perforated Rolls

Norton Bear-Tex pads offer a consistently graded grain in an advanced resin system which provides a super fast cut without wild scratches. Rolls are perforated every 3" and are packaged in a protective plastic wrap for easy dispensing.

		6" x 9" PAD	6" x 9" PAD	4" x 30" ROLL
DESCRIPTION	COLOR	PART #	PART #	PART #
Primer Prep	Maroon	662610 <b>58000</b>	-	636425 <b>03009</b>
Color Prep	Gray	662610 <b>58002</b>	-	636425 <b>02999</b>
Clear Blend Prep	Gold	_	662610 <b>58005</b>	-
Non-Abrasive	White	662610 <b>58001</b>	_	_
Pkg/Case		20/3	10/3	1/1

#### Thin-Flex Pads, Rolls, and Discs

Norton Thin-Flex is a very flexible, yet strong product for use on contoured surfaces and for getting into tight spaces. It can be used for fine finishing and surface preparation. Rolls are perforated every 3".

		4-1/2" x 9" PAD	6" DISC	4" x 30' ROLL Boxed
DESCRIPTION	COLOR	PART #	PART #	PART #
Primer Prep	Maroon	636425 <b>06166</b>	666233 <b>34770</b>	776960 <b>75500</b>
Color Prep	Gray	636425 <b>06167</b>	666233 <b>34771</b>	776960 <b>75502</b>
Clear Blend Prep	Gold	662611 <b>13519</b> *	662611 <b>13517</b> +	-
Non-Abrasive	White	-	776960 <b>98087</b> *	-
Pkg/Case		25/4	25/4	1/3
Pkg/Case		*10/10	+10/4 *10/1	

#### Scuff Gel

Formulated for consistent abrasion for paint adhesion. Use with Norton Bear-Tex gray or gold pads or discs. Cleans, de-greases and abrades in one step. Rinses off easily and completely. Water-based formula; low in VOC.

DESCRIPTION	SIZE	PART #
Scuff Gel	24.7 oz 700 grams	076607 <b>05376</b>
Pkg/Case		1/6







### SCUFFING SOLUTIONS Rotolo Foam and Sponges



#### Uniform finish Can be used moist or dry Conformable foam backing

- Norton A275 on foam backing cuts fast and is long-lasting without leaving finger marks when hand sanding primer
- · Water resistant properties allow for the foam pads to be used moist
- Creates a uniform finish minimizing "difficult to cover" sand scratches that prove challenging for water-based paints

GRIT	APPLICATION
P320, P400	Feather-edge, scuff primer, scuff new parts before painting
P500, P600	Prepare panel for base coat
P800, P1000	Sand clear coat, remove minor defects



#### Rotolo Foam

Norton Rotolo Foam pre-cut sheets, conveniently packaged in a roll form, are ideal for fine sanding on round edges, contours, and curves, providing an outstanding finish on primers and top coats. Perforated every 5-1/2".

	4-1/2" x 82'
GRIT	PART #
P320	666233 <b>57606</b>
P400	666233 <b>57608</b>
P500	666233 <b>57611</b>
P600	666233 <b>57612</b>
P800	666233 <b>57613</b>
P1000	666233 <b>57616</b>
Pkg/Case	1/2



#### Highly conformable

Durable and resuable

- · Abrasive grain coated on a sponge backing allows for wet or dry sanding without leaving finger marks
- Grit is printed on the sponge for easy identification
- Highly conformable allowing for sanding on bumpers, jambs, and small • parts as well as a perfect solution for contours and edges

<b>GRIT DESIGNATION</b>	FINISH GENERATED	APPLICATION
Medium	P180/P120	Scuff, shaping filler
Fine	P400/P320	Feather-edge, scuffing primer, scuffing new parts before painting
Super Fine	P600/P500	Preparing panel for base coat
Ultra Fine	P1000/P800	Sanding base coat, removing clear coat defects
Micro Fine	P1500/P1200	Clear coat sanding, removing minor defects



#### SoftTouch Sponges

The finishing action of sponges generates a finer finish than conventional coated abrasive products. The coarser grit is the finish achieved when sanding dry and the finer grit is the finish achieved when sanding wet.

	4-1/2" x 5-1/2" x 3/16"
DESCRIPTION	PART #
Medium	076607 <b>03074</b>
Fine	076607 <b>03075</b>
Super Fine	076607 <b>03076</b>
Ultra Fine	076607 <b>03077</b>
Micro Fine	076607 <b>03078</b>
Pkg/Case	20/4

www.nortonabrasives.com



### SURFACE CONDITIONING Blaze Rapid Strip Discs



Extra-coarse Tough synthetic fibers Aggressive cut ceramic alumina grain
<ul> <li>Open web construction resists loading</li> <li>Synthetic web impregnated with abrasive will not rust</li> <li>Thick and durable extending the product life</li> <li>Effective on sharp, jagged surfaces and a great alternative to wire brushes</li> </ul>

#### Blaze Rapid Strip TR+ Disc

Removes rust and paint from door jambs, seams, and difficult to reach areas. Rust free alternative to a wire brush. Rugged design provides long life and continuous cutting action.

	RPM	BACK-UP PAD	© 4" TR+
DESCRIPTION		PART #	PART #
Blaze Rapid Strip	8,000	-	666233 <b>31054</b>
Back-up Pad	-	636425 <b>55106</b>	-
Pkg/Case		1/1	5/1

#### Blaze Rapid Strip Disc with Mandrel

Removes rust and paint from door jambs, seams and difficult to reach areas. Rust-free alternative to a wire brush. Mandrel assembly will adapt discs for use on portable tools. The assembly consists of a mandrel, nut and two washers.

			•
	RPM	MANDREL	4" x 1/4" HOLE
DESCRIPTION		PART #	PART #
Blaze Rapid Strip	6,000	_	662610 <b>09324</b>
Mandrel with 3-1/16" x 1/4" shank	-	662610 <b>09502</b>	_
Pkg/Case		1/1	5/4



#### Speed-Lok TR Rapid Strip Disc

Great for removing rust, undercoating, seam-sealers, and stone guards. Use in truck beds, door jambs, and hard-to-reach areas like wheel wells and undercarriage. Use to remove oxidation from tire rims and to remove rust from brake assemblies.

		$\bigcirc$	
	RPM	2" TR	3" TR
DESCRIPTION		PART #	PART #
Blaze Rapid Strip	15,000	666233 <b>31051</b>	_
Blaze Rapid Strip	12,000	_	666233 <b>31053</b>
Back-up Pad	-	666233 <b>55103</b>	666233 <b>55105</b>
Pkg/Case		10/1	10/1





### SURFACE CONDITIONING 2" and 3" Rapid Blend Discs



Norton Blaze and Norton Vortex Rapid Blend Discs Ideal for removing surface rust, blending out grind marks, and removing coatings from automotive surfaces.

Norton Blaze (orange) can also be used to remove seam sealer and undercoating without loading. Norton Vortex (blue) is great for removing gaskets and works very well on aluminum without loading or smearing.


The discs are thin enough to get into tight spots but durable enough to last. Norton Blaze ceramic grain ensures a fast cut with long life. Norton Vortex grain cuts faster and finishes finer than conventional aluminum oxide abrasives.

Both can be used on the face, side, and back. Use with a 1" back-up pad to allow use of the top surface of the disc and allow the disc to conform to contours.

Engineered abrasives Grind in 3D

8X Life

- Seeded Gel (SG) ceramic Norton Blaze (orange) has a quicker cut rate and longer life compared to conventional abrasives
- Proprietary Norton Vortex aluminum oxide aggregate grain (blue) performs the medium to fine grit steps of traditional discs in an easy one-step operation
- 3D construction: abrasive is distributed throughout the entire disc (top, bottom and side) so all three faces can be used and providing 3 - 8 times the life of competitive surface blending discs
- Special resin chemistry resists shedding when used on sharp edges, • making it ideal for deburring and creates no smearing





		2" TR	3" TR	
DESCRIPTION	GRIT	PART #	PART #	
Blaze Rapid Blend (Orange)	Extra Coarse	666233 <b>38632</b>	666233 <b>38633</b>	
Vortex Rapid Blend (Blue)	Medium	666233 <b>34782</b>	666233 <b>34783</b>	
Case		10	10	

6







0



# SURFACE CONDITIONING 2" and 3" Rapid Prep Discs



#### Vortex Rapid Prep Speed-Lok Discs

Norton Non-Woven Vortex Rapid Prep surface blending discs deliver superior, consistent finishes whenever you need to clean, deburr, blend, or finish. Ideal for removing rust and oxides, blending out disc marks, and removing coatings and gasket residues. Product color coding (by grit) makes work fast and easy.

		$\bigcirc$	$\bigcirc$
		2" TR VORTEX	<b>3" TR VORTEX</b>
GRIT	COLOR	PART #	PART #
Very Fine (320)	Blue	666233 <b>90502</b>	666233 <b>35437</b>
Medium (120)	Maroon	666233 <b>90501</b>	666233 <b>35430</b>
Coarse (80)	Brown	666233 <b>90500</b>	666233 <b>35417</b>
Case		25	25



#### Rapid Prep Surface Blending Speed-Lok Discs

Ideal for removing rust and oxides, blending out disc marks, and removing coatings and gasket residues from automotive surfaces. Thick, reinforced non-woven backing is impregnated with tough aluminum oxide abrasive. New resin formulation will not smear.

		0	Q
		2" TR RAPID PREP	<b>3" TR RAPID PREP</b>
GRIT	COLOR	PART #	PART #
Very Fine (320)	Blue	662610 <b>09189</b>	662610 <b>09192</b>
Medium (120)	Maroon	662610 <b>09190</b>	662610 <b>17522</b>
Coarse (80)	Brown	662610 <b>09191</b>	662610 <b>09194</b>
Case		25	25



# 2" and 3" Speed-Lok TR Grinding Discs



Premium performance abrasives	Easy twist-on / twist-off system	Rugged backing for extended life	
<ul> <li>Premium self-sharpen aggressive, consistent</li> </ul>	ing ceramic and zirconia a cut and long life	lumina grain delivers an	
<ul> <li>Grinding aid coating produces minimal loading and burn-free grinding of heat-sensitive materials for a longer life</li> </ul>			
المعمرة الممط بطبياه بمتمما ا	المنتبع الأمع بمماريهم والممارية بينهم	a subservation when the st	

Heavy duty backing allows for reduced edge wear extending the life of the disc



#### Blaze Speed-Lok TR Discs

Norton Blaze self-sharpening design is ideal for high-pressure, heavy metal removal applications.

	0	
	2" TR	3" TR
GRIT	PART #	PART #
80	662611 <b>62324</b>	662611 <b>62334</b>
60	662611 <b>62322</b>	662611 <b>62332</b>
50	662611 <b>62320</b>	662611 <b>62330</b>
36	662611 <b>62318</b>	662611 <b>62328</b>
Case	25	25


#### BlueFire Speed-Lok TR Discs

BlueFire zirconia alumina self-sharpening abrasive cuts fast and cool to minimize heat build-up.


		$\odot$
	2" TR	3" TR
GRIT	PART #	PART #
80	662611 <b>21049</b>	662611 <b>21054</b>
60	662611 <b>21048</b>	662611 <b>21053</b>
50	662611 <b>38670</b>	662611 <b>38673</b>
50 36	662611 <b>38671</b>	662611 <b>38674</b>
24	662611 <b>38672</b>	662611 <b>38675</b>
Case	25	25

#### Speed-Lok Back-up Pads

Speed-Lok TR are compatible with similar competitive attachment systems.









# GRINDING DISCS Mini Flap Discs



Lo	ong lasting Consistent finish Ergonomic
	Durable polyester flaps improve life, grain retention, and wear evenly creating a better, more consistent finish with a cooler cut High strength plastic back design is lightweight and absorbs vibration allowing for greater control and technician comfort improving productivity 2" and 3" diameter discs allow for easy storage and are useful for getting into hard-to-reach areas while maintaining required cut and life Can be used on high speed die grinders responding to the demand for smaller, ergonomically-friendly tools that require less effort, while delivering better results

#### Blaze Mini Flap Discs

Blaze Mini Flap discs eliminate the conventional 2-step process in grinding edges and removing welds and rust. Featuring the latest-generation ceramic alumina abrasive these mini flap discs have 50-200% longer life versus the competition on stainless, titanium, and super alloys.

	2"	3"	
GRIT	PART #	PART #	
P120	776960 <b>90149</b>	776960 <b>90154</b>	
P80	776960 <b>90148</b>	776960 <b>90153</b>	
P60	776960 <b>90147</b>	776960 <b>90152</b>	
P40	776960 <b>90146</b>	776960 <b>90151</b>	
P36	776960 <b>90145</b>	77696090150	
Pkg	10	10	









#### NorKut Grinding Discs

Zirconia alumina grain is resin bonded to a unique backing which resists cracking and breaking and can be cut down up to the 1" core. Use the cores to grind "pinch" welds and other hard to reach areas. Two quick-change mandrels are used on most popular tools: 7/16"-20 thread for use with hand held pneumatic grinders and 1/4" mandrel for use on automotive drills.

	•	
	3" DISC	MANDREL
GRIT	PART #	PART #
50	636425 <b>03658</b>	-
36	636425 <b>03657</b>	-
24	636425 <b>03656</b>	-
7/16"-20 Mandrel	-	636425 <b>03659</b>
1/4" Mandrel	-	636425 <b>03660</b>
Pkg/Case	20/4	5/10

#### Bear-Tex AVOS Speed-Lok Discs

Very Fine: removes 180-320 grit grind lines and is excellent for paint preparation.

**Medium:** removes 120-180 grit grind lines and is excellent for cleaning and rust removal.

Coarse: removes 60-120 grit grind lines and is excellent for deburring.

		5"
GRIT	COLOR	PART #
Very Fine	Blue	666233 <b>74824</b>
Medium	Maroon	666233 <b>74819</b>
Coarse	Brown	666233 <b>74818</b>
Pkg/Case		10/4







# GRINDING DISCS 5" – 9" Fiber Grinding Discs

Premium performance abrasives	Grinding aid for heat reduction	Rugged backing for extended life
aggressive, consisten Grinding aid coating f	zirconia alumina grain is it cut and extended disc lif or minimal loading, reduc as maximum strength and	ed heat and a longer life



#### BlazeX F980 Grinding Discs

Norton BlazeX F980 Fiber Discs have premium ceramic alumina micro-fracturing grain for a wide range of grinding processes in stainless steel and harder-to-grind materials. New proprietary COOL FRICTION technology dissipates heat during the grind, reducing rework and extending the life of Norton BlazeX F980 Fiber Discs. In addition, a self-lubricating grinding aid treatment and active filler are also critical to producing cool cuts. Its micro-fracturing grain consistently exposes sharper grain edges, to deliver a better cut rate, and longer disc life when compared to blended ceramic alumina discs.

	5" x 7/8" FOIL PACK	5" x 7/8"	<b>7</b> " x 7/8"
GRIT	PART #	PART #	PART #
36	662544 <b>64821</b>	780727 <b>43401</b>	780727 <b>43402</b>
Pkg/Case		25	25



The Norton Blaze self-lubricating grain and heavier fiber backing helps to create better finishes and longer life on stainless and other tough applications. The 5" discs are available in a convenient, re-sealable foil pack to help control humidity and prevent curling.

	0	0	$\mathbf{O}$	
	5" x 7/8" Foil Pack	5" x 7/8"	7" x 7/8"	
GRIT	PART #	PART #	PART #	
80	-	699573 <b>98009</b>	699573 <b>98014</b>	
50	662544 <b>64820</b>	699573 <b>98007</b>	699573 <b>98012</b>	
36	_	699573 <b>98006</b>	699573 <b>98011</b>	
24	662544 <b>64822</b>	699573 <b>98005</b>	699573 <b>98010</b>	
Pkg/Case	10/50	25	25	



#### BlueFire Grinding Discs

Zirconia alumina grain provides a quick initial cut and a self-sharpening action continuously expose sharp, new cutting points. Ideal for loighter grinding or applications requiring a cool cut to minimize heat build up.

	•	0	$\mathbf{O}$	$\mathbf{C}$
	5" AVOS	5" x 7/8"	7" x 7/8"	9-1/8" x 7/8"
GRIT	PART #	PART #	PART #	PART #
80	-	662611 <b>38600</b>	662611 <b>38590</b>	-
60	_	662611 <b>38601</b>	662611 <b>38591</b>	_
50	662611 <b>26558</b>	662611 <b>38561</b>	662611 <b>38592</b>	662611 <b>38582</b>
36	662611 <b>26557</b>	662611 <b>38562</b>	662611 <b>38593</b>	662611 <b>38583</b>
24	662611 <b>26556</b>	662611 <b>38563</b>	662611 <b>38594</b>	662611 <b>38584</b>
Case	10	25	25	25





### **BELTS** Portable File



Remove spot welds faster than bits

Gets into tight spots

#### Norton Blaze

Norton ceramic alumina grain is self-sharpening for consistent, aggressive cut and longer life. Has Y-wt. polyester cloth backing provides edge-fray resistance for improved grinding throughout belt life. Also has improved resin bond system significantly improved belt life due to exceptional grain adhesion

Cool cut

#### Norton BlueFire

Self-sharpening zirconia alumina for fast cut and long life; has high performance resin bond with strong grain adhesion. Has a flexible X-wt. polyester backing for moderate to light pressure applications

#### Norton Vortex Rapid Prep

Longer life and improved finish over traditional aluminum oxide products from unique ceramic blend of grain that cuts like a coarser grit size and finishes like a finer grit - while delivering a fast cut! Proprietary Norton Clean Bond resin system delivers a smear-free, crisp-clean finish and improves productivity. Has an extra flexible body for exceptional conformability and easy mounting and tool operation. Plus, versatile; can be used safely in combination with coolants or in dry applications and ideal for surface prep and paint/coating removal.

#### Portable File Belts

Portable file belts are designed to be used for spot weld and hem flange removal as well as grinding in other tight areas. The 40 and 60 grit belts are ideal for spot weld removal on steel followed by the 80 and 120 grit belts for weld dressing and refinement.

	BLAZE	BLAZE 5PK	BLUEFIRE
SIZE	PART #	PART #	PART #
1/2" x 18"			
40	699573 <b>98021</b>	776960 <b>69243</b>	662544 <b>44193</b>
60	699573 <b>98022</b>	776960 <b>69244</b>	780727 <b>28569</b>
80	699573 <b>98023</b>	776960 <b>69245</b>	-
120	662610 <b>41384</b>	776960 <b>69246</b>	-
3/8" x 13"			
60	699573 <b>45359</b>	-	780727 <b>40295</b>
80	699573 <b>92150</b>	-	780727 <b>36062</b>
Pkg/Case	1/50	5/25	1/50

#### Non-Woven Portable File Belts

SIZE	COLOR	PART #	
1/2" x 18"			
Coarse	Brown	662610 <b>55309</b>	
Medium	Maroon	662610 <b>55310</b>	
Very Fine	Blue	662610 <b>55311</b>	
Pkg/Case		1/24	









### Non-Woven Vortex Rapid Prep Portable File Belts

	1	
SIZE	COLOR	PART #
1/4" x 18"		
Coarse	Brown	662611 <b>58548</b>
Medium	Maroon	662611 <b>58558</b>
Fine	Green	662611 <b>58578</b>
Very Fine	Blue	662611 <b>58583</b>
1/2" x 12"		
Coarse	Brown	662611 <b>58547</b>
Medium	Maroon	662611 <b>58555</b>
Fine	Green	662611 <b>58577</b>
Very Fine	Blue	662611 <b>58582</b>
1/2" x 18"		
Coarse	Brown	662611 <b>58549</b>
Medium	Maroon	662611 <b>58561</b>
Fine	Green	662611 <b>58579</b>
Very Fine	Blue	662611 <b>58584</b>
1/2" x 24"		
Coarse	Brown	662611 <b>58550</b>
Medium	Maroon	662611 <b>58565</b>
Fine	Green	662611 <b>58580</b>
Very Fine	Blue	662611 <b>58585</b>
3/4" x 18"		
Coarse	Brown	662611 <b>58552</b>
Medium	Maroon	662611 <b>58576</b>
Fine	Green	66261158581
Very Fine	Blue	662611 <b>58586</b>
Pkg/Case		1/24

BELTS Portable File



### **CUTTING WHEELS Reinforced Cut-off**



#### Premium abrasive grain Durable resin bond Fiberglass reinforced

- Operator comfort with reduced hand fatigue from less cutting vibration
- Less downtime and waste with longer wheel life using fewer wheels
- Require less operator pressure and effort reduces cycle time
- · Fewer wheel changes mean quicker turnaround and greater productivity



Norton Blaze Cut-Of Wheels Named a COOL TOOL by Collision Hub!

ℜ https://b.link/s7exur



#### Blaze Cut-off Wheels

Norton Blaze cut-off wheels are composed of 100% of the most advanced ceramic alumina abrasive grain with a special shape for comfort and performance. Guaranteed 7X the life of aluminum oxide wheels and 3X the life of zirconia alumina wheels. The speed of cut is amongst the highest compared to other competitive product in the market.

#### 1/32" Cut-off Wheel

- Thinnest, fastest cutting blade
- · Much cooler cut
- Allows for a tighter fit
- Excellent for quarter panel

#### 1/16" Cut-off Wheel

- · Great for demanding applications
- · Cuts bolts, rods and frame rails
- Exceptional, extended work life

#### 2"

	v	
SIZE D x T x H	PART #	MAX. RPM
3" x 1/32" x 3/8"	662533 <b>71058</b>	25,465
3" x 1/16" x 3/8"	662533 <b>71059</b>	25,465
Pkg/Case	5/10	

#### Medallion Cut-off Wheels

Norton Medallion cut-off wheels deliver unmatched performance on the job. They are a great choice for cool, easy, free-cutting of sheet metal, or heavy duty cutting of muffler clamps, bolts, and steel rods up to 3/4" thick, as well as spot weld grinding.

	3"	
SIZE D x T x H	PART #	MAX. RPM
3" x 1/32" x 3/8"	076607 <b>89032</b>	25,465
3" x 1/16" x 3/8"	076607 <b>89030</b>	25,465
3" x 3/16" x 3/8"	076607 <b>89034</b>	25,465
Pkg/Case	5/10	




#### Small Diameter Reinforced Cut-off Wheels

Excellent for sheet metal work, cutting clamps and rusted bolts. Follow all safety precautions.

	NORZON PLUS	GEMINI	VALUE	
SIZE D x T x H	PART #	PART #	PART #	MAX. RPM
3" x 1/32" x 3/8"	_	-	076607 <b>89011</b>	21,260
3" x 1/16" x 3/8"	_	_	076607 <b>89012</b>	21,260
4" x .035" x 3/8"	662435 <b>10675</b>	662435 <b>10630 <i>FC</i></b>	_	19,100
4" x 1/16" x 3/8"	662435 <b>10677 FC</b>	662435 <b>10655 <i>FC</i></b>	-	19,100
Pkg/Case	25/1	25/1	100/4	
FC = Free Cut				

### SAFET

Always wear protective safety equipment and never exceed the RPM shown on the wheel. Never use a cut-off wheel on a tool without a quard.





# RETAIL Packaged Line



Color-coded Premium abrasives Full line of abrasive products
<ul> <li>Consumer-friendly, attractive, color-coded packaging to appeals to the end user</li> <li>Features same high-quality, performance abrasive as professional products</li> <li>Full line of hand and power sanding abrasives designed to take the guesswork out of making the simpler, right choice</li> </ul>

#### Stick & Sand Sanding Discs

For orbital sanding various autobody applications with the swiftness of a power tool and the maximum productivity of an abrasive product that cuts fast, lasts long, resists loading and produces a consistent scratch pattern.

	6" PSA DISCS
GRIT	PART #
P400C	076607 <b>00345</b>
P320C	076607 <b>00346</b>
P220C	076607 <b>00347</b>
P180C	076607 <b>00348</b>
P80C	076607 <b>00350</b>
80E	076607 <b>00351</b> +
40E	076607 <b>00352</b> +
Pkg/Case ⁺Pkg/Case	5/10
*Pkg/Case	5/5



#### Dry Sand Sheets

Superior versatility of a full sheet product for sanding old paint, primer and between color coats to repair surfaces; the premium aluminum oxide abrasive with anti-clog coating (No-Fil) on a strong paper backing makes quick work of the project.

	9" x 11"
GRIT	PART #
P320C	076607 <b>00629</b>
P220C	076607 <b>00630</b>
P180C	076607 <b>00631</b>
P80E	076607 <b>00633</b>
Pkg/Case	5/10



#### Wet Sand Sheets

Get the same versatility of a premium full sheet product with the flexibility of a using it for wet or dry sanding. The specially-coated waterproof paper will not deteriorate or curl when wet - which means you can take the time needed to finish the job at hand.

	9" x 11"
GRIT	PART #
2000B	076607 <b>00491</b>
1500B	076607 <b>00492</b>
1200B	076607 <b>00493</b>
1000B	076607 <b>00494</b>
P800B	076607 <b>00495</b>
P600B	076607 <b>00496</b>
P400B	076607 <b>00497</b>
P320B	076607 <b>00498</b>
P220B	076607 <b>00499</b>
Pkg/Case	5/10





.....





#### Stick & Sand Body File Sheets

Specifically-designed for use on a body file board/sander with a premium abrasive and reinforced backing to sand body filler with controlled ease.

	2-3/4" x 16-1/2"
GRIT	PART #
80E	076607 <b>00322</b>
40E	076607 <b>00323</b>
Pkg/Case	3/10

#### Scuff Pads

Non-woven pads are ideal for contoured and tight areas. The consistently-graded grain in an advanced resin formulation increases strength to avoid tearing and shredding. Use maroon pads before primer and on primed surfaces. Use gray pads for final scuffing of blend panels.

		6" x 9"	
GRIT		PART #	
Maroon	Primer/Prep	076607 <b>00256</b>	
Gray	Color Prep	076607 <b>00257</b>	
Pkg/Case		3/10	





RETAIL

Packaged Line



# VAC RACK



	Powerful, quiet technology	Lightweight and mobile	Organization and proficiency
	<ul> <li>Extremely lightweight delivers improved erg</li> <li>Versatile design and e improving cycle times</li> <li>An automatic filter cle</li> </ul>	yed design to maneuver tig 16.5' coaxial anti-static ho onomics nclosed storage area allow	se is easy to store and s for customization ne greatest amount of dust
10		natic filter cleaning system g he vacuum from loading with	uarantees the greatest amount out interrupting work or

Air cycle during normal operation







A customizable mobile work station that keeps technicians clean and organized, increases efficiency and the bottom line. The Norton VAC RACK bundle has the essentials needed for paint and body applications, allowing easy access for technicians to choose Norton abrasives, tools and accessories required to complete the job.

PART #	DESCRIPTION	QTY	
699573 <b>12400</b>	VAC RACK Cart	1	
	Vacuum System	1	
	16.5' Pneumatic anit-static hose	1	
	2-way Terminal	1	
	Tool Hooks	2	
	3" Hooks	6	
	Shelves	2	





The filter bags have a cap to contain dust during disposal.

0		0	
PART #	DESC	IPTION	QTY/CS
699573 <b>12643</b>	Filter	bags	5
699573 <b>12646</b>	Polye	ster filter	1

#### Connectors

Filters

The 2-way terminal allows for two hoses and tools to connect to the vacuum and run simultaneously. The rubber connection is a threaded hose fitting without a flow gauge.

PART #	DESCRIPTION	QTY/CS
699573 <b>12640</b>	2-way terminal	1
699573 <b>12641</b>	Threaded rubber connection for hose	1











#### Norton Multi-Air Orbital Sanders

These sanders are engineered for extremely smooth and quiet operation with a lightweight and ergonomically design for maximum comfort. Use the 6mm throw orbital sander for preparing body filler or sanding of clear coat paints and the 3mm throw for fine sanding and edging.

PART #	DESCRIPTION	QTY/CS
699573 <b>12633</b>	6" 6mm throw orbital sander	1
699573 <b>12636</b>	6" 3mm throw orbital sander	1
699573 <b>66126</b>	6" 9mm throw orbital sander	1

#### Multi-Hole Back-up Pad

The multi-hole pattern combined with the 10 channels on the side of the back-up pad provide an air flow that increases dust extraction on both horizontal and vertical surfaces for a cleaner work area. The back-up pad is designed to obtain a low center of gravity to ensure better control and precision during all phases of the sanding process.

Sanding process.		
PART #	DESCRIPTION	QTY/CS
699573 <b>12647</b>	Multi-hole back-up pad	5
699573 <b>45337</b>	Multi-hole interface pad	4

#### Anti-Static Hoses

The 16.5' lightweight, anti-static hoses are treated to prevent the buildup of static electricity caused by dust as it moves through them. The hose for a pneumatic tool includes an integrated air line.

PART #	DESCRIPTION	QTY/CS
699573 <b>12637</b>	16.5' (5m) hose for pneumatic tool	1
699573 <b>12638</b>	16.5' (5m) suction hose	1
699573 <b>45325</b>	26.2' (8m) hose for pneumatic tool	1
699573 <b>45336</b>	26.2' (8m) suction hose	1

#### Vacuum Hand Blocks

Designed for use with vacuum abrasive sheet rolls. The REVvive by RSG dust-free hand blocks are flexible to easily conform to edges and curves.

DESCRIPTION	PART #	CASE
125 x 70mm Vacuum Block	666233 <b>91381</b>	1
200 x 70mm Vacuum Block	666233 <b>91382</b>	1
400 x 70mm Vacuum Block	666233 <b>91383</b>	1

#### Vacuum Hand Block Interface Pads

Matches hole design on the REVvive by RSG Vacuum Block. Use of an interface pad improves both surface finish and cut rate.

DESCRIPTION	PART #	CASE
125 x 70mm Vacuum Block Interface Pad	666233 <b>91384</b>	10
200 x 70mm Vacuum Block Interface Pad	666233 <b>91385</b>	10
400 x 70mm Vacuum Block Interface Pad	666233 <b>91386</b>	10

TOOLS

VAC RACK



# Mini Angle Sander / File Belt Sander

Compact	Powerful	Portable
<ul> <li>vibrations allowing</li> <li>Finesse your project power with the spe</li> <li>Get better tool hand</li> </ul>	ed regulator dling while reducing additic aamlined non-slip grip horsepower (hp): 2,000 RPMs	nishes control in both precision and





#### Mini Angle Sander

Put the world right in the palm of your hand with our 2" and 3" Norton Mini Angle Sanders. Small, compact enough in getting to those hard-to-reach areas, and powerful enough to finish the job fast and efficiently.

	2"	3"	
SIZE/DESCRIPTION	PART #	PART #	QTY/CS
2" Single Sander	662611 <b>50076</b>		1
2" Kit	662611 <b>50077</b>		1
Includes: 1 – Norton 2" Sander, 25 – 2" 36 Grit Norton Blaze R980P 3-Ply TR Discs (662611 <b>62318</b> ), 50 – 2" Medium Grit Norton Rapid Prep Non-Woven TR Discs (662610 <b>09190</b> ), 1 – 2" Medium Density Back-up Pad (662610 <b>55103</b> )			
3" Single Sander		699573 <b>82154</b>	1
3" Kit Includes: 1 – Norton 3" Sander, 25 – 3" 36 Grit Norton Blaze R980P 3-Ply TR discs (662611 <b>62328</b> ), 25 – 3" Medium Grit Norton Rapid Prep Non-Woven TR discs (662610 <b>17522</b> ), 1 – 3" Medium Density Back-up Pad (662610 <b>55105</b> )		699573 <b>82155</b>	1





### File Belt Tool Kit

Durable plastic case provides convenience and protects the file belt tool and abrasives			
SIZE/DESCRIPTION	PART #	QTY/CS	
Norton File Belt Tool Kit Includes: 1 – Norton File Belt Tool; 5 – Norton Blaze 1/2" x 18" File Belts - 60 grit (699573 <b>98022</b> ); 5 – Norton Blaze 1/2" x 18" File Belts – 80 grit (699573 <b>98023</b> ); 3 – Norton Bear-Tex 1/2" x 18" File Belts - medium (662610 <b>55310</b> ); 1 – Norton File Belt Replacement Arm 666233 <b>91377</b>	666233 <b>91378</b>	1	
Norton File Belt Replacement Arm	666233 <b>91377</b>	1	



# TOOLS Straight Cut-off



Fixed safety guard	Lightweight	Low noise and air consumption

# Straight Cut-off Wheel Tool

The Norton Straight Cut-off Wheel Tool was specifically designed with collision repair technicians in mind. Lightweight, powerful and mighty, the tool works best to optimize the performance of Norton Blaze 3" cut-off blades in collision repair applications.







	SPEEL	Auto Line
Plastic Repair	Seam Sealers	Metal Bonding
<ul> <li>Products can hand need for a large inv</li> <li>Urethane Adhesive and will not lift, rol</li> <li>Epoxy Adhesives a</li> </ul>	ventory of product to be k s are the best choice for p I up or shrink	ions, thus minimizing the

METAL BONDING	METAL BONDING – STRUCTURAL	COMPOSITE PLASTIC REPAIR – BONDING	COMPOSITE PLASTIC REPAIR – STRUCTURAL	COMPOSITE PLASTIC REPAIR – COSMETIC	FLEXIBLE PLASTIC REPAIR – STRUCTURAL	FLEXIBLE PLASTIC REPAIR – COSMETIC	636425-	DESCRIPTION	COLOR	WORK TIME	HANDLING/ CLAMP TIME	SANDING TIME	PAINT TIME
EPOX	Y ADHE	SIVES											
							06418	Panel Bonder – 30 minute	Black	30 min	2 hours	3 hours	
							06421	Panel Bonder – 90 minute	Black	90 min	4 hours	8 hours	
							06427	Impact Toughened	Purple	90 min	120 min		
							06412	Repair and Filler	Purple	5 min		15-30 min*	15-30 min*
URETH	IANE A	DHESIV	ES										
							04647	45 second	Opaque	45 sec	2-1/2 min	5 – 7 min*	
							04615	1 minute	Black	1-1/2 min	7 min	12 – 20 min*	1 hour
							04616	5 minute	Black	7 min	15 min	45 min	2 hours
							04617	15 minute	Black	20 min	45 min	90 min	3 hours

\*Sanding time depends on film thickness I Times are @ 70°F/21°C except #06421 @ 77°F / 25°C

# **TECHNICAL HELP LINE 1-866-879-3761**





# **OEM**

# Impact Toughened Structural Adhesive

Two-part epoxy (2:1) structural adhesive for use in automotive bonding applications. Adheres to a wide variety of properly prepared substrates including steel and aluminum. The Impact Toughened Structural Adhesive has an extended work time for large applications, but can be accelerated with applied heat. Impact Toughened Structural Adhesive is much stronger than traditional structural adhesives, and can be used in weld bonded or rivet bonded OEM applications.

DESCRIPTION	SIZE	PART #
Panel Bonding Adhesive 2:1	220ml	636425 <b>06427</b>
Case		



# Epoxy Panel Bonding Adhesive

Superior two-part epoxy (2:1) adhesive designed to bond SMC, FRP, fiberglass, steel, and aluminum auto parts and body panels to each other and to metal frames (no primer required). It seals and bonds in one application.

DESCRIPTION	SIZE	PART #
Panel Bonding Adhesive – 30 minute	220 ml	636425 <b>06418</b>
Panel Bonding Adhesive – 90 minute	220 ml	636425 <b>06421</b>
Case		6



# Epoxy Repair and Filler

Two-part epoxy (1:1) used for cosmetic repairs on both flexible and rigid parts. Adhesion promoter must be used on plastic parts. Work time is 5 minutes and it can be sanded in 15-30 minutes. It sands easily and feathers well.

DESCRIPTION	SIZE	PART #
Repair and Filler	220 ml	636425 <b>06412</b>
Case		6

# TECH TIP

Norton SpeedGrip adhesives SHOULD NOT be used for bonding structural components such as rails, pillars, rocker panels, core supports, etc. If in doubt as to what is a structural component, contact the vehicle manufacturer. RESISTANCE SPOT WELDING: Norton recommends resistance welding through Metal Bonding Adhesives in a wet or cured state with little to no burn back.

WELDING: Norton Adhesive CANNOT be in the weld area or burn back will occur. Norton recommends at least one inch clearance from the weld site to keep the adhesive from contaminating the weld site while positioning the panel on the vehicle. If using, make sure to cover weld area on vehicle and replacement panel, but do not contaminate bond line areas.

After clamping, wipe any excess adhesive off the panel while wet.





# SPEED-GRIP ADHESIVES For Plastic Repair



#### 45 Seconds

Two-part urethane (1:1) used for structural and cosmetic repairs of all plastic bumpers including TPE, TPO, TEO, PP, and ABS.

DESCRIPTION	SIZE	PART #
45 seconds	215ml	636425 <b>04647</b>
Case		6

# 1 Minute

Two-part urethane (1:1) used for structural and cosmetic repairs of all plastic bumpers including TPE, TPO, TEO, PP, and ABS.

DESCRIPTION	SIZE	PART #
1 minute	215ml	636425 <b>04615</b>
Case		6



# 5 Minutes

Two-part urethane (1:1) adhesive used for structural and cosmetic repairs of all plastic bumpers, bumper tabs, emblems, door trims, interior and exterior plastic repairs, and cosmetic repairs including TPE, TPO, TEO, PP, and ABS and can also be used to bond SMC or fiberglass panels.

DESCRIPTION	SIZE	PART #
5 minutes	215ml	636425 <b>04616</b>
Case		6

# 15 Minutes

Two-part urethane (1:1) adhesive used for structural and cosmetic repairs of all plastic bumpers, bumper tabs, emblems, door trims, interior and exterior plastic repairs and cosmetic repairs including TPE, TPO, TEO, PP and ABS.

DESCRIPTION	SIZE	PART #
15 minutes	215ml	636425 <b>04617</b>
Case		6



# **Voc**

#### Adhesion Promoter

No need to identify plastic type – just simply apply Norton SpeedGrip Adhesion Promoter to all plastics once, no need to re-apply. Allow for a 10 minute flash time.

No plastic identification required.

DESCRIPTION	SIZE	PART #
Aerosol Adhesion Promoter	333 grams	636425 <b>04625</b>
Case		12





# SPEED-GRIP ADHESIVES Seam Sealers



## Seam Sealer - Controlled Flow

Two-part epoxy (1:1). Permanently flexible sealer that features a controlled leveling characteristic, as opposed to the excessive flow found in a self-leveling seam sealer. For use on horizontal or sloped areas. Can be painted after 30 minutes.

DESCRIPTION	SIZE	PART #
Seam Sealer - Controlled Flow	220 ml	636425 <b>06402</b>
Case		6



# **Epoxy Seam Sealer**

Two-part epoxy (1:1) used to seal interior and exterior seams, joints, and voids. It will not shrink, harden, or crack and retains its flexibility. For use on vertical or horizontal seams. Can be painted after 30 minutes.

DESCRIPTION	SIZE	PART #
Seam Sealer	220 ml	636425 <b>97120</b>
Case		6



# Self-Leveling Seam Sealer

Two-part epoxy (1:1) is formulated for use on drip rails, trunk seams, and roof channels. It will not shrink, harden, or crack and retains its flexibility. For use on horizontal seams. Can be painted after 30 minutes.


DESCRIPTION	SIZE	PART #
Seam Sealer – Self-Levelling	220 ml	636425 <b>97121</b>
Case		6



# Bare Metal Epoxy Seam Sealer

Two-part epoxy (1:1), non-sag, high solid epoxy designed where a fast setting and fast paint time sealer is desired. Provides the latest in technology for sealing seams and faster paint time than traditional sealers. Norton Bare Metal Epoxy Seam Sealer extrudes easily with excellent tooling characteristics with no shrinkage, and can be painted after 45 minutes at 70° F/21°C.

DESCRIPTION	SIZE	PART #
Bare Metal Seam Sealer	220 ml	636425 <b>06398</b>
Case		6





# SPEED-GRIP ADHESIVES Truck Line



# DEM approved Urethane formula bonds all materials

bonds all materials corro

Outstanding corrosion protection

- High strength structural bonding with OEM quality and performance and outstanding corrosion protection
- · Various work times result in shorter clamp time to increase productivity
- Products can handle many different applications, thus minimizing the need for a large inventory of product to be kept on-hand



# **OEM**

# SMC/FRP Fiberglass Repair and Panel Bonding - Urethane

Norton SpeedGrip two-part urethane adhesives are a quick and versatile system for bonding and repairing steel, aluminum, flexible, semi-rigid and rigid plastic and SMC, FRP, and fiberglass. All products provide the same outstanding performance on these materials. Just select the working time that best fits your needs.

	400ML
DESCRIPTION	PART #
3 minutes	636425 <b>04671</b>
10 minutes	636425 <b>04672</b>
35 minutes	636425 <b>04673</b>
Case	6

400ml Use applicator gun #41398-manual or #41396-pneumatic

# Working Times

working times							
OPEN TIME		WORK TIME		CL	AMPING/FIXTURE TIN	ΛE	SANDING/PAINTING TIME
3 minutes	3-1/2 minutes 10 minutes		) minutes		30 minutes		
10 minutes		17 minutes		30	) minutes		1 hour
35 minutes		50 minutes	90 minutes		3 hours		
Times will increase as temperatures decrease.	Times s above a 77°F/25	re at	Full cure time is 24 hours but this may be accelerate with heat.		Do not apply polyester based putty/fillers on urethane products.	used Spee Norto adhe	yester putty/filler must be , skim coat over the Norton d-Grip repair area using on Speed-Grip rigid repair sive or Norton Speed-Grip ole repair adhesive.

# SMC/FRP Fiberglass Panel Bonding – Epoxy

Superior two-part epoxy Norton SpeedGrip adhesive designed to bond steel, aluminum, SMC, FRP, and fiberglass truck parts and panels. It seals and bonds in one application. The longer work time allows for adequate adjusting and handling. The glass beads mixed in this formulation provide the adequate spacing between parts for optimal bond strength.

DESCRIPTION	SIZE	PART #
Epoxy Panel Bonding Adhesive	400 ml	636425 <b>04674</b>
Case		6

Use applicator gun #41398-manual or #41396-pneumatic 2:1 Cartridge

Working Times		
WORK TIME	CLAMPING/FIXTURE TIME	SANDING/PAINTING TIME
90 minutes	4 hours	8 hours





# SPEED-GRIP ADHESIVES Accessories



Manual Applicator Gun – 1:1 and 2:1



Pneumatic Applicator Gun – 1:1 and 2:1

MI

Mixing Tips 24-element tips ensure automatic mixing for 220ml to 400ml.

#### Accessories

	200ML/220ML	400ML	220ML TO 400ML TIPS
DESCRIPTION	PART #	PART #	PART #
Manual Applicator Gun 1:1 & 2:1	636425 <b>41400</b>	636425 <b>41398</b>	-
Pneumatic Applicator Gun 1:1 & 2:1	636425 <b>41399</b>	636425 <b>41396</b>	-
Mixing Tips - 24 Element (green)	-	-	636425 <b>04628</b>
Pkg/Case	1	1	6/60

# Nylon Reinforcing Tape

Self-adhesive backing tape for repairing and filling holes and plastic gouges. It can be used for both urethane and epoxy adhesives.

DESCRIPTION	SIZE	PART #
Nylon Reinforcing Tape	2" x 65"	636425 <b>04632</b>
Case		6



# Sprayable Seam Sealer S-4 Kit and Mixing Tips

The S-4 (Sprayable Seam Sealer System) Starter Kit includes one S-4 Atomization Unit with a standard M style air fitting (which can be changed out), a bag of six S-4 Mixing Tips and instructions for use.

The S-4 Atomization Unit attaches to the bottom of the Pneumatic Gun (#41399) and can easily adjust the air pressure as needed. Either Seam Sealer (#97120) or Bare Metal Seam Sealer (#06398) can be used to replicate textured OEM seals. The S-4 Mixing Tip (#06404) screws onto the cartridge, and the opposite end of the tip attaches to the hose on the S-4 Unit.

DESCRIPTION	PART #	PIECES/PACK	PACKS/CASE
S-4 Starter Kit	636425 <b>06403</b>	1	1
S-4 Mixing Tips	636425 <b>06404</b>	6	10



# Speed-Grip Rack

Heavy-duty steel rack that can be hung up in the shop and will help you organize your inventory of Norton SpeedGrip Structural Adhesives.

DESCRIPTION	SIZE	PART #
Norton SpeedGrip Rack	25-1/2" x 11" x 9-1/2" deep	636425 <b>06168</b>
Case		1





# ADHESIVES / SEALERS / COATINGS Adhesives



Ultra fast, high-strength bond adhesives	Full line of joint and seam sealers	Brush and spray protective coatings
<ul> <li>High quality components application and dry time</li> <li>Products can handle ma need for a large inventor</li> </ul>	and high-strength bond ny different applications,	thus minimizing the



# **Voc**

# Super Bond Weatherstrip Adhesive

Super Bond Weatherstrip Adhesive is a fast setting, high-bond strength adhesive. Used to bond rubber or vinyl weatherstrips to doors, trunks, windows, etc. Can apply using a nasal tip or controlled bead. Has instant tack, and a strong bond, plus is fast drying and waterproof. Resists oil, grease, and silicone.

DESCRIPTION	COLOR	SIZE	PART #
Super Bond Weatherstrip Adhesive	Black	5 oz Tube	076607 <b>82705</b>
	Amber	5 oz Tube	076607 <b>82706</b>
Case			12



# **Voc**

# Heavy-Duty Spray Trim Adhesive

A fast drying, super strength adhesive in an aerosol can. Used to bond carpeting, urethane foam, insulation, supported vinyl, wood, paper, hood pads, and headliners to most substrates. Convenient adjustable spray nozzle for varied applications.

DESCRIPTION	SIZE	PART #
Heavy Duty Spray Trim Adhesive	24 oz Can / 15.75 oz Net Wt.	076607 <b>82725</b>
Case		12



# ADHESIVES / SEALERS / COATINGS Joint and Seam Sealers



# **Voc**

# Urethane Windshield Sealer

A one part urethane adhesive sealant for windshield and backlite installations. Easy handling, fast-set properties, excellent shelf life. Passes Motor Vehicle Safety Standard #212 windshield barrier test and #216 crush test.

DESCRIPTION	SIZE	PART #
Urethane Windshield Sealer	1/10 gal. Cartridge	076607 <b>82735</b>
Case		12



# **VOC**

# Urethane Seam Sealer

A one-component, polyurethane seam sealer that cures quickly to a permanent, flexible sealant designed for sealing interior and exterior body joints and seams and duplicates OEM appearance. Paintable in 1 hour. Flexible foil package eliminates product waste. Use with Application Gun #82786.

DESCRIPTION	COLOR	PART #
Urethane Seam Sealer Sausage Pack	White	076607 <b>82751</b>
Case		6



# Application Gun

Designed for use with Norton Urethane Seam Sealer (#82751). This item is a fully enclosed metal unit, which provides fast and efficient application of seam sealer material. Low ratio mechanism allows for easy pumping and precise application of sealant.

DESCRIPTION	PART #
Application Gun	076607 <b>82786</b>
Case	1



# **VOC**

# Quick-Set Seam Sealer

Quick-Set Seam Sealer can be used to seal any body seam against moisture or dust and to finish skin panels. Applies easily, skins in 2 minutes, and is paintable in 30 minutes. Has outstanding toolability and remains flexible when dry,plus has excellent adhesion to numerous substrates.

DESCRIPTION	COLOR	SIZE	PART #
Quick-Set Seam Sealer	Beige	1/10 Gal Cartridge	076607 <b>82750</b>
Case			12



# ADHESIVES / SEALERS / COATINGS Guide, Undercoat, and Cleaner



# **Voc**

# Black Powder Guide Coat

Provides the technician with a visual aid to ensure primed surfaces are totally smooth and even. A quick and efficient method to find uneven and low spots on body filler, primer, glazing putties and other repair components. Apply guide coat over the area to be sanded, and continue sanding until the coating is no longer visible on the surface. It can be sanded using either wet or dry sanding methods.

DESCRIPTION	SIZE	PART #
Black Powder Coat with applicator	100 grams	666233 <b>34772</b>
Case		6



# **Voc**

# Premium Rubberized Undercoat - Paintable

Fast-drying rubberized undercoat for rust-prevention, sound deadening and chip resistance to fenders, undercarriages, quarter panels, wheel wells, decks, and hoods. Excellent adhesion to painted and unpainted surfaces. Resists rust and abrasion as it seals out dust and moisture. Paintable in one hour.

DESCRIPTION	SIZE	PART #
Premium Rubberized Undercoat	24 oz Can/17.75 oz Net Weight	076607 <b>82775</b>
Case		6



# **VOC**

# Panel and Adhesive Cleaner

Removes adhesives, tar, grease, wax, body sealers, undercoating sprays, and silicone from most surfaces. Aggressive cleaner is safe to use on most paint applications. Packaged with squirt dispenser. Use as directed.

DESCRIPTION	SIZE	PART #
Panel and Adhesive Cleaner	Quart/32 oz	076607 <b>82780</b>
Case		12





# ADHESIVES / SEALERS / COATINGS Attachment Tape



# Factory Grade Attachment Tape

High-performance black double-sided acrylic foam tape with blue easy-release polypropylene liner for exterior and interior moldings and trims. Norton Factory Grade Attachment Tape features black adhesive with a dark foam core that provides cleaner site lines in applications such as modern body side moldings, claddings and roof ditch moldings. Enhanced ability to match the requirements of new OEM part technologies.

- Versatile adhesive bonds to medium and high-surface energy plastics, taking the guesswork out of choosing the right tape for the right part
- Enhanced short term adhesion capability (20 minutes after initial bond) on a wide variety of substrates, increasing productivity and speed of assembly
- Superior conformability to allow for a better bond to irregular surfaces
- Resistant to weathering degradation (UV and high temperature) with the ability to remain flexible at cold temperatures

	1/4" x 5 YDS.	1/2" x 5 YDS.	7/8" x 5 YDS.
DESCRIPTION	PART #	PART #	PART #
Attachment Tape 0.043" (1.1mm) Thick	636425 <b>98650</b>	636425 <b>98651</b>	636425 <b>98652</b>
Case	12	9	7

# Premium Automotive Attachment Tape

High-density gray foam tape coated with high strength acrylic adhesive on both sides with red polyethylene release liner is designed for bonding medium to large moldings and accessories. High-strength acrylic adhesive provides superior adhesion to plastics, metal, glass, and painted vehicle surfaces.

- Used for attaching body side moldings, cladding, door edges, emblems, interior trim, rocker panel moldings and pillar covers
- · Remains flexible at low temperatures

	1/4" x 20 YDS.	1/2" x 20 YDS.	7/8" x 20 YDS.
DESCRIPTION	PART #	PART #	PART #
Attachment Tape 0.043" (1.1mm) Thick	636425 <b>05620</b>	636425 <b>05621</b>	636425 <b>05622</b>
Case	12	12	12



# Automotive Attachment Tape

High-density black foam tape with green polyethylene release liner bonds small to medium moldings and accessories. High strength acrylic adhesive provides superior adhesion to plastics, metal, glass, and painted vehicle surfaces. The black color of the tape hides well from detection.

	1/2" x 20 YDS.	7/8" x 20 YDS.
DESCRIPTION	PART #	PART #
Attachment Tape 0.043" (1.1mm) Thick	636425 <b>76377</b>	636425 <b>76378</b>
Case	12	12

# MASKING PRODUCTS Plastic Sheeting





	Plastic Sheeting
	Paintable Corona-treated so paint will not Excellent cling flake off
AL MARKEN AND AND AND AND AND AND AND AND AND AN	<ul> <li>Tri-layer paintable sheeting is easy and fast to apply, and clings to the vehicle's body even after being repositioned</li> <li>Corona-treated so the overspray paint won't flake off and create rework</li> <li>3-ply resin formula provides excellent tear resistance, prevents bleed through, and is solvent resistant</li> <li>Conveniently packaged on a standard core to fit all current masking dispensers, making it simple for one person to apply</li> </ul>



# Blue Sheeting

Paint will adhere to the outside layer of plastic, eliminating flake-off. The cling ensures material adheres to the area that is to be protected. Norton Blue Sheeting can be cut and painted along the critical edge.

	12' x 400'	16' x 350'	20' x 350'
DESCRIPTION	PART #	PART #	PART #
Blue Sheeting	636425 <b>03344</b>	636425 <b>03345</b>	636425 <b>03723</b>
Case	1	1	1



# **Overspray Sheeting**

Value paintable overspray sheeting. Medium-density, corona-treated plastic.

	12' x 400'	16' x 400'
DESCRIPTION	PART #	PART #
Overspray Sheeting	636425 <b>06727</b>	636425 <b>06728</b>
Case	1	1



# MASKING PRODUCTS Protective Plastic











# Blue Wrap Protective Plastic

#### Self-Adhesive Weather Barrier

- Clear film with built in UV inhibitors for interior protection
- Don't leave on more than 30 days
- Do not expose above 170° F
- Do not install on wet or damp surfaces

# Wheel Maskers

- Tri-layer plastic
- Paintable NO Flaking
- Fully covers both sides of the wheel
- Covers wheels up to 17"

# **Bucket Seat Covers**

- · Full coverage from headrest to floor
- Will not slip or bunch up
- Protects seats from grease, dust and chemicals
- Perforated roll

**Floor Mats** 

· Will not slip or tear

and chemicals

# DESCRIPTION PART # Weather Barrier 36" x 100' (9 lbs.) 3 mil thick 636425**05920** Case 1

DESCRIPTION	PART #
Wheel Maskers (50/roll) Paintable	636425 <b>05922</b>
Case	1

DESCRIPTION	PART #
Bucket Seat Covers (125/roll) Non-Slip	636425 <b>05921</b>
Case	1

DESCRIPTION	PART #
Floor Mats (125/roll)	636425 <b>05923</b>
Case	1

Perforated rollGenerous size: 16-1/2" x 21"

· Protects floor from dirt, grease

# **Steering Wheel Cover**

- Protects steering wheel from dirt, grease, and germs
- Demonstrates professionalism
- cleanliness to customers
- 18" x 18.5" size fits standard steering wheels
- 1.0 mil thick recyclable plastic

DESCRIPTION	PART #
Steering Wheel Cover (500/roll)	636425 <b>97125</b>
Case	1





# MASKING PRODUCTS Masking Paper / Tape

# White Paint Check Masking Paper

Premium white masking paper is corona-treated so paint won't flake off, poly coated to protect against bleed-through and has a built-in Norton Paint Check for convenience. Masking tape can be repositioned without tearing the paper. White paper will not distort lighting during the painting process. Corona-treated so paint won't flake off and poly-coated to protect against bleed-through

- · Features built in "Paint Check" design for use confirming proper paint flow and coverage
- · Resistant to waterborne and solvent-based products

SIZE	6"	12"	18"	24"	36"
DESCRIPTION	PART #				
Masking Paper (750' boxed)	636425 <b>00402</b>	636425 <b>00403</b>	636425 <b>00404</b>	636425 <b>06224</b>	636425 <b>00407</b>
Case	6	3	2	1	1

Each 750' boxed case is a 36" log. Length is approximate.

# Foam Masking Tape

Easy-to-use, time-saving products to mask door jambs and other apertures like hood and deck lid openings that need to be sealed during the painting process. The Premium Foam Masking Tape features a semi-split design and offset adhesive to ensure a soft paint edge.

	(1/2" x 54.5 YDS) 13MM x 50MM	(3/4" x 54.6 YDS) 20MM x 50MM
DESCRIPTION	PART #	PART #
Foam Masking Tape	662544 <b>70735</b>	-
Premium Foam Masking Tape	-	662544 <b>70746</b>
Case	1	1

# Cloth Duct Tape

Silver polyester cloth tape is highly conformable and moisture resistant. Ideal for general purpose repair applications.

	2" x 60 YDS
DESCRIPTION	PART #
Cloth Duct Tape	636425 <b>78000</b>
Case	24



# Blue Fine Line Tape

Norton Blue Fine Line Masking Tape adheres and conforms easily to contours and irregular surfaces. This tape's low profile eliminates hard paint edges and leaves no residue when removed. Resistant to temperatures up to 180°F. It features "pucker-free" cornering, and has straight edges on longs runs, plus stays in place and doesn't roll back or have curling edges.

	1/8" x 36 YDS	1/4" x 36 YDS	1/2" x 36 YDS
DESCRIPTION	PART #	PART #	PART #
Blue Fine Line Tape	636425 <b>72018</b>	636425 <b>72014</b>	636425 <b>72012</b>
Case	12	12	12





# ACCESSORIES Cabinets and Dispensers





# Autobody Utility Cabinet

Rugged, heavy gauge steel with two adjustable shelves and a security latch for locking doors. Store abrasives, tapes and chemicals, while keeping them clean, dry and secure. Sidewalls are pre-punched to mount six Norton disc roll/sheet roll dispensers. Weight: 54 pounds.

DESCRIPTION	SIZE	PART #
Automotive Utility Cabinet	32" x 13" x 25"	636425 <b>42770</b>
Case		1







#### Disc Roll and Sheet Roll Dispensers

Norton Automotive Disc and Sheet Roll Dispensers feature heavy duty construction and a rubberized finish, designed to protect your product, as well as the finish on your workpiece. They are versatile, for use with any 5" or 6" disc roll or sheet roll.

DESCRIPTION	PART #
Single Disc Roll Dispenser	636425 <b>42772</b>
Double Disc Roll Dispenser	636425 <b>02981</b>
Sheet Roll Dispenser	636425 <b>42773</b>
Case	1

Case

\* Each rack can be attached to a wall, mounted on a Norton Utility Cabinet, or stacked upon other Norton dispensers.







# Ergonomic Sanding Blocks

- PSA Soft Constructed of flexible, yet tough, foam and shaped to fit comfortably in your hand. The design
  is good for both flat surfaces as well as contours. The embossed rubber face allows for good adhesion of PSA
  sheet rolls.
- PSA Firm Constructed of durable material and shaped to fit comfortably in your hand. The firm design produces a true, flat surface. The embossed rubber face allows for good adhesion of PSA sheet rolls.
- Hook and Loop Soft Constructed of flexible, yet tough, foam and shaped to fit comfortably in your hand. The
  design is good for both flat surfaces as well as contours. Works with standard hook and loop sheets.
- Hook and Loop Firm Constructed of durable material and shaped to fit comfortably in your hand. The firm design produces a true, flat surface. Works with standard hook and loop sheets.

	2-3/4" x 5"	2-3/4" x 7-3/4"	
DESCRIPTION	PART #	PART #	
Soft – PSA	636425 <b>42090</b>	_	
Firm – PSA	636425 <b>42091</b>	636425 <b>42094</b>	
Soft – Hook and Loop	636425 <b>42092</b>	_	
Firm – Hook and Loop	636425 <b>42093</b>	636425 <b>42095</b>	
Case	5	5	

# Rubber Hand Sanding Block

Ideal for uniform sanding. Can be used for dry or wet sanding. Uses a 2-3/4" x 9" sheet which is 1/4 of a standard 9" x 11" sheet. Slotted jaws securely hold sheets in place.

DESCRIPTION	PART #
Rubber Hand Sanding Block	076607 <b>01889</b>
Case	5

# Ergonomic Hand Sanding Block for 6" Discs

The unique design quickly converts a 6" diameter PSA or Hook and Loop disc into a hand sander. The ergonomic design of the pad fits the user's fingers for added comfort and reduced fatigue.

DESCRIPTION	PART #
For 6" PSA Discs	636425 <b>03727</b>
For 6" Hook and Loop Discs	636425 <b>03726</b>
Case	5



# Disc Hand Pads

The 3/8" thick pad is composed of neoprene and foam, for excellent conformability. Each pad has an elastic hand strap to hold it firmly in place when used with a 6" Hook and Loop disc for scuff sanding flat or contoured surfaces.

The half moon pad uses a 6" Hook and Loop disc which adheres to the hooks on the pad face. The straight edge of the pad allows the technician to sand contours and narrow crevices.

DESCRIPTION	PART #
6" x 1/2" Thick Soft Foam	636425 <b>00906</b>
6" Half Moon	636425 <b>00904</b>
Case	10











# Dual Density Wet Sanding Block

Because of the "grabbing" power of these blocks, no adhesive is required, simply wrap the paper around the block. The dense side is for more aggressive blocking, while the soft side is for color sanding. These blocks come in a "point of purchase" display pack.

DESCRIPTION	PART #
Wet Sanding Block	636425 <b>03728</b>
Case	12

# Holey Block

A rugged, semi-rigid, multi-purpose sanding block engineered for flat to medium curved surfaces. A tactical hole pattern side provides numerous cutting edges to create a 30% faster cut rate. The plain side provides firmness and a comfortable, easy-to-hold surface. These blocks come in a "point of purchase" display pack.

DESCRIPTION	PART #
Holey Block	636425 <b>03729</b>
Case	8

# PSA Sanding Board

The PSA Sanding Board has a cushioned surface. Slots at each end securely hold 2-3/4" x 17-1/2" abrasive sheets or may be used with 2-3/4" x 16-1/2" PSA sheets.

DESCRIPTION	PART #
PSA Body File Sanding Board	636425 <b>42724</b>
Case	6





# 2

# Hook and Loop Sanding Board

The Hook and Loop Sanding Board has a lightweight, rugged design. This Sanding Board is designed be used with 2-3/4" x 16-1/2" hook and loop sheets.

DESCRIPTION	PART #
Hook and Loop Body File Sanding Board	636425 <b>52836</b>
Case	5



# Hook and Loop Air File Shoe

The Hook and Loop Air File Shoe eliminates the need for clips. The quick-change backing locks and unlocks every time, for fast, easy-to-manage use of hook and loop file sheets.

DESCRIPTION	PART #
Hook and Loop Air File Shoe	636425 <b>52835</b>
Case	5



DESCRIPTION	PART #
Interface Pad	076607 <b>19359</b>
Pkg/Case	12/1







# Back-up Pads

Designed for use with PSA and hook and loop discs.

DESCRIPTION	RPM	PART #
3" Hook and Loop Back-Up Pad	12,000	636425 <b>06128</b>
8" PSA Back-Up Pad	6,000	636425 <b>43112</b>
8" x 5/8"-11 Hook and Loop Back-Up Pad	4,800	636425 <b>43704</b>
8" VAC/Non-VAC Hook and Loop 5 Screw Back-Up Pad	1,500	636425 <b>43712</b> *
Case		5
Case		*1

# Foam Interface Pads

Designed for use with fine grit hook and loop sanding discs. Improves both surface finish and cut rate. Use with hook and loop disc back-up pads.

DESCRIPTION	THICKNESS	PART #	PART #	PART #
3" Thin Foam Interface Pad	1/2"	636425 <b>05457</b>	-	-
6" Thin Foam Interface Pad	1/2"	-	636425 <b>42089</b>	-
5" Foam Interface Pad	3/4"	-	-	636425 <b>02161</b>
6" Foam Interface Pad	3/4"	-	-	636425 <b>02162</b>
Pkg/Case		10/1	5/1	2/10

# AVOS Speed-Lok Back-up Pads

Durable back-up pads designed for rugged use. Always follow safety procedures and never exceed the rpm.

			5" SPEED-LOK BACK-UP PAD
DESCRIPTION	SIZE	RPM	PART #
For Pistol Grips	3/8" -24	20,000	636425 <b>03029</b>
	7/16" -20	20,000	636425 <b>03030</b>
Standard	5/8" -11	13,000	636425 <b>02517</b>
Case			5



# Back-up Pads for Grinding Discs

Discs are held in place by Retainer Nut.

	RETAINER NUT	5" x 7/8"	<b>7" x 7/8</b> "	9-1/8" x 7/8"
GRIT	PART #	PART #	PART #	PART #
Medium RPM	_	636425 <b>43421</b> 10,000 RPM	636425 <b>43422</b> 7,000 RPM	636425 <b>43423</b> 8,600 RPM
Firm RPM	_	-	636425 <b>43425</b> 8,600 RPM	_
Retainer Nut	636425 <b>43463</b>	_	_	_
Case	1	1	1	1



# Tack Cloths

A specially formulated soft cloth that effectively removes dust, dirt, and sanding residue. It contains no waxes or silicones, and is compatible with all paints. This cloth will not dry out and is always soft and tacky. It is spontaneous combustion proof, non-toxic and anti-static.

DESCRIPTION	PART #
Tack Cloth	076607 <b>49008</b>
Pkg/Case	12/12



ACCESSORIES







# Your Productivity Partner

A select group of industry leaders has come together to leverage their core expertise into one powerful network to assist you in improving your refinishing process and increasing your profitability.



To learn how the collective expertise of our industry leaders can boost you shop's bottom line, visit **www.refinishsolutionsgroup.com** or call 1-800-456-8444 for more information.

# POWER IN PARTNERSHIP

The Refinish Solutions Group (RSG) is an initiative driven by Saint-Gobain to deliver cutting-edge process solutions and best practices training programs that allow shops and technicians to stay up-to-date with the latest repair and refinishing technologies and advancements.

The Refinish Solutions Group seeks out partners that offer high quality products and expertise with top-level customer service in efforts to bring the best of the best for the convenience of one-stop shopping.

CONTAMINANT-FREE REFINISHING

PAINT HANDLING AND ATOMIZATION

# CORE COMPETENCIES

The Refinish Solutions Group manufacturers bring focused expertise and know-how to deliver a single, comprehensive refinishing solutions system to increase productivity, reduce cycle time, and improve quality. Each of the the RSG brands have specialized knowledge, skill and technique in the below core competencies:



METAL PANEL BONDING



PLASTIC/COMPOSITE STRUCTURAL AND COSMETIC REPAIR



BODY PANEL SURFACE REPAIR



PAINT PREPARATION



CLEAN AND DETAIL

PAINT DEFECT REMOVAL

#### WHAT DOES RSG MEAN TO YOU, THE DISTRIBUTOR?

You get one knowledgeable and resourceful expert in all the brands/products that fall under the RSG umbrella. This loyal champion can offer the distributor in-depth product and industry expertise to configure solutions that fulfill your need as a customer without having to consult with multiple representatives from all the different brands. Your trusted advisor can also offer comprehensive product training on all products and brands under RSG with a no-risk test policy!

57



# REVVIVE BY RSG Accessories



# **REVvive by RSG Accessories**

REVvive by RSG is a line of non-abrasive products and accessories that compliment the use of vacuum assisted tools.



REVvive by RSG Contaminant Eliminator Pad Named a COOL TOOL by Collision Hub!

📎 https://b.link/9xvdei



# Contaminant Eliminator Pad

Designed with advanced rubber polymer technology replacing the use of traditional clay bars that require reshaping, the pad glides along surfaces for sturdy and controlled handling and is cleaned by simply washing off with water. Safely and easily removes paint over spray, water spots, tree sap, brake and rail dust, and more. Can be used with a tool, hand or with the REVvive by RSG Hand Strap. Delivers a smooth and flawless shine in less time with greater efficiency and longevity.

DESCRIPTION	PART #	CASE
3.5" Contaminant Eliminator Pad	666233 <b>91331</b>	12
6" Contaminant Eliminator Pad	666233 <b>91382</b>	12
3.5" REVvive by RSG Hand Straps	666233 <b>91334</b>	48
6" REVvive by RSG Hand Straps	666233 <b>91333</b>	24



# Vacuum Hand Blocks

Designed for use with vacuum abrasive sheet rolls. The REVvive by RSG dust-free hand blocks are flexible to easily conform to edges and curves.

DESCRIPTION	PART #	CASE
125 x 70mm Vacuum Block	666233 <b>91381</b>	1
200 x 70mm Vacuum Block	666233 <b>91382</b>	1
400 x 70mm Vacuum Block	666233 <b>91383</b>	1



#### Vacuum Hand Block Interface Pads

Matches hole design on the REVvive by RSG Vacuum Block. Use of an interface pad improves both surface finish and cut rate.

DESCRIPTION	PART #	CASE
125 x 70mm Vacuum Block Interface Pad	666233 <b>91384</b>	10
200 x 70mm Vacuum Block Interface Pad	666233 <b>91385</b>	10
400 x 70mm Vacuum Block Interface Pad	666233 <b>91386</b>	10



# Eraser Wheel

Fast removal of pinstripes, adhesive, and decals without damage to the underlying surface. Wider than solid wheels for faster removal and greater control. Tractor wheel design resists heat buildup and reduces jumping and vibration. Use with an air-powered tool up to 4000 rpm.

DESCRIPTION		PART #	CASE	
Permium Eraser Wheel	4" x 1" x 5/16"-24	666233 <b>91380</b>	1	



# REVVIVE BY RSG Aerosols – Coatings



# Aerosols

REVvive by RSG Aerosols bring performance and quality together for the ideal spot repair solution.

# Coatings

REVvive by RSG Coatings are ideal for restoring the original appearance in a cleaner, durable, corrosion-free solution that can be used on almost any surface.



# E-Coat

- · Super-durable coating provides outstanding corrosion protection
- Used as DTM primer or as a single coating to match the original OEM appearance
- Compatible with most basecoats
- · Excellent adhesion over bare metal and paints and primers

DESCRIPTION	COLOR	PART #	SIZE	CASE
e-Coat	Black	666233 <b>91015</b>	12.6 oz	6
e-Coat	Gray	666233 <b>91016</b>	12.7 oz	6
e-Coat	Olive Green	666233 <b>91017</b>	12.8 oz	6
e-Coat	Light Green	666233 <b>91018</b>	12.7 oz	6
e-Coat	Tan	666233 <b>91019</b>	12.9 oz	6
e-Coat	White	666233 <b>91025</b>	12.4 oz.	6
e-Coat	Olive Brown	666233 <b>91026</b>	11.9 oz.	6
e-Coat	Dark Green	666233 <b>91027</b>	11.9 oz.	6
e-Coat	Field Drab	666233 <b>91028</b>	11.9 oz.	6



#### SUBSTRATES:

Can be applied to prepared OEM-painted surfaces, aluminum, bare steel, galvanized, SMC, fiberglass, and polyester body filler.

# Dry Guide Coat

- · Identify surface defects when sanding fillers or primers
- · Convenient aerosol application provides no waste and clean-up
- Dries instantly
- Does not clog abrasives

# • Use when dry or wet sanding

DESCRIPTION	COLOR	PART #	SIZE	CASE	
Dry Guide Coat	Black	666233 <b>91008</b>	10.9 oz	6	



# SUBSTRATES:

Can be applied to prepared OEM-painted surfaces, fiberglass, and polyester body filler.

# OMETAL

- Trim Black
- Restores trim back to original condition

SUBSTRATES:

59

- No adhesion promoter required
- Excellent coverage
- · Maintains flexibility

DESCRIPTION	PART #	SIZE	CASE
Satin Trim Black	666233 <b>91013</b>	10.9 oz	6
Matte Trim Black	666233 <b>91014</b>	11 oz	6



# Can be applied to prepared OEM-painted surfaces, lightly abraded E-Coat, TPO, EDPM, and polypropylene.

www.refinishsolutionsgroup.com









# Rocker Panel Texture Coat

- · A textured, durable coating to protect against stone chips, salt, damp and rust
- · Includes two nozzles to recreate a variety of OEM textures
- Apply directly to sanded bare metal. For use on aluminum or galvanized, REVvive by RSG Acid Etch Primer is recommended
- High Build formulation covers seams and weld areas

DESCRIPTION	COLOR	PART #	SIZE	CASE
Rocker Panel Texture Coat	Gray	666233 <b>91011</b>	13.2 oz	6
Rocker Panel Texture Coat	Black	666233 <b>91012</b>	12.8 oz	6

# Premium Rubberized Undercoating

- · Fast drying, paintable rubberized undercoating protects against stone chips and abrasion
- · Non-sag, high rubber content coating with excellent build
- Texture matches OEM appearance
- · Suited for wheel wells, trunks, lower body panels and underbodies
- · Assists with sound deadening
- · Substrates: bare metal or primed steel and aluminum (coated metal)

DESCRIPTION	COLOR	PART #	SIZE	CASE	
Premium Rubberized Undercoating	Black	666233 <b>91029</b>	17.7 oz.	6	

# Attachment Tape Adhesion Promoter

- Liquid primer to improve the adhesion of automotive attachment tapes to exterior and interior trims involving injection molded and/or plastics (TPO, PPO, PP, PC, etc.)
- The convenient dauber style container neatly dispenses the ideal amount of product for optimal adhesion

DESCRIPTION	PART #	SIZE	CASE	
Attachment Tape Adhesion Promoter	666233 <b>91030</b>	4 oz. Dauber	6	



# Cavity Wax

- · OEM approved corrosion protection for cavities and inner body panels
- Excellent crevice penetration
- Dries firm to touch with a slight tack
- · Convenient aerosol can eliminates the need for spray equipment

#### Cavity Wax Applicator Wand

- Flexible design makes reaching difficult areas easy
- 360° tip designed for outstanding coverage
- Reduces mess

DESCRIPTION	PART #	SIZE	CASE
Cavity Wax	666233 <b>91022</b>	13.75 oz	12
Cavity Wax Applicator Wand	666233 <b>91023</b>	_	1



Named a COOL TOOL by Collision Hub!

REVvive by RSG Cavity Wax

📎 https://b.link/66fo1n





# **REVVIVE BY RSG** Aerosols – Primers



#### Primers

REVvive by RSG present a full line of Primers with exceptional adhesion and corrosion protection in an easy-to-sand, fast drying solution for all repairs.



# Weld-Thru Primer

- · Excellent adhesion
- High concentration of zinc or copper for greater corrosion protection
- Superior conductivity while Resistance Spot, MIG and TIG welding
- · Fast drying for maximum efficiency

DESCRIPTION	PART #	SIZE	CASE
Zinc Weld-Thru Primer	666233 <b>91000</b>	12.5 oz	6



SUBSTRATES:

Can be applied direct to metal, galvanized steel and aluminum.

#### **High Build Primer**

- · Fills uneven surfaces prior to top coating
- · Ideal for spot repairs
- Includes 2 nozzles flat fan and round for versatility in film build
- · Easy to sand

DESCRIPTION	COLOR	PART #	SIZE	CASE	
High Build Primer	Gray	666233 <b>91007</b>	12 oz	6	



# SUBSTRATES:

Can be applied directly to metal, prepared OEM painted surfaces, aluminum, galvanized steel, SMC, fiberglass, lightly abraded e-Coat, polyester body fillers, GRP.

#### **Universal Primer**

- · Direct adhesion to both metal and flexible plastics
- · Fast drying and easy to sand- ideal for small rub through areas and localized repairs
- No adhesion promoter or etch primer required
- · Can be top-coated with most water or solvent based paints

DESCRIPTION	COLOR	PART #	SIZE	CASE	
Universal Primer	Gray	666233 <b>91003</b>	11.2 oz	6	



# SUBSTRATES:



Can be applied to prepared OEM-painted surfaces, Aluminum, galvanized steel, directly on to metal, SMC, Fiberglass, lightly abraded E-Coat, TPO, EDPM, polypropylene.

## Acid Etch Primer

- One-step etch and prime formula prevents corrosion and promotes paint adhesion
- · For use priming bare metal surfaces
- · Ideal for rub-throughs
- · No sanding required- can be directly top-coated

DESCRIPTION	COLOR	PART #	SIZE	CASE
Acid Etch Primer	Gray	666233 <b>91010</b>	12.9 oz	6



# SUBSTRATES:

Can be applied to fully cured paint, Aluminum, galvanized & zinc-coated steel, bare steel, polyester body fillers, GRP.







# $\begin{array}{c} \text{REVVIVE BY RSG} \\ \text{Aerosols} - \text{Cleaners} \end{array}$



# Cleaners

Cleaners from REVvive by RSG eliminate contaminants on all surfaces for a completely clean finish.

# Surface Degreaser

- Anti-silicone degreaser
- Wipes clean without leaving surface residue
- · Fast evaporating and ideal for spot repairs
- Use on bare metal and painted surfaces

DESCRIPTION	PART #	SIZE	CASE	
Surface Degreaser	666233 <b>91009</b>	9.9 oz	6	



Direct to me



Direct to metal, prepared OEM paint surfaces, aluminum, galvanized, SMC, fiberglass, lightly abraded E-Coat.



# **REVVIVE BY RSG** Hyper Concentrates





#### Hyper Concentrates

REVvive by RSG Hyper Concentrates are ULTRA-CONCENTRATED car wash solutions that stay uniform in the bottle allowing you to pump without having to shake the bottle. The no-drip pump accurately dispenses the perfect amount per spray bottle, eliminating the need for any dilution system saving space and reducing the chances of mess. This new technology transforms bulky 5-gallon concentrates into low viscosity 64oz containers giving you more cleaning power in much smaller footprint. One 64oz pail contains the SAME amount of product in a 5-gallon bucket saving space. One 64oz pail contains solution to fill 96 spray bottles. The REVvive by RSG Hyper Concentrate line is environmentally safe formulas (Prop 65 and VOC-compliant).





# Degreaser

Powerful exterior degreaser that rapidly cleans the toughest dirt and stains. Quickly removes grease, tar, bugs and grime from engines, floors, and underbodies.

DESCRIPTION	COLOR	SCENT	PART #	SIZE	CASE
Hyper Concentrate Degreaser	Green	Apple	666233 <b>91104</b>	64 oz.	4



# All-Purpose Cleaner

All-in-one organic interior and exterior cleaner that rapidly eliminates the toughest stains, grease, oil, dirt, and odors from all surfaces.

DESCRIPTION	COLOR	SCENT	PART #	SIZE	CASE
Hyper Concentrate All-PurposeCleaner	Yellow	Citrus	666233 <b>91103</b>	64 oz.	4



#### Wheel Cleaner

Strong environmentally safe wheel cleaner removes oxidation, brake dust, tar, and tough dirt. Safe for clear coated, painted, aluminum, and magnesium rims. Does not contain hydrofluoric or sulfuric acids.

DESCRIPTION	COLOR	SCENT	PART #	SIZE	CASE
Hyper Concentrate Wheel Cleaner	Purple	Grape	666233 <b>91101</b>	64 oz.	4



#### Soap

Highly concentrated, pH balanced formula delivers full-bodied foaming lather that easily removes grime, road film, and dirt without dulling painted finish.

DESCRIPTION	COLOR	SCENT	PART #	SIZE	CASE
Hyper Concentrate Soap	Red	Cherry	666233 <b>91100</b>	64 oz.	4





## **Glass** Cleaner

Alcohol based, ammonia free, non-streaking, fog and smudge resistant formula works great on windshields, mirrors, plastic, and headlights.

DESCRIPTION	COLOR	SCENT	PART #	SIZE	CASE
Hyper Concentrate Glass Cleaner	Blue	None	666233 <b>91102</b>	64 oz.	4

# Spray Bottle

For use with REVvive by RSG Hyper Concentrates, this 32-ounce handy hold spray bottle is OSHA compliant and has a chemical resistant sprayer.

DESCRIPTION	PART #	SIZE	CASE
Hyper Concentrate Spray Bottle	666233 <b>91105</b>	32 oz.	24



#### Hyper Concentrate Pump

For use with REVvive by RSG Hyper Concentrates this no-drip pump accurately dispenses concentrates into 32 ounce secondary bottles. The REVvive by RSG Hyper Concentrate Pump delivers 2 - 3 ounces of product per pump when adding the chemical to the dilution with the water for a 32-ounce spray bottle of chemical.

DESCRIPTION	PART #	SIZE	CASE
Hyper Concentrate Pump	666233 <b>91106</b>	-	24



**REVVIVE BY RSG** 

Hyper Concentrates





Farécla buffing pads have a unique CCS waffle design that resolves the common problems of the traditional waffle.

# Benefits of CCS Design

- Slower rate of absorption enhancing polish performance
- Gradually releases compound as needed by the operator, enhancing pad and compound performance
- Reduces surface contact resulting in less friction generated heat
- Diminishes surface friction allowing operator to run pad flat preventing skipping

# Three Proven Professional Foam Formulations:

- White Cutting Foam– for removing sanding scratches, deep scratches, oxidation, and weathered paint
- Black Polishing Foam- to remove light swirl marks
- Blue Finishing Foam– for use with a final polish or glaze to create exceptional shine



# Single-Sided Pads

Farécla Single-Sided Pads have a beveled edge design to allow access under trim and improve user control. The recessed back provides accurate alignment for balance and protects against backing plate contact.

Back-Up Plates

The Farécla back-up plate is intended for use with the single-sided foam pads.

- High strength molded urethane construction absorbs heat while enabling flexibility over the surface
- · Edge design allows for pads to attach securely yet fast and easy changes
- Composed with plated steel insert for maximum durability

PART #	CASE
666233 <b>91306</b>	6
666233 <b>91307</b>	6
666233 <b>91308</b>	6
666233 <b>91315</b>	6
666233 <b>91314</b>	6
666233 <b>91319</b>	6
666233 <b>91320</b>	6
666233 <b>91321</b>	6
666233 <b>91318</b>	6
666233 <b>91316</b>	6
666233 <b>91317</b>	6
666233 <b>91489</b>	20
	66623391306 66623391307 66623391308 66623391315 66623391314 66623391319 66623391320 66623391320 66623391321 66623391318 66623391316



# Double-Sided Pads

Farécla Double-Sided Pads have a highly engineered center plate designed to minimize pad hop or chatter with the perfect amount of flexibility when buffing contours. The Farécla Double-Sided Pads are designed with an easy to use connection system that allows the technician to effortlessly change pads to get the job done quickly, saving time and effort.

Wool Pad

The Farécla Double-Sided Wool Pad is a 100% steamed and twisted white wool designed to eliminate severe swirls, scratches or heavy oxidation from sanded or wet sanded refinished paint surfaces.

DESCRIPTION	PART #	CASE
8" Double-Sided CCS Waffle Foam Pad - White	666233 <b>91310</b>	6
8" Double-Sided CCS Waffle Foam Pad - Black	666233 <b>91311</b>	6
8" Double-Sided CCS Waffle Foam Pad - Blue	666233 <b>91312</b>	6
Double-Sided Pad Adapter	666233 <b>91313</b>	6
8" Double-Sided Cutting Wool Pad	666233 <b>91309</b>	6
Accessories		
Double Sided Pad Adapter - Quick Connect	666233 <b>91330</b>	6

# FARÉCLA Finishing Compounds





# Super Fast. Super Easy!

Farécla G360 is a radical new polishing system. Farécla G360 Compound and Finish and Farecla buff pads are the perfect combination.

# G360 Super Fast Compound

G360 Super Fast Compound easily glides over the surface while rapidly cutting to remove P1200 sanding marks- saving time and money. Transparent in use, the operator is able to see these marks disappear permanently.

- Removes P1200 or finer scratches
- · Use on all refinish clear coats and OEM paint
- · Heavy viscosity for reduced sling and easy clean-up
- Easy glide technology

DESCRIPTION	PART #	CASE
Farécla G360 Super Fast Compound	666233 <b>90600</b>	6

# G360 Super Fast Finish

G360 Super Fast Finish easily eliminates swirl marks and other minor defects rapidly and with little effort, leaving an enhanced deep gloss finish. Transparent in use, the operator is able to see the permanent results.

Ideal for darker colors, after using G360 Super Fast Compound system.

- Ultra high gloss finish
- Eliminates swirl marks and fine scratches
- Transparent in use

· Minimal wiping

DESCRIPTION	SIZE	PART #	CASE	
Farécla G360 Super Fast Finish	1 Liter	666233 <b>90601</b>	6	



# Detail Spray

Farecla Clean & Protect Detail Spray is a non-hazardous, silicone- and VOC-free product that offers immense cleaning power and leaves a long lasting protective layer on the surface. Rapidly removes compound, residue, dust, fingerprints, and other contaminants from paint, gel coats, glass, and plastics.

- · Easy-to-use product with a great smell
- Silicone and VOC free formula
- Does not leave streaks or residue
- · High gloss finish with long-lasting protection

DESCRIPTION	SIZE	PART #	CASE	
Clean & Protect Detail Spray	1 Liter	780727 <b>66935</b>	6	

# Microfiber Towels

DESCRIPTION	COLOR	PART #	CASE
Farécla All-Purpose Microfiber Towel	Blue	666233 <b>91497</b>	10
Farécla Detail Mirofiber Towel	Grey	666233 <b>91496</b>	25







# Crash Tested. OEM Approved.

Fusor® Repair Adhesives product line is known for its innovative OEM approved products and expertise in providing collision repair adhesive solutions. Fusor's leading adhesives, sealers and plastic repair solutions combined with the product portfolio and strong sales team of the Refinish Solutions Group provide you with a one-stop, comprehensive refinishing solutions system to increase productivity, reduce cycle time and improve quality.

PART #	DESCRIPTION	WORK TIME	HANDLING / CLAMP TIME	PAINT TIME	FULL CURE	SUBSTRATES	CHEMISTRY	COLOR
666233 <b>90978</b> 808498 <b>10007</b>	Fusor 110B/111B Metal Bonding Adhesive (Fast)	5 minutes	20 minutes	-	2 hours	Steel and aluminum	Acrylic 2K	Green
666233 <b>90969</b> 808498 <b>10006</b>	Fusor 108B/109B Metal Bonding Adhesive (Med.)	40 minutes	2 hours	_	4 hours	Steel and aluminum	Acrylic 2K	Green
666233 <b>90970</b>	Fusor 112B Metal Bonding Adhesive (Slow)	70 minutes/ 35 minutes @ 90F (32C)	3 hours	_	8 hours	Steel and aluminum	Acrylic 2K	Gray
666233 <b>90983</b>	Fusor 208B Panel Bonding Adhesive (Slow)	90 minutes	4 hours / 30 minutes @ 140°F (60°C)	Immediately	24 hours / 1 hour @ 140°F (60°C)	Steel, aluminum and SMC/FRP	Ероху 2К	Gray
666233 <b>90982</b>	Fusor 2098 Crash Durable Structural Adhesive (Slow)	90 minutes	6 hours / 30 minutes @ 140°F (60°C)	24 hours / 30 minutes @ 140°F (60°C)	24 hours / 2 hours @ 140°F (60°C)	Steel, aluminum, FRP	Ероху 2К	Blue

Technical data reported @ 70°F (21°C) unless noted.



# Metal Bonding Adhesive (Fast) | BARE METAL

Applications: Patch panel bonding and weld bonding of properly prepared dissimilar metals, cab corners, panel sections and aluminum trailer repair patches.

> **OEM Approvals & Recommendations:** Honda: In-plant repair, collision repair

Acura: Collison repair

#### Features & Benefits:

- Fast cure
- No welding required
- Guaranteed corrosion

protection

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Green	110B	666233 <b>90978</b>	6
1.7 oz (50 mL)	Green	111B	808498 <b>10007</b>	12

PART #	DESCRIPTION	WORK TIME	HANDLING / CI
666233 <b>90978</b> 808498 <b>10007</b>	Fusor 110B/111B Metal Bonding Adhesive (Fast)	5 minutes	20 minutes
666233 <b>90969</b> 808498 <b>10006</b>	Fusor 108B/109B Metal Bonding Adhesive (Med.)	40 minutes	2 hours
666233 <b>90970</b>	Fusor 112B Metal Bonding Adhesive (Slow)	70 minutes/ 35 minutes @ 90F (32C)	3 hours
666233 <b>90983</b>	Fusor 208B	90 minutes	4 hours / 30 m





#### Metal Bonding Adhesive (Medium) | BARE METAL

Applications: Panel bonding, weld and rivet bonding of quarter panels, rear body panels, roof panels, door skins, van side panels and outer truck bed panels.

# Features & Benefits:

- 6 to 8 times faster than epoxy or urethane panel bonders
- No welding required
- Guaranteed corrosion protection .
- · Can be riveted and resistance welded

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Green	108B	666233 <b>90969</b>	6
1.7 oz (50 mL)	Green	109B	808498 <b>10006</b>	12

# Metal Bonding Adhesive (Slow) | BARE METAL

Applications: Panel bonding, weld and rivet bonding of quarter panels, rear body panels, roof panels, door skins, van side panels and outer truck bed panels.

# **Features & Benefits:**

- · Long open time for large panel replacement
- · Ideal for hot temperature conditions
- · Guaranteed corrosion protection
- · Can be riveted and resistance welded

# **OEM Approvals & Recommendations:**

**OEM Approvals & Recommendations:** 

**OEM Approvals & Recommendations:** 

GM/ Fiat, PSA Peugeot, Tesla,

Chrysler, Honda/Acura

Chrysler, Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Gray	112B	666233 <b>90970</b>	6

# Panel Bonding Adhesive (Slow) | BARE METAL

Applications: Metal and plastic panel bonding, weld and rivet bonding of quarter panels, rear body panels, roof panels, door skins, van side panels and outer truck bed panels.

Honda/Acura

# Features & Benefits:

- · Paint and sand with no need to remove adhesive squeeze out
- Low odor
- Bonds plastic, e-coat and bare metals
- · Excellent corrosion protection

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Gray	208B	666233 <b>90983</b>	6



Applications: Metal and plastic panel bonding, weld and rivet bonding of replacement structural and non-structural auto body panels.

Features	&	Benefits:	

- Higher impact strength performance
- Excellent corrosion protection · Versatile and easy to use
- · Bonds plastic, e-coat and bare metals
- · Weld immediately

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Blue	2098	666233 <b>90982</b>	6
Use Eusor A20 Mixing Tin				

Use Fusor 420 Mixing Tip.



**OEM Approvals & Recommendations:** 

Metal Adhesives

**FUSOR** 

GM, Mazda, Nissan, Ford, Honda/Acura





# FUSOR **Plastic Adhesives**

PART #	DESCRIPTION	WORK TIME	CLAMP TIME	SAND TIME	PAINT TIME	SUBSTRATES	CHEMISTRY	COLOR
666233 <b>90981</b> 808498 <b>10169</b>	Fusor 132/133 Plastic Repair Adhesive (Super Fast)	1 minute	10 minutes	10 minutes	10 minutes	All types of plastic, SMC or fiberglass, ecoat, primed and painted metals	Urethane 2K	Black
666233 <b>90963</b> 808498 <b>10030</b>	Fusor 142/143 Plastic Repair Adhesive (Fast)	1 minute	10 minutes	20 minutes	30 minutes	All plastic bumpers, SMC or fiberglass panels, ecoat, primed and painted metals	Urethane 2K	Black
666233 <b>90976</b>	Fusor 152 Plastic Repair Adhesive (Medium)	3 minutes	30 min / 5 min @ 140°F (60°C)	90 min / 3 min @ 140°F (60°C)	2 hours / 60 min with heat cure	All plastic bumpers, SMC or fiberglass panels, ecoat, primed and painted metals	Urethane 2K	Black
666233 <b>90980</b>	Fusor 114LG Plastic Finishing Adhesive (Fast)	2 minutes	_	20 minutes	60 minutes	Finishing adhesive for all plastics including PP, fiberglass, Metton <sup>®</sup> , Telene <sup>®</sup> , SMC, TEO, urethane and carbon fiber	Ероху 2К	Red
666233 <b>90967</b> 808498 <b>10001</b>	Fusor 100EZ/101EZ Plastic Repair Adhesive (Heat Set)	40 minutes	_	10 minutes @ 180°F (82°C)	60 minutes @ 180°F (82°C)	All types of rigid body plastics such as SMC, GTX, fiberglass, Metton <sup>®</sup> and carbon fiber	Ероху 2К	Beige
666233 <b>90962</b> 808498 <b>10015</b>	Fusor 141/140 Clear Plastic Bonding Adhesive (Fast)	1 minute	5 minutes	30 minutes	30 minutes	Plastics, primed and painted metals, glass, wood and other surfaces	Urethane 2K	Clear
666233 <b>90964</b>	Fusor 147 Plastic Bonding Adhesive (Medium)	5 minutes	90 min / 15 minutes @ 140°F (60°C)	-	90 minutes / 15 minutes @ 140°F (60°C)	SMC, fiberglass, carbon fiber and other plastics to itself and primed metal	Urethane 2K	Brown
666233 <b>90960</b>	Fusor 127EZ Plastic Bonding Adhesive (Slow)	50 minutes	5 hours / 30 minutes @ 140°F (60°C)	-	4 hours / 30 minutes @ 140°F (60°C)	SMC, fiberglass, carbon fiber and other plastics to itself and primed metal	Urethane 2K	Off White
808498 <b>10038</b>	Fusor T21 Composite Adhesive (Slow)	45 minutes	4 hours / 20 minutes @ 180°F (82°C)	60 minutes @ 180°F (82°C)	60 minutes @ 180°F (82°C)	Plastics, SMC and fiberglass to itself and primed metals	Ероху 2К	Gray
666233 <b>90966</b>	Fusor T22 Truck Plastic Bonding Adhesive (Fast)	5 minutes	60 minutes / 15 minutes @ 140°F (60°C)	-	-	SMC, fiberglass, carbon fiber and other plastics to itself and to primed metal	Urethane 2K	Beige
666233 <b>90975</b>	Fusor T23 Truck Plastic Bonding Adhesive (Medium)	20 minutes	3 hours / 22 minutes @ 140°F (60°C)	-	-	SMC, fiberglass, carbon fiber and other plastics to itself and to primed metal	Urethane 2K	Beige

Technical data reported @ 70°F (21°C) unless noted.



# Plastic Repair Adhesive (Super Fast) | SANDABLE

Applications: Structural and cosmetic repair of bumpers, bumper tabs, emblems and door trims, interior and exterior plastic repairs, cosmetic repairs.

> **OEM Approvals & Recommendations:** Chrysler/Fiat, Ford, GM, Honda/Acura

# Features & Benefits:

- · No need for plastic identification with use of Fusor 602EZ
- Sand and paint in 10 minutes
- · Faster than plastic welding
- Stronger than stapling
- One product for all plastic repairs
- Undetectable feather edge

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Black	132	666233 <b>90981</b>	6
1.7 oz (50 mL)	Black	133	808498 <b>10169</b>	12







Applications: Structural and cosmetic repair of bumpers, bumper tabs, emblems and door trims, interior and exterior plastic repairs, cosmetic repairs.

# Features & Benefits:

- Urethane chemistry for all structural and cosmetic repairs on bumpers
- Undetectable feather edge
- Sandable in minutes
- No need for plastic identification with use of Fusor 602EZ

# **OEM Approvals & Recommendations:**

**Plastic Adhesives** 

**FUSOR** 

Ford, GM, Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Black	142	666233 <b>90963</b>	6
1.7 oz (50 mL)	Black	143	808498 <b>10030</b>	12

# Plastic Repair Adhesive (Medium) | SANDABLE

Applications: Structural and cosmetic repair of bumpers, bumper tabs, emblems and door trims, interior and exterior plastic repairs, cosmetic repairs.

# Features & Benefits:

- · Enough work time for larger repairs; ideal for hot temperature conditions
- · Urethane chemistry for all structural and cosmetic repairs on bumpers
- Undetectable feather edge
- · Sandable in minutes
- No need for plastic identification with use of Fusor 602EZ
- · On demand cure with heat

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Black	152	666233 <b>90976</b>	6



# Plastic Finishing Adhesive (Fast) | SANDABLE

Applications: Finishing adhesive for cosmetic repair of all plastic bumpers and body panels.

# Features & Benefits:

- · No plastic identification is required
- No adhesion promoters needed
- · Epoxy formula sands to a perfect feather edge in 20

minutes or less

· Use with or without mixing tip

SIZE	COLOR	FUSOR #	PART #	CASE	
7.1 oz (210 mL)	Red	114LG	666233 <b>90980</b>	6	

**OEM Approvals & Recommendations:** Ford, GM, Honda/Acura

**OEM Approvals & Recommendations:** 

Chrysler/Fiat, GM, Honda/Acura







Applications: Structural and cosmetic repair of auto and heavy duty truck composite, fiberglass, SMC and carbon fiber panels.

# Features & Benefits:

- One product for all body panels
- Easily sands to a feather edge to provide •
  - undetectable repairs
- No bull's-eyes, read-throughs or halos

COLOR	FUSOR #	PART #	CASE
Beige	100EZ	666233 <b>90967</b>	6
Beige	101EZ	808498 <b>10001</b>	12
		Beige 100EZ	Beige 100EZ 666233 <b>90967</b>

Use Fusor 702 Fiberglass Cloth

# Clear Plastic Bonding Adhesive (Fast) | SANDABLE

Applications: Rebuild bumper and headlight tabs, bond emblems, body side moldings, plastic backer panels, decorative vents, wheel opening moldings, rear wind deflectors and ground effects.

Honda/Acura

#### Features & Benefits:

- Clear urethane, non-yellowing structural adhesive
- Fast cure
- High-strength, flexible bond
- SIZE COI ( PART # 7.1 oz (210 mL) Clear 141 666233**90962** 6 1.7 oz (50 mL) Clear 140 80849810015 12

# Plastic Bonding Adhesive (Medium) | SANDABLE

Applications: Installation and bonding of small body panels, spoilers, ground effects and headlight buckets.

# Features & Benefits:

- High-strength structural adhesive
- Easy to gun, urethane non-sag formula
- Provides faster cure time for smaller interior and exterior parts

#### COLOI PART # 7.1 oz (210 mL) 66623390964 Brown 147 6

# Plastic Bonding Adhesive (Slow) | SANDABLE

Applications: Plastic body panels, spoilers and ground effects; excellent for cab extenders, wood and other surfaces.

# Features & Benefits:

- High-strength urethane structural adhesive
- Provides enough work time for bonding large • primed metal or plastic parts
- Easy to gun, non-sag formula

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Off White	127EZ	666233 <b>90960</b>	6

GΜ







# **OEM Approvals & Recommendations:**

Plastic Adhesives

**FUSOR** 

Chrysler/Fiat, Ford, GM, Nissan, Volvo Truck

**OEM Approvals & Recommendations:** 

**OEM Approvals & Recommendations:** 

Chrysler/Fiat, Ford, GM, Honda/Acura

**OEM Approvals & Recommendations:** 









# Composite Adhesive (Slow) | SANDABLE

**Applications:** Bonding of fairings, body panels, spoilers, ground effects, wind deflectors, roofs and fender liners; repairs cracks, punctures and tears.

# Features & Benefits:

- One product bonds and finishes all plastic panels
- OEM epoxy formula
  - Great for heavy-duty truck repair
  - High strength
  - Excellent gap-filling properties

# **OEM Approvals & Recommendations:**

Ford, GM, Kenworth, Mack, Navistar, Paccar, Peterbilt, Volvo Truck

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Gray	T21	666233 <b>90965</b>	6
Use Fusor 420 Mixing Tin				

Use Fusor 420 Mixing Tip.

# Truck Plastic Bonding Adhesive (Fast) | STRUCTURAL

**Applications:** Installation of hood panels, roof panels, fenders, fender liners, fairings, spoilers, wind deflectors, cab extenders, ground effects, headlamp buckets and other body panels.

# Features & Benefits:

#### **OEM Approvals & Recommendations:** Kenworth, Peterbilt

• Easy to gun, non-sag formula

• Substantially stronger than conventional adhesives

Substantially stronger than conventional adhesives

SIZE	COLOR	FUSOR #	PART #	CASE	
7.1 oz (210 mL)	Beige	T22	666233 <b>90966</b>	6	

# Truck Plastic Bonding Adhesive (Medium) | STRUCTURAL

**Applications:** Installation of hood panels, roof panels, fenders, fender liners, fairings, spoilers, wind deflectors, cab extenders, ground effects, headlamp buckets and other body panels.

# Features & Benefits:

# **OEM** Approvals & Recommendations:

- Easy to gun, non-sag formula
- Kenworth, Peterbilt

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Beige	T23	666233 <b>90975</b>	6











PART #	DESCRIPTION	WORK TIME	SKIN TIME	FULL EXPANSION	SAND TIME	PAINT TIME	SUBSTRATES	CHEMISTRY	COLOR
666233 <b>90973</b> 808498 <b>10037</b>	Fusor 123/126 Non-Sag Seam Sealer (Fast)	3 minutes	_	_	_	10 minutes (Paint within 24 hours or scuff before painting)	Bare metal or primed surfaces	Urethane 2K	White
666233 <b>90986</b>	Fusor 123MD Non-Sag Seam Sealer (Medium)	15 minutes	-	-	-	45 minutes	Bare metal or primed surfaces	Urethane 2K	White
666233 <b>90984</b>	Fusor 123SL Non-Sag Seam Sealer (Slow)	45 minutes	-	_	-	90 minutes (Paint within 24 hours or scuff before painting)	Bare metal or primed surfaces	Urethane 2K	White
666233 <b>90974</b>	Fusor 123EZ Non-Sag Seam Sealer (Medium)	10 minutes / 5 minutes @ 90°F(32°C)	-	_	30 minutes	30 minutes	Apply over 2K primer	Ероху 2К	Blue
666233 <b>90979</b>	Fusor 019 Bare Metal Brushable Seam Sealer (Medium)	6 minutes	-	-	10 minutes	10 minutes (Paint within 24 hours)	Bare metal	Acrylic 2K	Green
666233 <b>90961</b>	Fusor 129 Controlled Flow Seam Sealer (Fast)	5 minutes	-	-	30 minutes	30 minutes	Bare metal	Ероху 2К	Beige
666233 <b>90972</b>	Fusor 122EZ Self-Leveling Seam Sealer (Medium)	8 minutes	-	-	30 minutes	30 minutes	Apply over 2K primers	Ероху 2К	Blue
80849810170 666233 <b>90996</b> 80849810171	Fusor 800DTM/ 801DTM/803DTM Direct-To-Metal Sealer	-	25 min, 50% RH	_	-	Immediately or up to 30 days without a scuff (Test with paint system)	Bare metal, cold rolled steel, ecoat and aluminum	Silane Terminated Polymer 1K	Neutral/ White/Black
666233 <b>90971</b> 808498 <b>10011</b>	Fusor 121/124 Flexible Foam (Super Fast)	10 seconds	-	3 minutes	_	10 minutes	Apply over 2K primers	Urethane 2K	Black
666233 <b>90977</b>	Fusor 130 Rigid Foam (Super Fast)	25 seconds	-	4 minutes	-	10 minutes	Apply over 2K primers	Urethane 2K	Beige
666233 <b>90985</b>	Fusor 231 Sound Dampening Material (Slow)	60 minutes					Bare metal or over 2K primed metal	Urethane 2K	Black

Technical data reported @ 70°F (21°C) unless noted.



#### Non-Sag Seam Sealer (Fast) | FULL BODIED

**Applications:** Duplicates factory look on the following seams: truck beds, tooled door skin, floor pan, core support and any other application in which a non-sag cosmetic seam sealer is required and where fast work time is desired.

Honda/Acura

**OEM Approvals & Recommendations:** 

- Duplicates factory appearance
- Gets the job done in 10 minutes
- Bright white color
- Can be used without primer

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	White	123	666233 <b>90973</b>	6
1.7 oz (50 mL)	White	126	808498 <b>10037</b>	12



## **FUSOR** Sealers and Foams



#### Non-Sag Seam Sealer (Medium) | FULL BODIED

Applications: Duplicates factory look on the following seams: truck beds, tooled door skin, floor pan, core support and any other application in which a non-sag cosmetic seam sealer is required and where medium work time is desired.

#### Features & Benefits:

- Duplicates factory appearance
- · Can be used without primer
- Extended work time
- · Bright white color

### **OEM Approvals & Recommendations:**

Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	White	123MD	666233 <b>90986</b>	6





#### Non-Sag Seam Sealer (Slow) | FULL BODIED

Applications: Duplicates factory look on the following seams: truck beds, tooled door skin, floor pan, core support and any other application requiring a longer work time, non-sag cosmetic seam sealer, or where high ambient temperatures are encountered.

Duplicates factory appearance

Longer work time

#### **OEM Approvals & Recommendations:** Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	White	123SL	666233 <b>90984</b>	6

#### Non-Sag Seam Sealer (Medium) | FULL BODIED

Applications: Duplicates factory look on the following seams: truck beds, tooled door skin, floor pan, core support and any other application in which a non-sag cosmetic seam sealer is required and where longer work time is desired.

#### Features & Benefits:

#### **OEM Approvals & Recommendations:**

GM, Ford, Honda/Acura

Duplicates factory appearance

- Longer work time
- Sandable

#### SIZE COLO FUSOR # PART # 7.1 oz (210 mL) Blue 123EZ 666233**90974** 6

#### Bare Metal Brushable Seam Sealer (Medium) | BARE METAL SEALER

Applications: Truck bed seams, tooled door skin seams, floor pan seams, core support seams and other applications where bare metal, brushable cosmetic seam sealer is required.



### **OEM Approvals & Recommendations:**

**OEM Approvals & Recommendations:** 

Ford, Chrysler/Fiat, GM, Honda/Acura

- Chrysler/Fiat, Honda/Acura



#### Controlled Flow Seam Sealer (Fast) | CONTROLLED FLOW

Applications: Excellent for roof channels, door seams, drip rails and truck bed floor seams and trunk seams.

#### Features & Benefits:

- Epoxy formula provides smooth continuous beads with no gun lines
- No tooling required for factory look
- Sandable

SIZE

· Can be used with or without primer

SIZE	COLOR	FUSOR #	PART #	CASE	
7.1 oz (210 mL)	Beige	129	666233 <b>90961</b>	6	





## **FUSOR** Sealers and Foams



#### Self-Leveling Seam Sealer (Medium) | FLOWABLE

Applications: Drip rails, trunks, core support to aprons, roof seams and quarter panel to rear deck.

#### Features & Benefits:

Perfectly matches factory flow-grade seams

### **OEM Approvals & Recommendations:**

Ford, Honda/Acura

- No tooling required · Permanently flexible
- Sandable
- Color changes to indicate cure

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Blue	122EZ	666233 <b>90972</b>	6

#### Sound Dampening Material (Slow) | NOISE VIBRATION DAMPENING

Applications: Sound dampening and sealing of: roof bows and roof skin, door skin and intrusion beam, quarter panel and inner structure, hoods and deck lids to inner structure. Ideal for overhead and vertical applications where a non-sag material is required.



#### Features & Benefits:

- Matches OEM performance
- Flexible seal with no shrinkage or read-through; non-expanding
- Extended work time for large applications
- Non-sag formula remains in position on vertical and overhead surfaces
- Excellent adhesion to metal, e-coat and existing NVH materials

### **OEM Approvals & Recommendations:**

**OEM Approvals & Recommendations:** 

Ford, GM, Honda/Acura, Nissan,

Volvo Truck

Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Black	231	666233 <b>90985</b>	6

#### Direct-To-Metal Sealer | BARE METAL

Applications: Duplicates factory look on standing seams, cosmetic seams, truck bed seams, tooled door skin seams, floor pan seams, core support seams and brushed seams and any other application in which a non-sag cosmetic seam sealer is required.

- Single component direct-to-metal; no substrate primer required
- Non-sag
- Holds brush marks without die back
- Weld-thru with no burn back

SIZE	COLOR	FUSOR #	PART #	CASE
10 oz (296 mL)	Neutral	800DTM	808498 <b>10170</b>	12
10 oz (296 mL)	White	801DTM	666233 <b>90996</b>	12
10 oz (296 mL)	Black	803DTM	808498 <b>10171</b>	12









**Applications:** Sound deadening, sealing and filling of: door skins to crash bar, hood panel to supports, trunk panel to supports and gas tank filler area.

#### Features & Benefits:

- Matches OEM sound deadening foams
- Retains its memory with no shrinkage
- Expands to 10 times its size
- · Will not absorb moisture or cause corrosion

#### **OEM Approvals & Recommendations:**

Sealers and Foams

**FUSOR** 

Chrysler/Fiat, Ford, GM, Honda/Acura, Tesla, Volvo Truck

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Black	121	666233 <b>90971</b>	6
1.7 oz (50 mL)	Black	124	808498 <b>10011</b>	12

#### Rigid Foam (Super Fast) | RIGID

**Applications:** Sound deadening, vibration dampening, reinforcement, sealing and filling of: fender rails, pillars, rocker panels, quarter panels and floors.

130

COLO

Beige

#### Features & Benefits:

- Matches OEM sound deadening foams commonly found in pillars, front rails, rockers and rear supports
- Expands to 10 times its size

7.1 oz (210 mL)

- Provides NVH properties for a quieter ride
- Tough compressive strength for maximum energy absorption
- Super fast application, providing full foam expansion in 4 minutes

OEM	Approvals	å	Recommendations:

666233**90977** 

6

Chrysler/Fiat, Ford, Honda/Acura









Specialty Products/Accessories

#### Surface Modifier

**Applications:** Increases adhesion for plastic bumper repair and painting plastic parts. Also improves adhesion for double-sided tapes and seam sealing tapes.

#### Features & Benefits:

- Open time from 10 minutes to 24 hours
- California compliant
- No need for plastic identification when used with Fusor 132/133, 142/143, 152/153 or 141/140 adhesives
- Increases adhesion when used with Fusor 180/181/182

#### Substrates:

All plastic bumper covers, emblems, moldings and primed or painted metals

#### **OEM Recommended**

SIZE	FUSOR #	PART #	CASE
9 oz (255 mL)	602EZ	808498 <b>10121</b>	6

#### **Reinforcing Mesh**

Applications: Use for backing patches, bumper tabs and other reinforcements on plastic bumper covers.

#### Features & Benefits:

- Use with Fusor 132/133, 142/143, 152/153, 141/140 adhesives
- Use with Fusor 602EZ
- Use with Fusor 704 roller
- Finish with Fusor 114LG/114SM adhesive

#### Substrates:

**Substrates:** SMC, Fiberglass

Plastic bumpers, bumper tabs

SIZE	FUSOR #	PART #	CASE
4" x 12' (101.6 mm x 3.7 m)	700	808498 <b>10023</b>	12

#### Fiberglass Cloth

**Applications:** Use for structural backing support, pyramid patches and other reinforcements on SMC and fiberglass panels.

#### Features & Benefits:

- Helps eliminate bull's-eyes in SMC repair
- Use with Fusor 100EZ/101EZ,120/T20 and
- T21 adhesives
- Use with Fusor 704 roller

# SIZE FUSOR # PART # CASE 4" x 12' (101.6 mm x 3.7 m) 702 80849810025 12



#### Adhesion Prep/Cleaner

**Applications:** Removes silicones and contaminants. Use prior to applying adhesives, sealers and coatings. Removes brake dust from wheels.

SIZE	FUSOR #	PART #	CASE
32 oz (946.3 mL)	703	808498 <b>10026</b>	12







#### Saturation Roller

**Applications:** Use with Fusor 700 and 702 for maximum adhesive saturation.

#### Features & Benefits:

- 3" (76.2 mm) anodized aluminum
- Ideal for building SMC patch panel repairs
- Helps compact the surface for strong repairs

SIZE	FUSOR #	PART #	CASE	
3" (76.2 mm) Roller	704	808498 <b>10027</b>	6	

#### Manual 50 mL Dispensing Gun

Applications: Use with 1.7 oz (50 mL) cartridges, which go with Fusor 400 mix tip.

#### Features & Benefits:

- Dispenses both 1:1 and 2:1 cartridges with no conversion necessary
- Sturdy, high-quality, compact

SIZE	FUSOR #	PART #	CASE
50 mL Dispensing Gun	300	808498 <b>10019</b>	1





#### High Performance Manual Dispensing Gun

Applications: For use with 10.1/7.6 oz (210 mL) cartridges.

#### Features & Benefits:

- Dispenses 1:1 and 2:1 cartridges
- Sturdy, high quality, compact
- 26:1 thrust ratio allows for easy dispensing of high viscosity adhesive
- · Easily accommodates cartridges with different nose styles
- Simplistic design allows for easy cartridge insertion and ejection
- · Composite supports provide excellent cartridge stability
- · Conversion plunger is securely attached to rear of applicator

SIZE	FUSOR #	PART #	CASE
210 mL	502	666233 <b>90987</b>	1



#### High Performance Pneumatic Dispensing Gun

Applications: For use 7.1 oz (210 mL) cartridges.

#### Features & Benefits:

- Dispenses 1:1 and 2:1 cartridges
- One finger forward and reverse operation
- · Composite support provide excellent cartridge stability
- For fast and easy application of long beads

SIZE	FUSOR #	PART #	CASE
7.1 oz (210 mL)	504	666233 <b>90988</b>	1

### Sprayable Seam Sealer Gun

Applications: For use with Fusor HD sealers.

- When used with Fusor HD sealers, matches all OEM seam sealers, textured coatings and sound deadening applications
- · Material and air flow adjustment controls allow for factory match seams

SIZE	FUSOR #	PART #	CASE
-	312	808498 <b>10111</b>	1





PAPAPAPARAPAPAPAPAPAPAPAPA

THE REAL PROPERTY IN THE PARTY IS NOT TH



#### One-Component Manual Seam Sealer Gun

**Applications:** For use with Fusor DTM sealers.

#### Features & Benefits:

- B-Line 1/10th gallon cartridge gun with smooth high-powered 26:1 thrust ratio
- Excellent for all sealants especially handy for thicker materials and in cold weather

SIZE	FUSOR #	PART #	CASE
-	313	808498 <b>10146</b>	1

#### Red Power 50 mL Cartridges Mixing Tips

**Applications:** For use with all 1:1 and 2:1, 1.7 oz (50 mL) cartridges, which go with Fusor 300 dispensing gun. **Features & Benefits:** 

- Size: 0.21" x 4.5" x 24-element (5.3 mm x 114.3 mm x 24-element)
- Bayonet mount

SIZE	FUSOR #	PART #	CASE
Standard Pack	400	808498 <b>10076</b>	12

#### Red Power 210 mL Cartridges Mixing Tips

**Applications:** For use with all 1:1 and 2:1, 7.6 oz. (210mL) cartridges (except for Fusor 120/T20, T21, T23, and 2098 which use the #420 Red Power Mixing Tip).

#### Features & Benefits:

• Size: 0.34" x 5.8" x 24-element (8.6 mm x 147.3 mm x 24-element)

SIZE	FUSOR #	PART #	CASE
Standard Pack	401T	666233 <b>90990</b>	12

### Nozzle For 800 Series Sealer

Applications: For use with Fusor HD and DTM sealers.

#### Features & Benefits:

· Threaded replacement nozzles for caulking tubes

SIZE	FUSOR #	PART #	CASE
-	412EZ	808498 <b>10130</b>	12



#### Cabinet

Applications: Allows easy accessibility, stocking and storage of Fusor adhesives and accessories.

- Keeps Fusor products dust free
- Makes evaluating inventory easier
- Size: 20"w x 35"h x 12"d (0.51 m x 0.89 m x 0.3 m)
- · Complete with shelf, mixer container and hanging racks for opened and unopened cartridges
- Available in Black

SIZE	FUSOR #	PART #	CASE
20"w x 35"h x 12"d (0.51 m x 0.89 m x 0.3 m)	907	808498 <b>10105</b>	1

Total Inventory Management OPTIMIZE YOUR REPAIR MATERIALS. IMPROVE YOUR BOTTOM LINE.

Exclusively offered by Refinish Solutions Group, the TIM information technology application enables collision repair shops to optimize management of repair materials, helping the shop to lower costs, streamline repair processes and improve profitability.

TIM utilizes technician barcode scanning of repair materials and simple-to-use software. The intuitive design of the TIM platform empowers shop managers to minimize inventory, ensure that the right repair materials are always available, identify recoverable materials used by RO# and track material usage trends.

Visit for more information: https://www.refinishsolutionsgroup.com/tim

\* Always wear protective gear. Photos in this catalog are for illustrative purposes only.

www.refinishsolutionsgroup.com

ΝΠΡΤΠΝ

HUTCHINS

CARBORUNDUM Farecla



PART #	PAGE	PART #	PAGE	DADT #	PAGE	PART #	PAGE
077922 <b>00268</b>	76	666233 <b>90977</b>	83, 86	PART # 666233 <b>91385</b>	63	076607 <b>03074</b>	24
077922 <b>74977</b>	76	666233 <b>90978</b>	77	666233 <b>91386</b>	63	076607 <b>03075</b>	24
07792288400	75	66623390979	83-84	80849810001	79, 81	076607 <b>03076</b>	24
07792288401	75	66623390980	79-80	808498 <b>10006</b>	77-78	076607 <b>03077</b>	24
07792288402	75	66623390981	79	80849810007	77	076607 <b>03078</b>	24
07792288403	75	666233 <b>90982</b>	77-78	80849810008	77-78	076607 <b>05376</b>	23
08714300306	74	666233 <b>90983</b>	77-78	808498 <b>10011</b>	83, 86	07660719359	59
087143 <b>00307</b>	74	666233 <b>90984</b>	83-84	80849810013	83-84	076607 <b>49008</b>	60
08714300308	74	666233 <b>90985</b>	83, 85	808498 <b>10015</b>	79, 81	076607 <b>82705</b>	49
08714300309	74	666233 <b>90986</b>	83	80849810016	79, 81	076607 <b>82706</b>	49
08714300310	74	666233 <b>90987</b>	88	80849810019	88	076607 <b>82725</b>	49
087143 <b>00311</b>	74	666233 <b>90988</b>	89	80849810023	87	076607 <b>82735</b>	50
08714300312	74	66623390995	84	80849810025	87	076607 <b>82750</b>	50
08714300313	74	666233 <b>90996</b>	83, 85	80849810026	88	07660782751	50
08714300314	74	666233 <b>91000</b>	66	80849810027	88	07660782775	51
08714300315	74	666233 <b>91001</b>	66	808498 <b>10030</b>	79-80	076607 <b>82780</b>	51
087143 <b>00316</b>	74	666233 <b>91003</b>	66	808498 <b>10037</b>	83	076607 <b>82786</b>	50
087143 <b>00317</b>	74	666233 <b>91007</b>	66	808498 <b>10038</b>	79	07660789011	35
087143 <b>00500</b>	75	666233 <b>91008</b>	64	808498 <b>10066</b>	90	07660789012	35
08714300501	75	666233 <b>91009</b>	67	80849810067	90	07660789030	35
087143 <b>00502</b>	75	666233 <b>91010</b>	66	80849810073	90	07660789032	35
087143 <b>00577</b>	74	666233 <b>91011</b>	65	80849810076	90	07660789034	35
08714300579	74	666233 <b>91012</b>	65	80849810105	90	08714300214	53
087143 <b>00580</b>	74	666233 <b>91013</b>	64	80849810107	79-80	08714300216	53
087143 <b>00581</b>	74	666233 <b>91014</b>	64	80849810111	89	087143 <b>00217</b>	53
087143 <b>00586</b>	74	666233 <b>91015</b>	64	80849810120	88	087143 <b>00218</b>	53
087143 <b>00587</b>	74	666233 <b>91016</b>	64	80849810121	87	636425 <b>00402</b>	55
087143 <b>00690</b>	74	666233 <b>91017</b>	64	80849810130	90	636425 <b>00403</b>	55
636425 <b>04670</b>	65	666233 <b>91018</b>	64	80849810133	87	636425 <b>00404</b>	55
660614 <b>01390</b>	91	666233 <b>91019</b>	64	80849810145	90	636425 <b>00407</b>	55
660614 <b>01404</b>	91	666233 <b>91022</b>	65	80849810146	89	636425 <b>00904</b>	57
660614 <b>01464</b>	91	666233 <b>91023</b>	65	80849810158	83, 85	636425 <b>00906</b>	57
660614 <b>01465</b>	91	666233 <b>91024</b>	67	80849810159	83, 85	636425 <b>02161</b>	60
660614 <b>01469</b>	91	666233 <b>91025</b>	64	80849810160	83, 85	636425 <b>02162</b>	60
660614 <b>01540</b>	91	666233 <b>91026</b>	64	80849810161	83, 85	636425 <b>02517</b>	60
660614 <b>01547</b>	91	666233 <b>91027</b>	64	80849810166	79-80	636425 <b>02981</b>	56
662611 <b>82685</b>	76	666233 <b>91028</b>	64	80849810169	79	636425 <b>02999</b>	23
662611 <b>82686</b>	76	666233 <b>91029</b>	65	80849810170	83, 85	636425 <b>03009</b>	23
662611 <b>82688</b>	76	666233 <b>91100</b>	68	808498 <b>10171</b>	83, 85	636425 <b>03029</b>	60
666233 <b>90600</b>	71	666233 <b>91101</b>	68	80849810178	89	636425 <b>03030</b>	60
666233 <b>90601</b>	71	666233 <b>91102</b>	69	80849810180	83-84	636425 <b>03344</b>	53
666233 <b>90602</b>	72	666233 <b>91103</b>	68	076607 <b>00256</b>	37	636425 <b>03345</b>	53
666233 <b>90603</b>	73	666233 <b>91104</b>	68	076607 <b>00257</b>	37	636425 <b>03656</b>	30
666233 <b>90604</b>	73	666233 <b>91105</b>	69	076607 <b>00322</b>	37	636425 <b>03657</b>	30
666233 <b>90605</b>	72	666233 <b>91106</b>	69	076607 <b>00323</b>	37	636425 <b>03658</b>	30
666233 <b>90606</b>	73	666233 <b>91306</b>	70	076607 <b>00345</b>	36	636425 <b>03659</b>	30
666233 <b>90607</b>	72	666233 <b>91307</b>	70	076607 <b>00346</b>	36	636425 <b>03660</b>	30
666233 <b>90608</b>	73	666233 <b>91308</b>	70	076607 <b>00347</b>	36	636425 <b>03723</b>	53
666233 <b>90609</b>	73	666233 <b>91309</b>	70	07660700348	36	636425 <b>03726</b>	57
666233 <b>90960</b>	79, 81	666233 <b>91310</b>	70	076607 <b>00350</b>	36	636425 <b>03727</b>	57
666233 <b>90961</b>	83-84	666233 <b>91311</b>	70	076607 <b>00351</b>	36	636425 <b>03728</b>	58
666233 <b>90962</b>	79, 81	666233 <b>91312</b>	70	076607 <b>00352</b>	36	636425 <b>03729</b>	58
666233 <b>90963</b>	79-80	666233 <b>91313</b>	70	076607 <b>00491</b>	36	636425 <b>04402</b>	21
666233 <b>90964</b>	79, 81	666233 <b>91314</b>	70	076607 <b>00492</b>	36	636425 <b>04615</b>	44
666233 <b>90965</b>	82	666233 <b>91315</b>	70	076607 <b>00493</b>	36	636425 <b>04616</b>	44
666233 <b>90966</b>	79, 82	666233 <b>91316</b>	70	076607 <b>00494</b>	36	636425 <b>04617</b>	44
666233 <b>90967</b>	79, 81	666233 <b>91317</b>	70	076607 <b>00495</b>	36	636425 <b>04625</b>	44
666233 <b>90968</b>	79-80	666233 <b>91318</b>	70	076607 <b>00496</b>	36	636425 <b>04628</b>	48
666233 <b>90969</b>	77-78	666233 <b>91319</b>	70	076607 <b>00497</b>	36	636425 <b>04632</b>	48
666233 <b>90970</b>	77-78	666233 <b>91320</b>	70	076607 <b>00498</b>	36	636425 <b>04647</b>	44
666233 <b>90971</b>	83, 86	666233 <b>91321</b>	70	076607 <b>00499</b>	36	636425 <b>04671</b>	47
666233 <b>90972</b>	83, 85	666233 <b>91380</b>	63	076607 <b>00629</b>	36	636425 <b>04672</b>	47
666233 <b>90973</b>	84	666233 <b>91381</b>	63	076607 <b>00630</b>	36	636425 <b>04673</b>	47
666233 <b>90974</b>	83	666233 <b>91382</b>	63	076607 <b>00631</b>	36	636425 <b>04674</b>	47
666233 <b>90975</b>	79, 82	666233 <b>91383</b>	63	076607 <b>00633</b>	36	636425 <b>05457</b>	60
00020030313	,	0002000.000	00	01000100000	00	000 12000-01	



	2107		2102				
PART #	PAGE	PART #	PAGE	PART #	PAGE	PART #	PAGE
636425 <b>05460</b>	22	636425 <b>06216</b>	13	636425 <b>42770</b>	56	662610 <b>09194</b>	27
636425 <b>05620</b>	52	636425 <b>06217</b>	13	636425 <b>42772</b>	56	662610 <b>09324</b>	25
636425 <b>05621</b>	52	636425 <b>06218</b>	13	636425 <b>42773</b>	56	662610 <b>09502</b>	25
636425 <b>05622</b>	52	636425 <b>06219</b>	13	636425 <b>43112</b>	60	662610 <b>17522</b>	27, 40
636425 <b>05920</b>	54	636425 <b>06220</b>	13	636425 <b>43421</b>	60	662610 <b>40261</b>	12
636425 <b>05921</b>	54	636425 <b>06224</b>	55	636425 <b>43422</b>	60	662610 <b>41384</b>	33
636425 <b>05922</b>	54	636425 <b>06225</b>	12	636425 <b>43423</b>	60	662610 <b>55103</b>	28, 40
636425 <b>05923</b>	54	636425 <b>06226</b>	12	636425 <b>43425</b>	60	662610 <b>55105</b>	28, 40
	7						,
636425 <b>06002</b>		636425 <b>06227</b>	12	636425 <b>43463</b>	60	662610 <b>55309</b>	33
636425 <b>06013</b>	20	636425 <b>06228</b>	12	636425 <b>43704</b>	60	662610 <b>55310</b>	33, 40
636425 <b>06014</b>	20	636425 <b>06229</b>	12	636425 <b>43712</b>	60	662610 <b>55311</b>	33
636425 <b>06015</b>	20	636425 <b>06230</b>	12	636425 <b>43832</b>	22	662610 <b>58000</b>	23
636425 <b>06020</b>	20	636425 <b>06231</b>	12	636425 <b>52835</b>	58	662610 <b>58001</b>	23
636425 <b>06021</b>	20	636425 <b>06232</b>	12	636425 <b>52836</b>	58	662610 <b>58002</b>	23
636425 <b>06022</b>	20	636425 <b>06233</b>	12	636425 <b>55106</b>	25	662610 <b>58005</b>	23
	21		12	636425 <b>72012</b>	55		23
636425 <b>06078</b>		636425 <b>06234</b>				662611 <b>13517</b>	
636425 <b>06113</b>	8	636425 <b>06235</b>	12	636425 <b>72014</b>	55	662611 <b>13519</b>	23
636425 <b>06114</b>	8	636425 <b>06236</b>	12	636425 <b>72018</b>	55	662611 <b>21048</b>	28
636425 <b>06117</b>	8	636425 <b>06237</b>	13	636425 <b>76377</b>	52	662611 <b>21049</b>	28
636425 <b>06118</b>	8	636425 <b>06238</b>	13	636425 <b>76378</b>	52	662611 <b>21053</b>	28
636425 <b>06119</b>	8	636425 <b>06239</b>	13	636425 <b>78000</b>	55	662611 <b>21054</b>	28
636425 <b>06120</b>	8	636425 <b>06240</b>	13	636425 <b>97116</b>	21	662611 <b>23573</b>	15
636425 <b>06121</b>	8	636425 <b>06241</b>	13	636425 <b>97120</b>	46	662611 <b>23574</b>	15
636425 <b>06122</b>	8	636425 <b>06242</b>	13	636425 <b>97121</b>	46	662611 <b>23575</b>	15
636425 <b>06123</b>	8	636425 <b>06255</b>	8	636425 <b>97125</b>	54	662611 <b>23576</b>	15
636425 <b>06124</b>	8	636425 <b>06256</b>	8	636425 <b>97500</b>	6	662611 <b>23577</b>	15
636425 <b>06127</b>	59	636425 <b>06257</b>	8	636425 <b>97501</b>	6	662611 <b>23578</b>	15
636425 <b>06128</b>	20, 22, 60	636425 <b>06258</b>	8	636425 <b>97502</b>	6	662611 <b>23588</b>	15
636425 <b>06130</b>	20, 59	636425 <b>06259</b>	8	636425 <b>97503</b>	6	662611 <b>23589</b>	15
636425 <b>06135</b>	59	636425 <b>06261</b>	8	636425 <b>97504</b>	6	662611 <b>23590</b>	15
636425 <b>06137</b>	59	636425 <b>06375</b>	7	636425 <b>97505</b>	6	662611 <b>23591</b>	15
636425 <b>06138</b>	59	636425 <b>06376</b>	7	636425 <b>97506</b>	6	662611 <b>23592</b>	15
636425 <b>06139</b>	59	636425 <b>06377</b>	7	636425 <b>97507</b>	6	662611 <b>23593</b>	15
636425 <b>06141</b>	59	636425 <b>06379</b>	22	636425 <b>97508</b>	6	662611 <b>23596</b>	15
636425 <b>06142</b>	59	636425 <b>06380</b>	22	636425 <b>97509</b>	6	662611 <b>23598</b>	15
636425 <b>06143</b>	59	636425 <b>06381</b>	22	636425 <b>97510</b>	6	662611 <b>23608</b>	16
636425 <b>06145</b>	59	636425 <b>06398</b>	46	636425 <b>97511</b>	6	662611 <b>23609</b>	16
		636425 <b>06402</b>			6		16
636425 <b>06146</b>	59		46	636425 <b>97512</b>		662611 <b>23610</b>	
636425 <b>06147</b>	12	636425 <b>06403</b>	48	636425 <b>97513</b>	6	662611 <b>23614</b>	16
636425 <b>06148</b>	12	636425 <b>06404</b>	48	636425 <b>97514</b>	6	662611 <b>23615</b>	16
636425 <b>06149</b>	12	636425 <b>06412</b>	45	636425 <b>97515</b>	6	662611 <b>23616</b>	16
636425 <b>06150</b>	12	636425 <b>06417</b>	45	636425 <b>97516</b>	6	662611 <b>23617</b>	16
636425 <b>06151</b>	12	636425 <b>06418</b>	43	636425 <b>97517</b>	6	662611 <b>23618</b>	16
636425 <b>06152</b>	12	636425 <b>06419</b>	43	636425 <b>97519</b>	6	662611 <b>23619</b>	16
636425 <b>06153</b>	12	636425 <b>06420</b>	43	636425 <b>98650</b>	52	662611 <b>23620</b>	16
636425 <b>06160</b>	59	636425 <b>06421</b>	43	636425 <b>98651</b>	52	662611 <b>23621</b>	16
636425 <b>06164</b>	12	636425 <b>06427</b>	43	636425 <b>98652</b>	52	662611 <b>23622</b>	16
636425 <b>06165</b>	12	636425 <b>06727</b>	53	662435 <b>10630</b>	35	662611 <b>25244</b>	15
636425 <b>06166</b>	23	636425 <b>06728</b>	53	662435 <b>10655</b>	35	662611 <b>25307</b>	15
636425 <b>06167</b>	23	636425 <b>41396</b>	48	662435 <b>10675</b>	35	662611 <b>25436</b>	15
636425 <b>06168</b>	48	636425 <b>41398</b>	48	662435 <b>10677</b>	35	662611 <b>25444</b>	15
636425 <b>06176</b>	12	636425 <b>41399</b>	48	662533 <b>71058</b>	35	662611 <b>25595</b>	16
636425 <b>06177</b>	12	636425 <b>41400</b>	48	662533 <b>71059</b>	35	662611 <b>25684</b>	15
636425 <b>06178</b>	12	636425 <b>42077</b>	22	662544 <b>44193</b>	33	662611 <b>26511</b>	16
636425 <b>06179</b>	12	636425 <b>42078</b>	22	662544 <b>64820</b>	31	662611 <b>26512</b>	16
636425 <b>06182</b>	12	636425 <b>42079</b>	22	662544 <b>64821</b>	31	662611 <b>26556</b>	32
636425 <b>06194</b>	13	636425 <b>42080</b>	22	662544 <b>64822</b>	31	662611 <b>26557</b>	32
636425 <b>06195</b>	13	636425 <b>42082</b>	21	662544 <b>70735</b>	55	662611 <b>26558</b>	32
636425 <b>06196</b>	13	636425 <b>42089</b>	60	662544 <b>70746</b>	55	662611 <b>28688</b>	10
636425 <b>06198</b>	8	636425 <b>42090</b>	57	662544 <b>80231</b>	8	662611 <b>31451</b>	10
636425 <b>06199</b>	8	636425 <b>42091</b>	57	662544 <b>80232</b>	7	662611 <b>31452</b>	10
636425 <b>06200</b>	8	636425 <b>42092</b>	57	662544 <b>80233</b>	7	662611 <b>31453</b>	10
636425 <b>06202</b>	7	636425 <b>42093</b>	57	662610 <b>09189</b>	27	662611 <b>31454</b>	10
636425 <b>06203</b>	7	636425 <b>42094</b>	57	662610 <b>09190</b>	27, 40	662611 <b>31456</b>	10
636425 <b>06204</b>	7	636425 <b>42095</b>	57	662610 <b>09191</b>	27	662611 <b>31457</b>	10
636425 <b>06215</b>	13	636425 <b>42724</b>	58	662610 <b>09192</b>	27	662611 <b>31458</b>	10



PART #	PAGE						
662611 <b>31459</b>	10	662611 <b>31532</b>	10	662611 <b>31565</b>	10	662611 <b>31617</b>	10
662611 <b>31460</b>	10	662611 <b>31533</b>	10	662611 <b>31566</b>	10	662611 <b>31618</b>	11
662611 <b>31461</b>	10	662611 <b>31534</b>	10	662611 <b>31571</b>	9	662611 <b>31619</b>	11
662611 <b>31462</b>	10	662611 <b>31535</b>	10	662611 <b>31573</b>	9	662611 <b>31620</b>	11
662611 <b>31463</b>	10	662611 <b>31536</b>	10	662611 <b>31575</b>	9	662611 <b>31621</b>	11
662611 <b>31464</b>	10	662611 <b>31537</b>	10	662611 <b>31578</b>	9	662611 <b>31622</b>	11
662611 <b>31465</b>	10	662611 <b>31538</b>	10	662611 <b>31579</b>	9	662611 <b>31623</b>	11
662611 <b>31466</b>	10	662611 <b>31539</b>	10	662611 <b>31580</b>	9	662611 <b>31624</b>	11
662611 <b>31467</b>	10	662611 <b>31541</b>	10	662611 <b>31581</b>	9	662611 <b>31626</b>	11
662611 <b>31468</b>	10	662611 <b>31543</b>	10	662611 <b>31582</b>	9	662611 <b>31627</b>	11
662611 <b>31469</b>	10	662611 <b>31544</b>	10	662611 <b>31583</b>	9	662611 <b>31628</b>	11
662611 <b>31470</b>	10	662611 <b>31545</b>	10	662611 <b>31584</b>	9	662611 <b>31629</b>	11
662611 <b>31471</b>	10	662611 <b>31546</b>	10	662611 <b>31586</b>	9	662611 <b>31630</b>	11
662611 <b>31473</b>	10	662611 <b>31547</b>	10	662611 <b>31587</b>	9	662611 <b>31631</b>	11
662611 <b>31474</b>	10	662611 <b>31548</b>	10	662611 <b>31588</b>	9	662611 <b>31632</b>	11
662611 <b>31475</b>	10	662611 <b>31549</b>	10	662611 <b>31589</b>	9	662611 <b>31633</b>	11
662611 <b>31476</b>	10	662611 <b>31550</b>	10	662611 <b>31590</b>	9	662611 <b>31634</b>	11
662611 <b>31477</b>	10	662611 <b>31551</b>	10	662611 <b>31592</b>	9	662611 <b>31635</b>	11
662611 <b>31478</b>	10	662611 <b>31552</b>	10	662611 <b>31594</b>	9	662611 <b>31636</b>	11
662611 <b>31479</b>	10	662611 <b>31553</b>	10	662611 <b>31595</b>	9	662611 <b>31637</b>	11
662611 <b>31480</b>	10	662611 <b>31554</b>	10	662611 <b>31596</b>	9	662611 <b>31638</b>	11
662611 <b>31481</b>	10	662611 <b>31555</b>	10	662611 <b>31597</b>	9	662611 <b>31639</b>	11
662611 <b>31494</b>	10	662611 <b>31556</b>	10	662611 <b>31598</b>	9	662611 <b>31640</b>	11
662611 <b>31507</b>	10	662611 <b>31558</b>	10	662611 <b>31599</b>	9	662611 <b>31641</b>	11
662611 <b>31519</b>	10	662611 <b>31559</b>	10	662611 <b>31600</b>	9	662611 <b>31642</b>	11
662611 <b>31521</b>	10	662611 <b>31560</b>	10	662611 <b>31609</b>	10	662611 <b>31643</b>	11
662611 <b>31524</b>	10	662611 <b>31561</b>	10	662611 <b>31612</b>	10	662611 <b>31644</b>	11
662611 <b>31526</b>	10	662611 <b>31562</b>	10	662611 <b>31613</b>	10	662611 <b>31645</b>	11
662611 <b>31527</b>	10	662611 <b>31563</b>	10	662611 <b>31614</b>	10	662611 <b>31646</b>	11
662611 <b>31528</b>	10	662611 <b>31564</b>	10	662611 <b>31615</b>	10	662611 <b>31647</b>	11





PART #	PAGE	PART #	PAGE	PART #	PAGE	PART #	PAGE
662611 <b>31648</b>	11	662611 <b>40510</b>	8	662611 <b>62334</b>	28	666233 <b>57612</b>	24
662611 <b>31649</b>	11	662611 <b>40511</b>	8	662611 <b>81412</b>	15	666233 <b>57613</b>	24
662611 <b>31650</b>	11	662611 <b>40512</b>	8	662611 <b>83806</b>	12	666233 <b>57616</b>	24
662611 <b>31651</b>	11	662611 <b>40518</b>	7	662611 <b>83807</b>	12	666233 <b>74818</b>	30
662611 <b>31652</b>	11	662611 <b>40519</b>	7	662611 <b>83808</b>	12	666233 <b>74819</b>	30
662611 <b>31661</b>	10	662611 <b>40520</b>	7	662611 <b>83809</b>	12	666233 <b>74824</b>	30
662611 <b>31662</b>	10	662611 <b>40521</b>	7	662611 <b>83810</b>	12	666233 <b>90500</b>	27
662611 <b>31663</b>	10	662611 <b>40522</b>	7	662611 <b>83811</b>	12	666233 <b>90501</b>	27
662611 <b>31664</b>	10	662611 <b>40528</b>	7	662611 <b>83813</b>	12	666233 <b>90502</b>	27
662611 <b>31679</b>	11	662611 <b>40529</b>	7	662611 <b>83814</b>	12	666233 <b>90503</b>	9
662611 <b>31681</b>	11	662611 <b>40530</b>	7	662611 <b>83815</b>	12	666233 <b>90504</b>	9
662611 <b>31683</b>	11	662611 <b>40531</b>	7	662611 <b>83816</b>	12	666233 <b>90505</b>	9
662611 <b>31685</b>	11	662611 <b>40532</b>	7	662611 <b>83817</b>	12	66623390506	9
662611 <b>31686</b>	11	662611 <b>42474</b>	8	662611 <b>83818</b>	12	666233 <b>90507</b>	9
662611 <b>31687</b>	11	662611 <b>47432</b>	17	662611 <b>83819</b>	12	66623390509	9
662611 <b>31688</b>	11	662611 <b>47433</b>	17	662611 <b>83820</b>	12	666233 <b>90510</b>	9
662611 <b>31689</b>	11	662611 <b>47434</b>	10	662611 <b>83821</b>	12	666233 <b>90511</b>	9
662611 <b>31690</b>	11	662611 <b>48340</b>	8	662611 <b>83822</b>	12	666233 <b>90512</b>	9
662611 <b>31691</b>	11	662611 <b>49537</b>	7	662611 <b>83823</b>	12	666233 <b>90513</b>	9
			7				
662611 <b>33296</b>	11	662611 <b>49538</b>	7	662611 <b>83824</b>	12	666233 <b>90514</b>	9
662611 <b>35900</b>	10	662611 <b>49540</b>		662611 <b>83825</b>	12	666233 <b>90517</b>	9
662611 <b>36995</b>	10	662611 <b>49541</b>	7	662611 <b>83826</b>	12	666233 <b>90518</b>	9
662611 <b>36996</b>	10	662611 <b>49542</b>	7	662611 <b>83827</b>	12	666233 <b>90519</b>	9
662611 <b>38561</b>	32	662611 <b>49543</b>	7	662611 <b>83828</b>	12	666233 <b>90520</b>	9
662611 <b>38562</b>	32	662611 <b>49545</b>	7	662611 <b>83829</b>	12	666233 <b>90521</b>	9
662611 <b>38563</b>	32	662611 <b>49546</b>	7	662611 <b>83830</b>	12	666233 <b>90522</b>	9
662611 <b>38582</b>	32	662611 <b>49557</b>	8	662611 <b>83831</b>	12	666233 <b>90523</b>	9
662611 <b>38583</b>	32	662611 <b>49558</b>	8	662611 <b>83832</b>	12	666233 <b>90550</b>	19
662611 <b>38584</b>	32	662611 <b>49561</b>	8	666233 <b>05616</b>	7	666233 <b>90551</b>	19
662611 <b>38590</b>	32	662611 <b>49562</b>	8	666233 <b>29518</b>	8	666233 <b>90552</b>	19
662611 <b>38591</b>	32	662611 <b>49564</b>	8	666233 <b>29547</b>	8	666233 <b>90554</b>	19
662611 <b>38592</b>	32	662611 <b>49566</b>	8	666233 <b>29548</b>	8	666233 <b>90555</b>	19
662611 <b>38593</b>	32	662611 <b>50076</b>	40	666233 <b>31051</b>	25	666233 <b>90556</b>	19
662611 <b>38594</b>	32	662611 <b>50077</b>	40	666233 <b>31053</b>	25	666233 <b>90557</b>	19
662611 <b>38600</b>	32	662611 <b>52692</b>	11	666233 <b>31054</b>	25	666233 <b>90558</b>	19
662611 <b>38601</b>	32	662611 <b>55373</b>	8	666233 <b>34770</b>	23	666233 <b>90559</b>	19
662611 <b>38670</b>	28	662611 <b>55374</b>	8	666233 <b>34771</b>	23	666233 <b>91377</b>	40
662611 <b>38671</b>	28	662611 <b>55376</b>	8	666233 <b>34772</b>	51	666233 <b>91378</b>	40
662611 <b>38672</b>	28	662611 <b>58547</b>	34	666233 <b>34782</b>	26	66623391379	41
662611 <b>38673</b>	28	662611 <b>58548</b>	34	666233 <b>34783</b>	26	666233 <b>91381</b>	39
662611 <b>38674</b>	28	662611 <b>58549</b>	34	666233 <b>34785</b>	13	666233 <b>91382</b>	39
662611 <b>38675</b>	28	662611 <b>58550</b>	34	666233 <b>34786</b>	12	666233 <b>91383</b>	39
662611 <b>39369</b>	17	662611 <b>58552</b>	34	666233 <b>34787</b>	12	666233 <b>91384</b>	39
662611 <b>39370</b>	17	662611 <b>58555</b>	34	666233 <b>34788</b>	12	666233 <b>91385</b>	39
662611 <b>39371</b>	17	662611 <b>58558</b>	34	666233 <b>34790</b>	12	666233 <b>91386</b>	39
662611 <b>39372</b>	17	662611 <b>58561</b>	34	666233 <b>34791</b>	12	699573 <b>08899</b>	6
662611 <b>39373</b>	17	662611 <b>58565</b>	34	666233 <b>34793</b>	12	699573 <b>08900</b>	6
66261139374	17	662611 <b>58576</b>	34	666233 <b>34794</b>		699573 <b>08901</b>	
					12		<u> </u>
662611 <b>39375</b>	17	662611 <b>58577</b>	34	666233 <b>34796</b>	12	699573 <b>08902</b>	
662611 <b>39377</b>	17	662611 <b>58578</b>	34	666233 <b>34797</b>	12	699573 <b>08903</b>	6
662611 <b>39378</b>	17	662611 <b>58579</b>	34	666233 <b>34800</b>	13	699573 <b>12400</b>	38
662611 <b>39379</b>	17	662611 <b>58580</b>	34	666233 <b>34801</b>	13	699573 <b>12637</b>	39
662611 <b>39380</b>	17	662611 <b>58581</b>	34	666233 <b>34802</b>	13	699573 <b>12638</b>	39
662611 <b>39381</b>	17	662611 <b>58582</b>	34	666233 <b>34803</b>	13	699573 <b>12640</b>	38
662611 <b>39382</b>	17	662611 <b>58583</b>	34	666233 <b>34804</b>	13	699573 <b>12641</b>	38
662611 <b>39383</b>	17	662611 <b>58584</b>	34	666233 <b>34805</b>	13	699573 <b>12643</b>	38
662611 <b>39384</b>	17	662611 <b>58585</b>	34	666233 <b>35417</b>	27	699573 <b>12646</b>	38
662611 <b>39385</b>	17	662611 <b>58586</b>	34	666233 <b>35430</b>	27	699573 <b>12647</b>	39
662611 <b>39386</b>	17	662611 <b>60325</b>	12	666233 <b>35437</b>	27	699573 <b>40172</b>	40
662611 <b>39388</b>	17	662611 <b>62318</b>	28, 40	666233 <b>38632</b>	26	699573 <b>45325</b>	39
662611 <b>39389</b>	17	662611 <b>62320</b>	28	666233 <b>38633</b>	26	699573 <b>45336</b>	39
662611 <b>40385</b>	10	662611 <b>62322</b>	28	666233 <b>55103</b>	25	699573 <b>45337</b>	39
662611 <b>40498</b>	8	662611 <b>62324</b>	28	666233 <b>55105</b>	25	699573 <b>45359</b>	33
662611 <b>40502</b>	8	662611 <b>62328</b>	28, 40	666233 <b>57606</b>	24	699573 <b>65500</b>	6
662611 <b>40508</b>	8	662611 <b>62330</b>	28	666233 <b>57608</b>	24	699573 <b>82154</b>	40
662611 <b>40509</b>	8	662611 <b>62332</b>	28	666233 <b>57611</b>	24	699573 <b>82155</b>	40



PART #	PAGE	PART #	PAGE	PART #	PAGE	PART #	PAGE
699573 <b>92150</b>	33	776960 <b>07777</b>	7	776960 <b>88701</b>	18	776960 <b>95015</b>	7
699573 <b>94463</b>	8	776960 <b>07778</b>	7	776960 <b>88702</b>	18	776960 <b>95016</b>	7
699573 <b>94464</b>	8	776960 <b>07781</b>	7	776960 <b>88703</b>	18	776960 <b>98087</b>	23
699573 <b>94466</b>	8	776960 <b>07784</b>	7	776960 <b>88704</b>	18	780727 <b>12633</b>	12
699573 <b>98005</b>	31	776960 <b>07785</b>	7	776960 <b>88713</b>	18	78072716843	14
699573 <b>98006</b>	31	776960 <b>07786</b>	7	77696088714	18	780727 <b>16847</b>	14
699573 <b>98007</b>	31	776960 <b>07787</b>	7	77696088715	18	78072716849	14
699573 <b>98009</b>	31	776960 <b>07788</b>	7	776960 <b>88716</b>	18	780727 <b>16851</b>	14
699573 <b>98010</b>	31	776960 <b>07791</b>	7	77696090145	29	780727 <b>16856</b>	14
699573 <b>98011</b>	31	77696007793	7	77696090146	29	78072716909	14
699573 <b>98012</b>	31	77696007795	7	77696090147	29	78072716916	14
699573 <b>98014</b>	31	776960 <b>08407</b>	31	776960 <b>90148</b>	29	78072716938	14
699573 <b>98021</b>	33	77696008412	31	77696090149	29	78072716939	14
699573 <b>98022</b>	33, 40	776960 <b>08413</b>	31	77696090150	29	780727 <b>16940</b>	14
699573 <b>98023</b>	33, 40	77696008414	31	776960 <b>90151</b>	29	780727 <b>16941</b>	14
776960 <b>07745</b>	7	776960 <b>08429</b>	31	776960 <b>90152</b>	29	78072716943	14
776960 <b>07753</b>	7	77696008430	31	776960 <b>90153</b>	29	78072716944	14
776960 <b>07755</b>	7	77696008440	31	77696090154	29	780727 <b>16945</b>	14
776960 <b>07756</b>	7	776960 <b>08475</b>	31	776960 <b>95005</b>	7	780727 <b>16946</b>	14
776960 <b>07757</b>	7	776960 <b>10018</b>	31	776960 <b>95006</b>	7	780727 <b>16947</b>	14
776960 <b>07763</b>	7	776960 <b>30000</b>	6	776960 <b>95007</b>	7	780727 <b>28569</b>	33
776960 <b>07765</b>	7	776960 <b>30001</b>	6	776960 <b>95008</b>	7	780727 <b>36062</b>	33
776960 <b>07768</b>	7	77696069243	33	776960 <b>95009</b>	7	780727 <b>40295</b>	33
776960 <b>07770</b>	7	776960 <b>69244</b>	33	776960 <b>95010</b>	7	780727 <b>43401</b>	31
776960 <b>07773</b>	7	776960 <b>69245</b>	33	776960 <b>95011</b>	7	780727 <b>43402</b>	31
776960 <b>07774</b>	7	776960 <b>69246</b>	33	776960 <b>95012</b>	7	780727 <b>53469</b>	12
776960 <b>07775</b>	7	776960 <b>75500</b>	23	776960 <b>95013</b>	7	780727 <b>53546</b>	12
776960 <b>07776</b>	7	776960 <b>75502</b>	23	77696095014	7		



# DRIVING THE COLLISION REPAIR INDUSTRY FORWARD

Norton | Saint-Gobain is proud to be a Sustaining Partner of I-CAR. As a Sustaining Partner, we support I-CAR's vision and mission of delivering the latest repair knowledge and training to every collision repair technician. We believe in doing the right thing for the industry by helping deliver complete, safe and quality repairs to the ultimate benefit of our families, friends and neighbors.

## DOING THE RIGHT THING FOR THE INDUSTRY AND THE CONSUMER

#### REDUCING TRAINING COSTS AND INCREASING TRAINING OPPORTUNITIES

As a Sustaining Partner, we help lower training costs and provide training courses encouraging shops to continue, or even increase, training to stay current with today's complex vehicles.

#### REDUCING SCHOOL FEES

As a Sustaining Partner, we provide financial support to allow more vocational schools to run programs that develop better trained entry level technicians.

#### PROVIDING SAFE REPAIRS

As a Sustaining Partner, we provide resources to help I-CAR develop and deliver the training and services needed for safe repairs.

See more here: www.I-CAR.com/SustainingPartners/Saint-Gobain





#### YOUR PRODUCTIVITY PARTNER

A select group of industry leaders has come together to leverage their core expertise into one powerful network to assist you in improving your refinishing process and increasing your profitability.



SAINT-GOBAIN

#### QUALITY ABRASIVES

New and different solutions for body shops that demand increased productivity, consistent quality and enhanced cost control.



#### ULTIMATE PAINT PROTECTION AND WINDOW FILMS

Window and body films that act as body armor helping to guard the vehicle from damaging elements.





#### SUPERIOR MASKING TAPE

SUPER FAST AND EASY

Innovative and high quality automotive surface protection and masking tape products for the unique needs of the collision repair market.

Premium compounds and finishes to get the final shine because every detail counts.



#### FIRST-CLASS SPRAY GUNS AND PAINT CUPS

Pioneering product portfolio of paint guns and cups that deliver glass-like finishes to the collision repair market.

#### PARAMOUNT REPAIR ADHESIVES

Known for cutting-edge OEM approved products and expertise in providing collision repair adhesive solutions.

## HUTCHINS

**Repair Adhesives** 

#### THE GOLD STANDARD

Proudly made in the USA, they set the tone for surface preparation tools.



Visit Norton Abrasives on YouTube, which houses lots of collision repair Standard Operating Procedure videos to educate technicians on RSG products and procedures to optimize shop processes for a total refinishing solution. With an ever expanding list of videos there is something for everyone, whether you are new to the industry or a seasoned technician.



https://nortonsga.us/hhsy9j

#### **TRADEMARKS**

Norton, "Quality that Pays", "Transforming Surfaces and Beyond", A2750P, Bear-Tex, BlackIce, Blaze, BlueFire, DryIce, Gold Reserve, Liquid Ice, MeshPower, Multi-Air Cyclonic, PureIce, Rapid Blend, Rapid Prep, Rapid Strip, Refinish Solutions Group, Red Heat, REVvive by RSG, SoftTouch, Speed Grip, Speed-Lok, Thin-Flex, VAC RACK, and Vortex are trademarks of Saint-Gobain Abrasives.

Farécla and Solar Gard are trademarks of Saint-Gobain. DeVilbiss is a registered trademark DeVilbiss Automotive Refinishing. Fusor is a registered trademark of Parker LORD Corporation.

Hutchins and ProFinishers are trademarks of Hutchins Mfg Company. Vehicle images provided courtesy of Ford® Motor Company. All trademarks and logos are property of their respective holders and used by consent.





# AUTOMOTIVE AFTERMARKET REFINISHING PRODUCTS

### TAKE NORTON FOR A TEST DRIVE

Norton is 100% committed to bringing the best performing products to body shops at a fair price.

You can test drive Norton products in your shop when it's convenient for you. Simply let your Norton salesperson know when you'd like to test Norton in your shop. Our test drive program allows the technicians to do their regular work, without interruption, using Norton products at no cost in "real world" conditions. You're the final judge of performance.

At the end of the day, the Norton salesperson will review the results, provide you with potential cost savings and convert the shop to Norton products if you like what you see.

There has never been a better time to look at ways to increase productivity and to reduce costs at absolutely no risk to you. If you'd like to take a test drive please email norton.automotive@saint-gobain.com



#### **QUALITY** THAT PAYS<sup>™</sup>

www.facebook.com/NortonAbrasivesNA | www.instagram.com/NortonAbrasivesNA www.youtube.com/NortonAbrasives | www.nortonabrasives.com

CUSTOMER SERVICE:

USA Toll Free: 1 (800) 456-8444 CAN Toll Free: 1 (800) 263-6565 Toll Free Fax: 1 (888) 383-2249 EMAIL US: norton.automotive@saint-gobain.com 6 **36425** 800 13 2

FORM #330 REV. 09/23 © Saint-Gobain September 2023. Norton, "Quality that Pays", Refinish Solutions Group and "Transforming Surfaces and Beyond" are trademarks of Saint-Gobain Abrasives. All other trademarks are the property of their respective owners.



